

NATIONAL EXAMINATIONS - December 2013

04-BS-10, Thermodynamics


3 Hours Duration

NOTES:


1. If doubt exists as to the interpretation of any question, the candidate is urged to submit, with the answer paper, a clear statement of any assumptions made.
 2. Any one of the approved calculator models is permitted. This is a "Closed-Book" examination with one 8.5×11 inch sheet of notes (both sides) allowed.
 3. Property tables and charts are provided where necessary.
 4. **Two** questions from part "A" plus **four** questions from part "B" (a total of **six** questions) constitutes a complete paper. Unless clearly indicated otherwise by you, only the first two questions from part "A" and the first four questions from part "B" that you answered will be marked.
 5. The mark associated with each question is specified.
-

PART A. DO ONLY TWO OF QUESTIONS 1, 2, or 3
 (Each question is worth 20 marks)

1. A vapor-compression refrigeration system uses the arrangement shown in the figure for two-stage compression. Refrigerant 134a is the working fluid. Saturated vapor at -30°C enters the first compressor (Compressor I). The flash chamber and direct contact heat exchanger operate at 400 kPa, and the condenser pressure is 1.2 MPa. Saturated liquid streams at 1.2 MPa and 400 kPa enter the high- and low-pressure expansion valves, respectively. If each compressor operates isentropically and the refrigerating capacity of the system is 10 tons (1 ton = 211 kJ/min), show the cycle on a T-s diagram with respect to saturation lines and determine
- the power input to each compressor, in kW, and
 - the coefficient of performance.



2. Consider an ideal regenerative vapor power cycle with two feedwater heaters, a closed one and an open one as shown in the figure. Steam enters the first stage turbine at 12.5 MPa and 550°C, and expands to 0.8 MPa. Some steam is extracted at 0.8 MPa and fed to the closed feedwater heater. The remainder expands through the second stage of the turbine to 0.3 MPa, where an additional amount is extracted and fed into the open feedwater heater, which operates at 0.3 MPa. The steam expanding through the third stage of the turbine exits at the condenser pressure of 10 kPa. Feedwater leaves the closed feedwater heater at 170°C and 12.5 MPa, and condensate exiting as saturated liquid at 0.8 MPa is trapped in the open feedwater heater. Saturated liquid at 0.3 MPa leaves the open feedwater heater. The net power output of the cycle is 150 MW. Sketch the cycle on a T-s diagram with respect to saturation lines and determine
- the net power output, in kJ/kg,
 - the mass flow rate of stream entering the first stage turbine, in kg/h, and
 - the thermal efficiency of the cycle.



3. A Brayton cycle with regeneration uses air as the working fluid and has a pressure ratio of 10. The minimum and maximum temperatures in the cycle are 300 K and 1200 K. The isentropic efficiencies are 75% and 80% for the compressor and turbine, respectively. The effectiveness of the regenerator is 70%. Use constant specific heats at room temperature for air. Assume a source temperature of 1200 K and a sink temperature of 300 K. Show the cycle on a T-s diagram and determine
- the air temperature at the turbine exit, in K,
 - the net work output, in kJ/kg,
 - the thermal efficiency of the cycle, and
 - the second law efficiency of the cycle.

PART B. DO ONLY FOUR OF QUESTIONS 4, 5, 6, 7, 8 or 9
(Each question is worth 15 marks)

4. An air-standard Diesel cycle has a compression ratio of 16 and a cutoff ratio of 2 (i.e., the specific volume doubles during heat addition). At the beginning of the compression process, air is at 95 kPa and 27°C. Accounting for the variation of specific heats with temperature, determine (a) the temperature after the heat addition process, (b) the thermal efficiency, and (c) the mean effective pressure.
5. A mixture of 80% of N₂ and 20% of CO₂ gases (by mole numbers) is compressed isentropically in a compressor. The mixture enters the compressor at 100 kPa and 600 K, and leaves at 500 kPa. Treat the mixture as an ideal gas. Determine the work input to the compressor per unit mass of the mixture.
6. Air initially at 27°C and 100 kPa is contained within a rigid insulated tank. The air is stirred by a paddle wheel until its pressure is 120 kPa. For 1 kg of air, determine the work and the irreversibility, each in kJ. Neglect kinetic and potential energy and let T₀ = 27°C, p₀ = 1 bar.
7. At steady state, air at 42°C, 1 atm, 30% relative humidity is mixed adiabatically with a second air stream entering at 1 atm. The mass flow rates of the two streams are the same. A single mixed stream exits at 29°C, 1 atm and 40% relative humidity with a mass flow rate of 2 kg/s. For the second entering stream, determine (a) the relative humidity and (b) the temperature.
8. A tank having a volume of 0.85 m³ initially contains water as a two-phase liquid-vapor mixture at 260°C and a quality of 0.7. Saturated water vapor at 260°C is slowly withdrawn through a pressure-regulating valve at the top of the tank as energy is transferred by heat to maintain the pressure constant in the tank. This continues until the tank is filled with saturated vapor at 260°C. Determine the amount of heat transfer, in kJ. Neglect all kinetic and potential energy effects.

9. A Carnot heat pump is to be used for heating a house and maintaining it at 20°C during the winter. On a day when the average outdoor temperature remains at about 2°C , the house is estimated to lose heat at a steady rate of 82,000 kJ/h. If the heat pump consumes 8 kW of power while operating, determine (a) how long the heat pump ran on that day, (b) the total heating costs, assuming an average price of 8.5c/kWh for electricity, and (c) the heating cost for the same day if resistance heating is used instead of a heat pump.

APPENDIX – TABLES

Index to Tables in SI Units

Table A-1	Atomic or Molecular Weights and Critical Properties of Selected Elements and Compounds	890
Table A-2	Properties of Saturated Water (Liquid–Vapor): Temperature Table	891
Table A-3	Properties of Saturated Water (Liquid–Vapor): Pressure Table	893
Table A-4	Properties of Superheated Water Vapor	895
Table A-5	Properties of Compressed Liquid Water	899
Table A-6	Properties of Saturated Water (Solid–Vapor): Temperature Table	900
Table A-7	Properties of Saturated Refrigerant 22 (Liquid–Vapor): Temperature Table	901
Table A-8	Properties of Saturated Refrigerant 22 (Liquid–Vapor): Pressure Table	902
Table A-9	Properties of Superheated Refrigerant 22 Vapor	903
Table A-10	Properties of Saturated Refrigerant 134a (Liquid–Vapor): Temperature Table	907
Table A-11	Properties of Saturated Refrigerant 134a (Liquid–Vapor): Pressure Table	908
Table A-12	Properties of Superheated Refrigerant 134a Vapor	909
Table A-13	Properties of Saturated Ammonia (Liquid–Vapor): Temperature Table	912
Table A-14	Properties of Saturated Ammonia (Liquid–Vapor): Pressure Table	913
Table A-15	Properties of Superheated Ammonia Vapor	914
Table A-16	Properties of Saturated Propane (Liquid–Vapor): Temperature Table	918
Table A-17	Properties of Saturated Propane (Liquid–Vapor): Pressure Table	919
Table A-18	Properties of Superheated Propane Vapor	920
Table A-19	Properties of Selected Solids and Liquids: c_p , ρ , and κ	924
Table A-20	Ideal Gas Specific Heats of Some Common Gases	925
Table A-21	Variation of c_p with Temperature for Selected Ideal Gases	926
Table A-22	Ideal Gas Properties of Air	927
Table A-23	Ideal Gas Properties of Selected Gases	929
Table A-24	Constants for the van der Waals, Redlich–Kwong, and Benedict–Webb–Rubin Equations of State	933
Table A-25	Thermochemical Properties of Selected Substances at 298 K and 1 atm	934
Table A-26	Standard Molar Chemical Exergy, \tilde{e}^{th} (kJ/kmol), of Selected Substances at 298 K and p_0	935
Table A-27	Logarithms to the Base 10 of the Equilibrium Constant K	936

Table A-1

TABLE A-1
**Atomic or Molecular Weights and Critical Properties of Selected
 Elements and Compounds**

Substance	Chemical Formula	M (kg/kmol)	T _c (K)	p _c (bar)	Z _c = $\frac{p_c V_c}{R T_c}$
Acetylene	C ₂ H ₂	26.04	309	62.8	0.274
Air (equivalent)		28.97	333	37.7	0.284
Ammonia	NH ₃	17.03	406	112.8	0.242
Argon	Ar	39.94	151	48.6	0.290
Benzene	C ₆ H ₆	78.11	563	49.3	0.274
Butane	C ₄ H ₁₀	58.12	425	38.0	0.274
Carbon	C	12.01	—	—	—
Carbon dioxide	CO ₂	44.01	304	73.9	0.276
Carbon monoxide	CO	28.01	133	35.0	0.294
Copper	Cu	63.54	—	—	—
Ethane	C ₂ H ₆	30.07	305	48.8	0.285
Ethanol	C ₂ H ₅ OH	46.07	516	63.8	0.249
Ethylene	C ₂ H ₄	28.05	283	51.2	0.270
Helium	He	4.003	57	2.3	0.300
Hydrogen	H ₂	2.019	321	12.0	0.294
Methane	CH ₄	16.04	191	46.4	0.290
Methanol	CH ₃ OH	32.04	513	79.5	0.220
Nitrogen	N ₂	28.01	126	33.9	0.291
Octane	C ₈ H ₁₈	114.22	569	240	0.258
Oxygen	O ₂	32.00	154	50.5	0.290
Propane	C ₃ H ₈	44.09	370	42.7	0.276
Propylene	C ₃ H ₆	42.08	365	46.2	0.276
Refrigerant 12	CCl ₂ F ₂	120.92	385	41.2	0.278
Refrigerant 22	CHClF ₂	86.48	369	49.8	0.267
Refrigerant 134a	CF ₃ CH ₂ F	102.03	374	40.7	0.260
Sulfur dioxide	SO ₂	64.06	431	78.7	0.268
Water	H ₂ O	18.02	647.3	220.9	0.253

Sources: Adapted from *International Critical Tables* and L. C. Nelson and E. F. Obert, Generalized Compressibility Charts, *Chem. Eng.*, 6x: 203 (1954).

TABLE A-2

Properties of Saturated Water (Liquid-Vapor): Temperature Table

Pressure Conversions 1 bar = 0.1 MPa 1 bar = 100 kPa		Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K		Temp. °C	
Temp. °C	Press. ·bar	Sat. Liquid $v_L \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_L	Sat. Vapor u_g	Sat. Liquid h_L	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_L	Sat. Vapor s_g	
01	0.00611	1.0002	206.36	20.00	2375.3	0.01	2501.3	2501.4	0.0000	9.1562	01
04	0.00813	1.0001	157.32	16.77	2380.9	16.78	2491.9	2508.7	0.0610	9.0514	04
05	0.00872	1.0001	147.120	20.97	2382.3	20.98	2489.6	2510.6	0.0761	9.0257	05
06	0.00935	1.0001	137.34	15.19	2383.6	25.20	2487.2	2512.4	0.0912	9.0003	06
08	0.01072	1.0002	126.017	33.59	2386.4	33.60	2482.5	2516.1	0.1212	8.9501	08
10	0.01228	1.0004	106.379	42.00	2389.2	42.01	2477.7	2519.8	0.1510	8.9008	10
11	0.01312	1.0004	99.857	46.20	2390.5	46.20	2475.4	2521.6	0.1658	8.8765	11
12	0.01402	1.0005	93.784	50.41	2391.9	50.41	2473.0	2523.4	0.1806	8.8524	12
13	0.01497	1.0007	88.124	54.60	2393.3	54.60	2470.7	2525.3	0.1953	8.8285	13
14	0.01598	1.0008	82.848	58.79	2394.7	58.80	2468.3	2527.1	0.2099	8.8048	14
15	0.01705	1.0009	77.926	62.99	2396.1	62.99	2465.9	2528.9	0.2245	8.7814	15
16	0.01818	1.0011	73.533	67.18	2397.4	67.19	2463.6	2530.8	0.2390	8.7582	16
17	0.01938	1.0012	69.044	71.38	2398.8	71.38	2461.2	2532.6	0.2535	8.7351	17
18	0.02064	1.0014	65.038	75.57	2400.2	75.58	2458.8	2534.4	0.2679	8.7123	18
19	0.02198	1.0016	61.293	79.76	2401.6	79.77	2456.5	2536.2	0.2823	8.6897	19
20	0.02339	1.0018	57.791	83.95	2402.9	83.96	2454.1	2538.1	0.2966	8.6672	20
21	0.02487	1.0020	54.514	88.14	2404.3	88.14	2451.8	2539.9	0.3109	8.6450	21
22	0.02645	1.0022	51.447	92.32	2405.7	92.33	2449.4	2541.7	0.3251	8.6229	22
23	0.02810	1.0024	48.574	96.51	2407.0	96.52	2447.0	2543.5	0.3393	8.6011	23
24	0.02985	1.0027	45.883	100.70	2408.4	100.70	2444.7	2545.4	0.3534	8.5794	24
25	0.03169	1.0029	43.360	104.88	2409.8	104.89	2442.3	2547.2	0.3674	8.5580	25
26	0.03363	1.0032	40.994	109.06	2411.1	109.07	2439.9	2549.0	0.3814	8.5367	26
27	0.03567	1.0035	38.774	113.25	2412.5	113.25	2437.6	2550.8	0.3954	8.5156	27
28	0.03782	1.0037	36.690	117.42	2413.9	117.43	2435.2	2554.6	0.4093	8.4946	28
29	0.04008	1.0040	34.733	121.60	2415.2	121.61	2432.8	2554.5	0.4231	8.4739	29
30	0.04246	1.0043	32.894	125.78	2416.6	125.79	2430.5	2556.3	0.4369	8.4533	30
31	0.04496	1.0046	31.165	129.96	2418.0	129.97	2428.1	2558.1	0.4507	8.4329	31
32	0.04759	1.0050	29.540	134.14	2419.3	134.15	2425.7	2559.9	0.4644	8.4127	32
33	0.05034	1.0053	28.011	138.32	2420.7	138.33	2423.4	2561.7	0.4781	8.3927	33
34	0.05324	1.0056	26.571	142.50	2422.0	142.50	2421.0	2563.5	0.4917	8.3728	34
35	0.05628	1.0060	25.216	146.67	2423.4	146.68	2416.6	2565.3	0.5053	8.3521	35
36	0.05947	1.0063	23.940	150.85	2424.7	150.86	2416.4	2566.1	0.5188	8.3326	36
37	0.06272	1.0067	22.602	159.20	2427.0	159.21	2411.5	2570.7	0.5458	8.2950	37
38	0.06608	1.0071	21.323	167.56	2430.1	167.57	2406.7	2574.3	0.5725	8.2570	38
39	0.06948	1.0075	20.053	176.04	2433.8	188.45	2394.8	2583.2	0.6087	8.2181	39
40	0.07303	1.0079	18.821	185.58	2436.8	188.45	2394.8	2583.2	0.6387	8.1681	40
45	0.09593	1.0099	14.558	245.44	2436.8	188.45	2394.8	2583.2	0.6387	8.1681	45

TABLE A-2

(Continued)

Temp. °C	Press. bar	Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg			Entropy kJ/kg · K			Temp. °C
		Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_f	Sat. Vapor u_g	Sat. Liquid h_f	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	Sat. Vapor s_g	Sat. Liquid s_f	
50	1235	1.0121	121032	209.32	2443.75	209.33	2382.7	2592.1	7.038	18.0763	50	
55	1576	1.0146	9.568	230.21	2450.1	230.23	2370.7	2600.9	7.679	17.9913	55	
60	1994	1.0172	7.673	251.11	2456.6	251.13	2358.5	2609.6	8.312	17.9096	60	
65	2593	1.0199	6.197	272.02	2463.1	272.06	2346.2	2618.3	8.935	17.8310	65	
70	3119	1.0228	5.042	292.95	2469.6	292.98	2333.8	2626.8	9.549	17.7553	70	
75	.3858	1.0259	4.131	313.90	2475.9	313.93	2321.4	2635.3	1.0155	7.6824	75	
80	.4739	1.0291	3.407	334.86	2482.2	334.91	2308.8	2643.7	1.0753	7.6122	80	
85	.5783	1.0325	2.828	355.84	2488.4	355.90	2296.0	2651.9	1.1343	7.5445	85	
90	.7014	1.0360	2.361	376.85	2494.5	376.92	2283.2	2660.1	1.1925	7.4791	90	
95	.8455	1.0397	1.982	397.88	2500.6	397.96	2270.2	2668.1	1.2500	7.4159	95	
100	1.014	1.0435	1.673	418.94	2506.5	419.07	2257.0	2676.7	1.3069	7.3549	100	
110	1.433	1.0516	1.210	461.14	2518.1	461.30	2230.2	2691.5	1.4185	7.2387	110	
120	1.985	1.0603	0.8939	503.50	2529.3	503.74	2202.0	2706.3	1.5276	7.1296	120	
130	2.701	1.0697	0.6685	546.02	2539.9	546.31	2174.2	2720.5	1.6344	7.0269	130	
140	3.613	1.0797	0.5089	588.74	2550.9	589.43	2144.7	2734.0	1.7391	6.9299	140	
150	4.758	1.0905	0.3928	631.68	2559.5	632.20	2114.3	2746.5	1.8418	6.8379	150	
160	6.178	1.1020	0.3071	674.86	2568.4	675.55	2082.6	2758.1	1.9427	6.7502	160	
170	7.917	1.1143	0.2428	718.33	2576.5	719.21	2049.5	2768.7	2.0419	6.6663	170	
180	10.02	1.1274	0.1941	762.09	2583.7	763.22	2015.0	2778.2	2.1396	6.5857	180	
190	12.54	1.1414	0.1565	806.19	2590.0	807.62	1978.8	2786.4	2.2359	6.5079	190	
200	15.54	1.1565	0.1274	850.65	2595.5	852.45	1940.7	2793.2	2.3309	6.4323	200	
210	19.06	1.1726	0.1044	895.53	2599.5	897.79	1900.7	2799.5	2.448	6.3583	210	
220	23.16	1.1900	0.0819	940.87	2603.8	943.62	1884.7	2802.1	2.5178	6.286	220	
230	27.95	1.2088	0.07158	986.74	2607.9	990.42	1813.8	2804.0	2.6099	6.2146	230	
240	33.44	1.2291	0.050764	1033.25	2604.0	1037.3	1766.5	2803.8	2.7015	6.1437	240	
250	39.73	1.2512	0.05013	1080.4	2602.4	1085.4	1716.2	2801.5	2.7927	6.0730	250	
260	46.88	1.2755	0.04221	1128.4	2599.0	1134.4	1662.5	2796.6	2.8838	6.0019	260	
270	54.99	1.3023	0.03564	1177.4	2593.7	1184.5	1605.2	2789.7	2.9751	5.9301	270	
280	64.12	1.3321	0.03017	1227.5	2586.1	1236.0	1543.6	2779.6	3.0668	5.8571	280	
290	74.36	1.3656	0.02557	1278.9	2576.0	1289.1	1477.1	2766.2	3.1594	5.7821	290	
300	85.81	1.4035	0.02167	1332.0	2563.0	1344.0	1406.0	2749.0	3.2537	5.7045	300	
320	112.7	1.4988	0.01549	1444.6	2525.5	1461.6	1238.6	2700.7	3.4480	5.5362	320	
340	145.91	1.6379	0.01080	1570.3	2466.6	1594.2	1027.9	2622.0	3.6594	5.3357	340	
360	186.5	1.8925	0.006945	1725.2	2351.5	1760.5	720.5	2481.0	3.9744	5.1526	360	
374.4	220.9	1.55	0.003155	1829.6	2026.6	2000.7	50.0	2000.7	4.208	4.98	374.4	

Source: Tables A-2 through A-5 are extracted from J. H. Keenan, F. G. Keyes, P. G. Hill, and J. G. Moore, *Steam Tables*, Wiley, New York, 1969.

TABLE A-3

Properties of Saturated Water (Liquid-Vapor): Pressure Table

Press. bar	Temp. °C	Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K		Press. bar
		Sat. Liquid <i>v_l</i> × 10 ³	Sat. Vapor <i>v_v</i>	Sat. Liquid <i>u_l</i>	Sat. Vapor <i>u_v</i>	Sat. Liquid <i>h_f</i>	Evap. <i>h_{fg}</i>	Sat. Vapor <i>h_v</i>	Sat. Liquid <i>s_f</i>	
0.04	26.96	1.0060	34.800	2114.3	2415.2	2121.46	2432.9	2554.4	0.4226	8.4746
0.06	36.16	1.0062	23.739	2154.5	2425.0	2151.53	2415.9	2567.4	0.5210	8.3304
0.08	41.51	1.0084	18.103	2173.87	2432.2	2173.88	2403.1	2577.0	0.5926	8.2287
0.10	45.81	1.0102	14.674	2191.82	2437.9	2191.83	2392.8	2584.7	0.6493	8.1502
0.20	60.06	1.0272	7.649	2251.38	2456.7	2251.40	2358.3	2609.7	0.8320	7.9085
0.30	69.10	1.0223	5.229	289.20	2468.4	289.23	2336.1	2625.3	0.9439	7.7686
0.40	75.87	1.0265	3.993	317.53	2477.0	317.58	2319.2	2636.8	1.0259	7.6700
0.50	81.33	1.0300	3.240	340.44	2483.9	340.49	2305.4	2645.9	1.0910	7.5939
0.60	85.94	1.0331	2.732	359.79	2489.6	359.86	2293.6	2653.5	1.1453	7.5320
0.70	89.95	1.0360	2.365	376.63	2494.5	376.70	2283.3	2660.0	1.1919	7.4797
0.80	93.40	1.0380	2.087	391.88	2498.8	391.66	2274.1	2665.8	1.2329	7.4346
0.90	96.74	1.0410	1.869	405.06	2502.6	405.15	2265.7	2670.9	1.2695	7.3949
1.00	99.93	1.0432	1.694	417.30	2506.1	417.46	2258.0	2675.5	1.3026	7.3594
1.10	111.14	1.0528	1.559	436.94	2510.7	436.11	2246.5	2693.16	1.3336	7.2233
1.20	112.44	1.0635	1.459	450.49	2529.5	450.79	2220.9	2706.7	1.3501	7.1274
2.50	127.4	1.0672	0.7187	535.10	2537.2	535.37	2181.5	2716.9	1.6072	7.0527
3.00	133.6	1.0732	0.6058	561.15	2543.6	561.47	2163.8	2725.3	1.6718	6.9919
3.50	138.9	1.0786	0.5243	583.95	2546.9	584.33	2148.1	2732.4	1.7275	6.9405
4.00	143.6	1.0836	0.4625	604.31	2553.6	604.74	2133.8	2738.6	1.7766	6.8959
4.50	147.9	1.0882	0.4140	622.25	2557.6	623.25	2120.7	2743.9	1.8207	6.8565
5.00	151.0	1.0926	0.3749	639.68	2561.2	640.23	2108.5	2748.7	1.8607	6.8212
6.00	158.9	1.1006	0.3157	669.90	2567.4	670.56	2086.3	2756.8	1.9312	6.7600
7.00	165.0	1.1080	0.2749	696.44	2572.5	697.22	2066.3	2762.5	1.9922	6.7080
8.00	170.4	1.1148	0.2404	702.22	2576.8	711.11	2048.0	2769.1	2.0462	6.6628
9.00	175.6	1.1212	0.2150	714.83	2580.5	742.83	2031.1	2773.9	2.0946	6.6226
10.0	179.9	1.1273	0.1944	761.68	2583.6	762.81	2015.3	2778.1	2.1387	6.5863
15.0	198.3	1.1539	0.1318	843.16	2594.5	844.84	1947.3	2792.2	2.3150	6.4448
20.0	212.4	1.1767	0.09963	906.44	2600.3	908.79	1890.7	2799.5	2.4474	6.3409
25.0	224.0	1.1973	0.07998	959.11	2603.1	962.11	1841.0	2803.1	2.5547	6.2575
30.0	233.9	1.2165	0.06668	1004.8	2604.1	1008.4	1795.7	2804.2	2.6457	6.1869
35.0	242.0	1.2347	0.05707	1045.4	2607.7	1049.8	1758.7	2805.9	2.7253	6.1153
40.0	250.4	1.2522	0.04978	1082.3	2602.3	1087.3	1714.1	2801.7	2.764	6.0701
45.0	257.5	1.2692	0.04406	1116.2	2600.1	1124.9	1676.4	2798.3	2.8610	6.0399
50.0	264.0	1.2859	0.03944	1147.8	2597.1	1154.2	1640.1	2794.3	2.9202	5.9784
60.0	275.0	1.3187	0.02244	1205.4	2589.7	1233.4	1574.0	2784.3	3.0267	5.8892
70.0	285.9	1.3513	0.02737	1257.6	2580.5	1267.0	1505.1	2772.1	3.1211	5.8133
80.0	295.1	1.3842	0.02352	1305.6	2569.8	1316.6	1441.3	2758.0	3.2068	5.7432
90.0	303.4	1.4178	0.02048	1350.5	2557.8	1363.3	1378.9	2742.1	3.2858	5.6772
100.	311.1	1.4524	0.01803	1393.0	2544.4	1407.6	1317.1	2724.7	3.3596	5.6141
110.	318.2	1.4886	0.01599	1433.7	2529.8	1450.1	1255.5	2705.6	3.4295	5.5527

894 Tables in SI Units

TABLE A3

(Continued)

Press. bar	Temp. °C	Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg			Entropy kJ/kg · K		Press. bar
		Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_f	Sat. Vapor u_g	Sat. Liquid h_f	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	Sat. Vapor s_g	
120.	324.8	1.5267	0.01426	1673.0	25137	1491.9	193.6	2684.9	3.4062	5.4924	120.
130.	330.9	1.5071	0.01278	1511.1	24961	1531.5	1130.7	2662.2	3.5606	5.4323	130.
140.	336.8	1.6107	0.01129	1548.6	24768	1571.1	1066.5	2637.6	3.6232	5.3777	140.
150.	342.2	1.6581	0.01034	1585.6	24555	1610.5	1000.0	2610.5	3.6848	5.3098	150.
160.	347.4	1.7107	0.009306	1622.7	24317	1650.1	930.8	2580.6	3.7591	5.2455	160.
170.	352.4	1.7702	0.008364	1660.2	2405.0	1690.3	856.9	2547.2	3.8079	5.1777	170.
180.	357.1	1.8397	0.007489	1698.9	2374.3	1732.0	777.1	2509.1	3.8715	5.1044	180.
190.	361.5	1.9243	0.006657	1739.9	2338.1	1776.5	688.0	2464.5	3.9388	5.0228	190.
200.	365.8	2.036	0.005834	1785.6	2293.0	1826.3	583.4	2409.7	4.0139	4.9269	200.
220.9	374.1	3.155	0.003155	2029.6	2029.6	2099.3	0	2099.3	4.4298	4.4298	220.9

TABLE A-4

Properties of Superheated Water Vapor

<i>T</i>	<i>v</i>	<i>u</i>	<i>h</i>	<i>s</i>	<i>v</i>	<i>u</i>	<i>h</i>	<i>s</i>
°C	m³/kg	kJ/kg	kJ/kg	kJ/kg · K	m³/kg	kJ/kg	kJ/kg	kJ/kg · K
<i>p = 0.06 bar = 0.006 MPa</i> (T _{sat} = 36.16°C)								
<i>p = 0.35 bar = 0.035 MPa</i> (T _{sat} = 72.69°C)								
Sat.	23.739	24250	25674	8.3304	4.526	2473.0	2631.4	7.7158
80	27.132	24873	2650.1	8.5804	4.625	2483.7	2645.6	7.7564
120	30.219	25447	2736.0	8.7840	5.163	2542.4	2723.1	7.9644
160	33.302	2602.7	2802.5	8.9693	5.696	2601.2	2800.6	8.1519
200	36.383	2661.4	2879.7	9.1398	6.228	2660.4	2878.4	8.3237
240	39.462	2721.0	2957.8	9.2982	6.758	2720.3	2956.8	8.4828
280	42.540	2781.5	3036.9	9.4464	7.287	2780.9	3036.0	8.6314
320	45.618	2843.0	3116.7	9.5859	7.815	2842.6	3116.1	8.7712
360	48.696	2905.5	3197.7	9.7180	8.344	2905.1	3197.1	8.9034
400	51.774	2969.0	3279.6	9.8435	8.872	2968.6	3279.2	9.0291
440	54.851	3033.5	3362.6	9.9633	9.400	3033.2	3362.2	9.1490
500	59.467	3132.3	3489.1	10.1336	10.192	3132.1	3488.8	9.3194
<i>p = 0.70 bar = 0.07 MPa</i> (T _{sat} = 89.9°C)								
<i>p = 1.0 bar = 0.10 MPa</i> (T _{sat} = 99.63°C)								
Sat.	22.365	26945	2660.0	7.4797	1.694	2506.1	2675.5	7.3594
100	24.334	2509.7	2680.0	7.5531	1.695	2506.7	2676.2	7.3614
120	25.574	2539.7	2749.6	7.6375	1.793	2537.3	2716.6	7.4668
160	2.841	2599.4	2798.2	7.8279	1.984	2597.8	2796.2	7.6597
200	3.108	2659.1	2876.7	8.0012	2.172	2658.1	2875.3	7.8343
240	3.374	2719.3	2955.5	8.1611	2.359	2718.5	2954.5	7.9949
280	3.640	2780.2	3035.0	8.3165	2.546	2779.6	3034.2	8.1448
320	3.905	2842.0	3115.2	8.4507	2.732	2841.5	3114.6	8.2849
360	4.170	2904.6	3196.5	8.5828	2.917	2904.2	3195.9	8.4175
400	4.434	2968.2	3278.6	8.7086	3.103	2967.9	3278.2	8.5435
440	4.698	3032.9	3361.8	8.8286	3.288	3032.6	3361.4	8.6636
500	5.095	3131.8	3488.5	8.9991	3.565	3131.6	3488.1	8.8342
<i>p = 1.45 bar = 0.15 MPa</i> (T _{sat} = 111.3°C)								
<i>p = 3.0 bar = 0.30 MPa</i> (T _{sat} = 133.55°C)								
Sat.	11.159	2519.7	2693.6	7.2233	10.606	2543.6	2725.3	6.9919
120	11.188	2533.3	2711.4	7.2693	1.060	2533.3	2711.4	7.0000
160	11.317	2595.2	2792.8	7.4666	0.651	2587.4	2782.3	7.1270
200	1.444	2656.2	2872.9	7.6433	0.716	2650.7	2865.5	7.3115
240	1.570	2717.2	2952.7	7.8052	0.781	2713.1	2947.3	7.4774
280	1.695	2778.6	3032.8	7.9555	0.844	2775.4	3028.6	7.6299
320	1.820	2840.6	3113.5	8.0964	1.007	2838.4	3110.1	7.7722
360	1.943	2903.5	3195.0	8.2293	1.069	2901.4	3192.2	7.9061
400	2.067	2967.3	3277.4	8.3555	1.103	2965.6	3275.0	8.0330
440	2.191	3032.1	3360.7	8.4757	1.094	3030.6	3358.7	8.1538
500	2.376	3131.2	3487.6	8.6466	1.187	3130.0	3486.0	8.3251
600	2.685	3301.7	3704.3	8.9101	1.341	3300.8	3703.2	8.5892

Pressure Conversions
1 atm = 101.3 kPa
101.3 kPa = 1 atm

H₂O

896 Tables in SI Units

TABLE A-4

(Continued)

T °C	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
$p = 5.0 \text{ bar} = 0.50 \text{ MPa}$ ($T_{\text{sat}} = 151.86^\circ\text{C}$)								
$p = 7.0 \text{ bar} = 0.70 \text{ MPa}$ ($T_{\text{sat}} = 164.97^\circ\text{C}$)								
Sat	0.3749	2561.3	2768.7	6.8213	0.2729	2572.5	2763.5	6.7080
180	0.4045	2609.7	2812.0	6.9656	0.2847	2599.8	2799.1	6.7880
200	0.4249	2642.9	2855.4	7.0592	0.2999	2634.8	2844.8	6.8865
240	0.4646	2707.6	2939.9	7.2307	0.3292	2701.8	2932.2	7.0641
280	0.5034	2771.2	3022.9	7.3865	0.3574	2766.9	3017.1	7.2233
320	0.5416	2834.7	3105.6	7.5308	0.3852	2831.3	3100.9	7.3697
360	0.5796	2898.7	3188.1	7.6660	0.4126	2895.8	3184.7	7.5063
400	0.6173	2963.2	3271.9	7.7938	0.4397	2960.9	3268.7	7.6350
440	0.6548	3028.0	3356.0	7.9152	0.4667	3026.6	3353.3	7.7571
500	0.7109	3128.4	3483.9	8.0873	0.5070	3126.8	3481.7	7.9299
600	0.8041	3299.6	3701.7	8.3522	0.5738	3298.5	3700.2	8.1956
700	0.8969	3477.5	3925.9	8.5952	0.6403	3476.6	3924.8	8.4391
$p = 10.0 \text{ bar} = 1.0 \text{ MPa}$ ($T_{\text{sat}} = 179.91^\circ\text{C}$)								
$p = 15.0 \text{ bar} = 1.5 \text{ MPa}$ ($T_{\text{sat}} = 198.32^\circ\text{C}$)								
Sat	0.1944	2583.6	2778.1	6.5865	0.1318	2594.5	2792.7	6.4448
200	0.2060	2621.0	2827.9	6.6940	0.1325	2598.1	2796.8	6.4546
240	0.2275	2692.9	2920.4	6.8837	0.1483	2676.9	2890.5	6.6628
280	0.2480	2760.2	3008.2	7.0465	0.1627	2748.6	2992.7	6.8381
320	0.2678	2826.1	3093.9	7.1962	0.1765	2817.1	3081.9	6.9938
360	0.2873	2891.6	3178.9	7.3349	0.1899	2884.4	3169.2	7.1363
400	0.3066	2957.3	3265.9	7.4651	0.2038	2954.3	3255.9	7.2690
440	0.3257	3023.0	3354.9	7.5883	0.2160	3018.5	3342.1	7.3940
500	0.3544	3124.1	3478.0	7.7622	0.2352	3120.3	3473.1	7.5698
540	0.3729	3192.6	3565.6	7.8720	0.2478	3189.1	3560.9	7.6805
600	0.4011	3296.8	3697.9	8.0290	0.2668	3293.9	3694.0	7.8385
640	0.4198	3367.4	3787.2	8.1290	0.2793	3364.8	3783.8	7.9391
$p = 20.0 \text{ bar} = 2.0 \text{ MPa}$ ($T_{\text{sat}} = 212.42^\circ\text{C}$)								
$p = 30.0 \text{ bar} = 3.0 \text{ MPa}$ ($T_{\text{sat}} = 233.90^\circ\text{C}$)								
Sat	0.0996	2600.5	2799.5	6.3409	0.0667	2604.7	2804.7	6.1869
200	0.1085	2659.5	2876.0	6.4952	0.0682	2610.7	2820.7	6.2265
280	0.1200	2736.4	2976.1	6.6828	0.0771	2709.9	2941.5	6.4462
320	0.1308	2807.9	3069.5	6.8452	0.0850	2788.4	3043.4	6.6245
360	0.1411	2877.0	3159.3	6.9917	0.0923	2861.7	3138.7	6.7801
400	0.1512	2945.2	3247.6	7.1271	0.0994	2932.8	3230.9	6.9212
440	0.1611	3013.4	3335.5	7.2560	0.1062	3002.9	3323.5	7.0520
500	0.1757	3116.2	3457.9	7.4317	0.1162	3108.0	3456.5	7.2338
540	0.1853	3185.0	3556.3	7.5424	0.1221	3178.1	3546.6	7.3474
600	0.1996	3290.9	3690.1	7.7024	0.1324	3285.0	3682.3	7.5085
640	0.2091	3362.2	3780.4	7.8035	0.1388	3357.0	3773.5	7.6106
700	0.2232	3470.9	3917.4	7.9487	0.1484	3466.5	3911.7	7.7571

TABLE A4

(Continued)

T °C	v m^3/kg	u kJ/kg	h kJ/kg	s $\text{kJ/kg} \cdot \text{K}$	v m^3/kg	u kJ/kg	h kJ/kg	s $\text{kJ/kg} \cdot \text{K}$
$p = 40 \text{ bar} = 4.0 \text{ MPa}$ ($T_{\text{sat}} = 250.4^\circ\text{C}$)								
$p = 60 \text{ bar} = 6.0 \text{ MPa}$ ($T_{\text{sat}} = 275.64^\circ\text{C}$)								
Sal.	0.04978	2602.3	2801.4	6.0701	0.03244	2589.7	2784.3	5.8892
280	0.05546	2680.0	2901.8	6.2568	0.03317	2605.2	2804.2	5.9252
320	0.06199	2767.4	3015.4	6.4553	0.03876	2720.0	2952.6	6.1846
360	0.06788	2845.7	3117.2	6.6215	0.04331	2811.2	3071.1	6.3782
400	0.07341	2919.9	3213.6	6.7690	0.04739	2892.9	3177.2	6.5408
440	0.07872	2992.2	3307.1	6.9041	0.05122	2970.0	3277.3	6.6853
500	0.08643	3099.5	3445.3	7.0901	0.05663	3082.9	3422.2	6.8803
540	0.09145	3177.1	3536.9	7.2056	0.06019	3150.1	3517.0	6.9999
600	0.09885	3279.1	3674.4	7.3688	0.06525	3266.9	3658.4	7.1677
640	0.1037	3351.8	3766.6	7.4720	0.06859	3341.0	3752.6	7.2731
700	0.1110	3462.1	3905.9	7.6198	0.07352	3453.1	3894.1	7.4234
740	0.1157	3536.6	3999.6	7.7141	0.07677	3528.3	3989.2	7.5190
$p = 80 \text{ bar} = 8.0 \text{ MPa}$ ($T_{\text{sat}} = 295.06^\circ\text{C}$)								
$p = 100 \text{ bar} = 10.0 \text{ MPa}$ ($T_{\text{sat}} = 311.06^\circ\text{C}$)								
Sal.	0.02352	2560.8	2758.0	6.7632	0.01803	2547.0	2724.7	5.6141
320	0.02682	2662.7	2877.2	6.989	0.01925	2588.8	2781.3	5.7103
360	0.03089	2772.7	3019.8	7.1819	0.02333	2729.1	2962.0	6.0060
400	0.03432	2863.8	3138.3	6.3634	0.02641	2832.4	3096.5	6.2120
440	0.03742	2946.7	3246.1	6.5190	0.02911	2922.1	3213.2	6.3805
480	0.04034	3025.7	3348.4	6.6586	0.03160	3005.4	3321.4	6.5282
520	0.04313	3102.7	3447.7	6.7871	0.03394	3086.6	3425.1	6.6622
560	0.04582	3178.7	3545.3	6.9072	0.03619	3164.1	3526.0	6.7861
600	0.04845	3254.4	3642.0	7.0206	0.03837	3244.7	3625.3	6.9029
640	0.05102	3330.1	3738.3	7.1283	0.04048	3318.9	3723.7	7.0131
700	0.05481	3443.9	3882.4	7.2812	0.04358	3434.7	3870.5	7.1687
740	0.05729	3520.4	3978.7	7.3782	0.04560	3512.1	3968.1	7.2670
$p = 120 \text{ bar} = 12.0 \text{ MPa}$ ($T_{\text{sat}} = 324.75^\circ\text{C}$)								
$p = 140 \text{ bar} = 14.0 \text{ MPa}$ ($T_{\text{sat}} = 336.75^\circ\text{C}$)								
Sal.	0.01426	2513.7	2684.9	6.51924	0.01469	2476.6	2637.0	5.9747
360	0.01811	2676.4	2895.7	6.83601	0.01722	2617.4	2816.5	6.6602
400	0.02108	2798.3	3051.3	6.9747	0.01722	2760.9	3001.9	6.9448
440	0.02355	2896.1	3178.7	6.2586	0.01954	2868.6	3142.2	6.1474
480	0.02576	2984.4	3293.5	6.4154	0.02157	2962.5	3264.5	6.3143
520	0.02781	3068.0	3401.8	6.5555	0.02343	3049.8	3377.8	6.4610
560	0.02977	3149.0	3506.2	6.6840	0.02517	3133.6	3486.0	6.5941
600	0.03164	3228.7	3608.3	6.8037	0.02683	3215.4	3591.1	6.7472
640	0.03345	3307.5	3709.0	6.9164	0.02843	3296.0	3694.1	6.8326
700	0.03610	3425.2	3858.4	7.0749	0.03075	3415.7	3846.2	6.9939
740	0.03781	3503.7	3957.4	7.1746	0.03225	3495.2	3946.7	7.0952

TABLE A-4

(Continued)

T °C	v m³/kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m³/kg	u kJ/kg	h kJ/kg	s kJ/kg · K
$p = 160 \text{ bar} = 16.0 \text{ MPa}$ ($T_{sat} = 347.44^\circ\text{C}$)								
$p = 180 \text{ bar} = 18.0 \text{ MPa}$ ($T_{sat} = 357.06^\circ\text{C}$)								
500 0.00931	2431.7	2580.6	5.2455	0.00749	2374.3	2509.1	5.1044	
560 0.01105	2539.0	2745.8	5.4614	0.00809	2418.9	2564.5	5.4922	
600 0.01426	2749.4	2947.6	5.8175	0.01190	2672.8	2887.0	5.6887	
640 0.01652	2839.4	3103.7	6.0429	0.01414	2808.2	3062.8	5.9428	
680 0.01842	2939.7	3234.4	6.2215	0.01596	2915.9	3203.2	6.1345	
720 0.02013	3031.1	3353.3	6.3752	0.01757	3011.8	3378.0	6.2960	
760 0.02172	3117.8	3465.4	6.5132	0.01904	3101.7	3444.6	6.4392	
800 0.02323	3201.8	3573.5	6.6399	0.02042	3188.0	3555.6	6.5696	
840 0.02467	3284.2	3678.9	6.7580	0.02174	3272.3	3663.6	6.6905	
880 0.02674	3406.0	3833.9	6.9224	0.02362	3396.3	3821.5	6.8580	
920 0.02808	3486.7	3935.9	7.0251	0.02483	3478.0	3925.0	6.9623	
$p = 200 \text{ bar} = 20.0 \text{ MPa}$ ($T_{sat} = 365.81^\circ\text{C}$)								
$p = 240 \text{ bar} = 24.0 \text{ MPa}$								
500 0.00583	2293.0	2409.7	4.9265	0.00673	2274.4	2359.4	5.2393	
560 0.00994	2619.3	2818.1	5.5540	0.00973	2477.8	2639.4	5.2393	
600 0.01222	2776.9	3019.4	5.8450	0.00929	2700.6	2923.4	5.6506	
640 0.01399	2891.2	3170.8	6.0518	0.01100	2838.3	3102.3	5.8950	
680 0.01551	2992.0	3302.2	6.2218	0.01241	2950.5	3248.5	6.0842	
720 0.01689	3085.2	3423.0	6.3705	0.01366	3051.1	3379.0	6.2448	
760 0.01818	3174.0	3537.6	6.5048	0.01481	3125.3	3500.7	6.3875	
800 0.01920	3260.2	3628.1	6.6286	0.01588	3235.5	3616.7	6.5574	
840 0.02113	3386.4	3809.0	6.7993	0.01739	3366.4	3783.8	6.6947	
880 0.02224	3469.3	3914.1	6.9052	0.01835	3451.7	3892.1	6.8038	
920 0.02385	3592.7	4069.7	7.0544	0.01974	3578.0	4051.6	6.9567	
$p = 280 \text{ bar} = 28.0 \text{ MPa}$								
$p = 320 \text{ bar} = 32.0 \text{ MPa}$								
500 0.00383	2223.5	2330.7	4.7794	0.00236	2080.4	2055.9	4.3239	
560 0.00712	2613.2	2812.6	5.4434	0.00544	2509.0	2653.0	5.2327	
600 0.00885	2780.8	3026.9	5.7449	0.00722	2738.1	2949.2	5.5968	
640 0.01020	2906.8	3192.3	5.9566	0.00853	2860.7	3133.7	5.8357	
680 0.01136	3015.7	3333.7	6.1307	0.00963	2979.0	3287.2	6.0246	
720 0.01241	3115.6	3463.0	6.2823	0.01061	3085.3	3424.6	6.1858	
760 0.01388	3210.5	3584.8	6.4787	0.01150	3284.5	3592.5	6.7209	
800 0.01473	3346.1	3758.4	6.6029	0.01273	3325.4	3732.8	6.5203	
840 0.01558	3433.9	3870.0	6.7453	0.01350	3415.9	3847.8	6.6361	
880 0.01680	3563.1	4033.4	6.8720	0.01460	3548.0	4015.1	6.7966	
920 0.01873	3774.3	4298.8	7.1084	0.01633	3762.7	4285.1	7.0372	

TABLE A-5

Properties of Compressed Liquid Water

T °C	v × 10 ³ m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v × 10 ³ m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
<i>p = 25 bar = 2.5 MPa</i> (T _{sat} = 233.99°C)								
<i>p = 50 bar = 5.0 MPa</i> (T _{sat} = 263.99°C)								
20	1.0006	83.80	186.30	1.2961	1.9995	83.05	188.65	1.2956
40	1.0067	167.25	169.77	1.5715	1.0056	166.95	171.97	1.5705
60	1.0280	334.29	336.86	1.9737	1.0268	333.72	338.85	1.9720
100	1.0423	418.24	420.85	1.3050	1.0410	417.52	422.72	1.3030
140	1.0784	587.82	590.52	1.7369	1.0768	586.76	592.15	1.7343
180	1.1261	761.16	763.97	2.1375	1.1240	759.63	765.25	2.1341
200	1.1555	849.90	852.18	2.3204	1.1530	848.11	855.92	2.3255
220	1.1898	940.74	942.77	2.5174	1.1866	938.4	944.47	2.5128
Sat.	1.1973	959.15	962.17	2.5546	1.2859	1147.8	1154.21	2.9202
<i>p = 75 bar = 7.5 MPa</i> (T _{sat} = 290.59°C)								
<i>p = 100 bar = 10.0 MPa</i> (T _{sat} = 311.06°C)								
20	1.0084	83.50	190.00	1.2950	1.9972	83.36	193.33	1.2945
40	1.0025	166.62	174.18	1.5666	1.0034	166.35	176.88	1.5686
60	1.0256	333.55	340.84	1.9704	1.0245	332.59	342.83	1.9688
100	1.0397	416.81	424.62	1.3011	1.0385	416.12	426.50	1.2992
140	1.0752	585.72	593.78	1.7317	1.0737	584.68	595.42	1.7292
180	1.1219	758.13	766.55	2.1308	1.1199	756.65	767.84	2.1275
220	1.1835	936.2	945.1	2.5083	1.1805	934.11	945.9	2.5039
260	1.2696	1126.9	1144.0	2.8763	1.2645	1124.11	1133.7	2.8699
Sat.	1.3977	1281.0	1292.9	3.1649	1.4524	1392.0	1407.6	3.3596
<i>p = 150 bar = 15.0 MPa</i> (T _{sat} = 342.24°C)								
<i>p = 200 bar = 20.0 MPa</i> (T _{sat} = 365.81°C)								
20	1.0050	83.06	197.99	1.2934	1.9928	82.77	202.62	1.2923
40	1.0013	165.76	180.78	1.5666	1.992	165.17	185.16	1.5646
60	1.0223	331.68	346.81	1.9656	1.0199	330.40	350.80	1.0162
100	1.0361	414.74	430.28	1.2955	1.0337	413.39	434.06	1.2917
140	1.0707	582.66	598.72	1.7242	1.0678	580.69	602.04	1.7193
180	1.1159	753.76	770.50	2.1210	1.1120	750.95	773.20	2.1147
220	1.1748	920.9	947.5	2.4953	1.1693	925.93	949.31	2.4870
260	1.2550	1116.9	1133.1	2.8576	1.2262	1108.6	1133.5	2.8459
300	1.3770	1316.6	1337.5	3.2260	1.2896	1306.1	1333.3	3.2071
Sat.	1.6581	1585.6	1610.5	3.6848	1.4939	1785.6	1826.3	4.0139
<i>p = 250 bar = 25.0 MPa</i>								
<i>p = 300 bar = 30.0 MPa</i>								
20	1.0007	82.47	107.26	1.2911	1.9886	82.17	111.84	1.2899
40	1.0071	164.50	189.52	1.5626	1.9951	164.04	193.89	1.5607
60	1.0313	312.08	437.85	1.9881	1.0290	410.78	441.66	1.2844
100	1.1344	834.5	862.8	2.2961	1.1302	831.4	865.3	2.2893
200	1.3442	1296.6	1330.2	3.1900	1.3304	1287.9	1327.8	3.1741

Pressure Conversions
1 atm = 101.3 kPa
1 bar = 100 kPa

H_2O

TABLE A-6

Properties of Saturated Water (Solid-Vapor): Temperature Table

Temp. °C	Pressure kPa	Specific Volume m^3/kg	Internal Energy kJ/kg						Enthalpy kJ/kg · K						Sat. Vapor s_g	
			Sat. Solid u_l			Sat. Vapor u_g			Sat. Solid h_l			Sat. Vapor h_g				
			Sat. Solid $v_l \times 10^3$	Sat. Vapor v_g	Subl. h_{lg}	Sat. Vapor u_g	Subl. h_{lg}	Sat. Vapor u_g	Sat. Solid h_l	Subl. h_{lg}	Sat. Vapor h_g	Sat. Solid h_l	Subl. h_{lg}	Sat. Vapor h_g		
-61.3	10665	0.00613	2063.7	2063.7	27087.7	2375.3	2375.3	2333.0	2333.0	2337.8	2501.4	2333.0	2337.8	103.7	94.16	
-60.8	10905	0.00608	2063.7	2063.7	27088.2	2375.3	2375.3	2333.3	2333.3	2334.8	2501.3	2333.3	2334.8	103.7	94.17	
-59.6	10901	0.00602	241.7	241.7	2375.2	2375.2	2375.2	2375.2	2375.2	2375.2	2375.2	2375.2	2375.2	103.7	94.19	
-4	.4375	1.0901	283.8	-341.78	2711.6	2369.8	-341.78	2835.7	2835.7	2494.0	-1.253	10.536	9.283			
-6	.3689	1.0898	334.2	-345.91	2722.9	2367.0	-345.91	2836.2	2836.2	2490.3	-1.268	10.616	9.348			
-8	.3102	1.0894	394.4	-320.02	2714.2	2364.2	-320.02	2836.6	2836.6	2486.6	-1.284	10.698	9.444			
-10	.2602	1.0891	466.7	-341.09	2755.5	2351.4	-341.09	2837.0	2837.0	2482.9	-1.299	10.781	9.481			
-12	.2156	1.0888	537.8	-348.4	2780.0	2358.7	-348.4	2837.3	2837.3	2479.2	-1.315	10.855	9.550			
-14	.1855	1.0884	603.8	-353.8	2805.2	2362.5	-353.8	2837.6	2837.6	2475.5	-1.323	10.950	9.639			
-16	.1510	1.0881	786.0	-366.14	2792.9	2353.1	-366.14	2837.9	2837.9	2471.8	-1.346	11.036	9.690			
-18	.1232	1.0878	940.5	-370.10	2720.4	2350.3	-370.10	2838.2	2838.2	2468.1	-1.362	11.123	9.762			
-20	.1035	1.0874	1128.6	-374.03	2721.6	2347.5	-374.03	2838.4	2838.4	2464.3	-1.377	11.212	9.835			
-22	.0855	1.0870	1358.4	-377.93	2722.7	2344.7	-377.93	2838.6	2838.6	2460.6	-1.393	11.302	9.909			
-24	.0700	1.0866	1640.0	-382.80	2723.0	2342.0	-382.80	2838.8	2838.8	2456.9	-1.408	11.394	9.985			
-26	.0574	1.0864	1986.7	-388.67	2723.2	2339.2	-388.67	2839.0	2839.0	2453.2	-1.424	11.486	10.062			
-28	.0469	1.0861	2413.7	-389.45	2725.8	2336.4	-389.45	2839.0	2839.0	2449.5	-1.439	11.580	10.141			
-30	.0381	1.0858	2943	-392.23	2726.8	2333.6	-392.23	2839.0	2839.0	2445.8	-1.455	11.676	10.221			
-32	.0309	1.0854	3600	-396.98	2727.8	2330.8	-396.98	2839.1	2839.1	2442.1	-1.471	11.773	10.303			
-34	.0250	1.0851	4685.7	-407.01	2728.7	2328.0	-407.01	2839.1	2839.1	2438.4	-1.486	11.872	10.386			
-36	.0201	1.0848	5744.7	-407.01	2729.6	2325.2	-407.01	2839.1	2839.1	2434.7	-1.501	11.972	10.470			
-38	.0163	1.0844	6711.1	-408.06	2730.5	2324.4	-408.06	2839.0	2839.0	2430.9	-1.517	12.073	10.556			
-40	.0139	1.0841	8354.7	-417.01	2731.3	2320.7	-417.01	2839.0	2839.0	2427.2	-1.532	12.176	10.644			

Source: J. H. Keenan, F. G. Keyes, R. G. Hill, and J. G. Moore, *Steam Tables*, Wiley, New York, 1978.

TABLE A-7

Properties of Saturated Refrigerant 22 (Liquid-Vapor): Temperature Table

Pressure Conversions bar → MPa 10 ³ Pa		Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K		Temp. °C	
Temp. °C	Press. bar	Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_f	Sat. Vapor u_g	Sat. Liquid h_f	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	Sat. Vapor s_g	
60	0.3749	0.6833	0.5370	-21.57	203.67	-21.55	225.95	223.81	-0.0964	1.0547	-60
50	0.6451	0.6960	0.3239	-10.89	207.70	-10.85	239.44	228.60	-0.0474	1.0256	-50
45	0.8290	0.7037	0.2504	-5.50	209.70	-5.44	236.39	230.95	-0.0235	1.0126	-45
40	1.0522	0.7109	0.2052	0.07	211.68	0.00	233.27	233.27	0.0000	1.0005	-40
36	1.2627	0.7169	0.1730	1.49	213.25	1.38	230.71	235.09	0.0186	0.9914	-36
32	1.5049	0.7231	0.1468	8.68	214.80	8.79	228.10	236.89	0.0369	0.9828	-32
-30	1.6389	0.7262	0.1355	10.88	215.58	11.00	226.77	237.78	0.0460	0.9787	-30
-28	1.7819	0.7294	0.1252	13.09	216.34	13.22	225.43	238.66	0.0551	0.9746	-28
-26	1.9345	0.7327	0.1159	15.31	217.11	15.45	224.08	239.53	0.0641	0.9707	-26
-22	2.2698	0.7393	0.0997	19.76	218.62	19.92	221.32	241.24	0.0819	0.9631	-22
-20	2.4534	0.7427	0.0926	21.99	219.37	22.17	219.91	242.09	0.0908	0.9595	-20
-18	2.6482	0.7462	0.0861	24.23	220.11	24.43	218.49	242.92	0.0996	0.9559	-18
-16	2.8547	0.7497	0.0802	26.48	220.85	26.69	217.95	243.74	0.1084	0.9525	-16
-14	3.0733	0.7533	0.0748	28.73	221.58	28.97	215.59	244.56	0.1171	0.9490	-14
-12	3.3044	0.7569	0.0698	31.00	222.30	31.25	214.11	245.36	0.1258	0.9457	-12
-10	3.5485	0.7606	0.0652	33.27	223.02	33.54	212.62	246.15	0.1345	0.9424	-10
-8	3.8062	0.7644	0.0610	35.54	223.73	35.83	211.10	246.93	0.1431	0.9392	-8
-6	4.0777	0.7683	0.0571	37.83	224.43	38.14	209.56	247.70	0.1517	0.9361	-6
-4	4.3638	0.7722	0.0535	40.12	225.13	40.46	208.00	248.45	0.1602	0.9330	-4
-2	4.6647	0.7762	0.0501	42.42	225.82	42.78	206.41	249.20	0.1688	0.9300	-2
0	4.9811	0.7803	0.0470	44.73	226.50	45.12	204.81	249.92	0.1773	0.9271	0
-22	5.3153	0.7844	0.0442	47.04	227.16	47.46	203.48	250.64	0.1857	0.9241	-22
-14	5.6619	0.7887	0.0415	49.37	227.83	49.82	201.52	251.34	0.1941	0.9213	-14
-6	6.0275	0.7930	0.0391	51.71	228.48	52.18	199.84	252.03	0.2025	0.9184	-6
8	6.4105	0.7974	0.0368	54.05	229.33	54.59	198.14	252.70	0.2109	0.9157	8
10	6.8113	0.8020	0.0346	56.40	229.79	56.95	196.40	253.35	0.2193	0.9129	10
12	7.2307	0.8066	0.0326	58.77	230.38	59.35	194.64	253.99	0.2276	0.9102	12
16	8.1268	0.8162	0.0291	63.53	231.59	64.19	191.02	255.21	0.2442	0.9048	16
20	9.1030	0.8263	0.0259	68.33	232.76	69.09	187.28	256.37	0.2607	0.8996	20
24	10.164	0.8369	0.0232	73.19	233.87	74.04	183.40	257.44	0.2772	0.8944	24
28	11.313	0.8480	0.0208	78.09	234.92	79.05	179.37	258.43	0.2936	0.8893	28
32	12.5561	0.8599	0.0186	83.06	235.91	84.11	175.18	259.32	0.3101	0.8842	32
36	13.897	0.8724	0.0168	88.08	236.83	89.29	170.82	260.11	0.3265	0.8790	36
40	15.241	0.8858	0.0151	93.18	237.66	94.53	166.25	260.79	0.3429	0.8738	40
45	17.298	0.9039	0.0132	99.05	238.59	101.24	160.24	261.46	0.3635	0.8672	45
50	19.453	0.9238	0.0116	106.16	239.34	108.06	153.84	261.90	0.3842	0.8603	50
60	24.281	0.9705	0.0080	120.00	240.24	122.35	139.61	261.96	0.4264	0.8455	60

Source: Tables A-7 through A-9 are calculated based on equations from A. Kamei and S. W. Beyerlein, "A Fundamental Equation for Chlorodifluoromethane (R-22)," *Fluid Phase Equilibria*, Vol. 80, No. 1, 1992, pp. 71-86.

TABLE A-3

Properties of Saturated Refrigerant 22 (Liquid-Vapor): Pressure Table

Press. bar	Temp. °C	Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K		Press. bar
		Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_f	Sat. Vapor u_g	Sat. Liquid h_f	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	
0.40	-58.86	0.6847	0.5056	-20.36	204.13	-20.34	244.69	224.36	-0.0907	0.40
0.50	-54.83	0.6901	0.4107	-16.07	205.76	-16.03	242.33	226.30	-0.0709	0.50
0.60	-51.40	0.6947	0.3466	-12.39	207.14	-12.35	240.28	227.93	-0.0542	0.60
0.70	-48.40	0.6989	0.3002	-9.17	208.34	-9.12	238.47	229.35	-0.0397	0.70
0.80	-45.73	0.7026	0.2650	-6.28	209.41	-6.23	236.84	230.61	-0.0270	0.80
0.90	-43.30	0.7061	0.2374	-3.66	210.37	-3.60	235.34	231.74	-0.0155	0.90
1.00	-41.09	0.7093	0.2152	-1.26	211.25	-1.19	233.95	232.77	-0.0051	1.00
1.25	-36.23	0.7166	0.1746	4.04	213.16	4.13	230.86	234.99	0.0175	0.9919
1.50	-32.08	0.7230	0.1472	8.60	214.77	8.70	228.15	236.86	0.0366	0.9830
1.75	-28.44	0.7287	0.1274	12.61	216.18	12.74	225.73	238.47	0.0531	0.9755
2.00	-25.18	0.7340	0.1123	16.22	217.42	16.37	223.52	239.88	0.0678	0.9691
2.25	-22.22	0.7389	0.1005	19.51	218.53	19.67	221.47	241.15	0.0809	0.9636
2.50	-19.51	0.7435	0.0910	22.54	219.55	22.72	219.57	242.29	0.0930	0.9586
2.75	-17.00	0.7479	0.0831	25.36	220.48	25.50	217.77	243.32	0.1040	0.9542
3.00	-14.66	0.7521	0.0765	27.99	221.34	28.22	216.07	244.29	0.1143	0.9502
3.25	-12.46	0.7561	0.0709	30.47	222.13	30.72	214.46	245.18	0.1238	0.9465
3.50	-10.39	0.7599	0.0661	32.82	222.88	33.09	212.91	246.00	0.1328	0.9431
3.75	-8.43	0.7636	0.0618	35.06	223.58	35.34	211.42	246.77	0.1413	0.9399
4.00	-6.56	0.7672	0.0581	37.18	224.24	37.49	209.99	247.48	0.1493	0.9370
4.25	-4.78	0.7706	0.0548	39.22	224.86	39.55	208.61	248.16	0.1569	0.9342
4.50	-3.08	0.7740	0.0519	41.17	225.45	41.52	207.27	248.80	0.1642	0.9316
4.75	-1.45	0.7773	0.0492	43.95	226.00	43.24	205.98	249.60	0.1711	0.9293
5.00	0.12	0.7805	0.0469	44.86	226.54	45.25	204.71	249.97	0.1777	0.9269
5.25	1.63	0.7836	0.0447	46.61	227.04	47.02	203.48	250.51	0.1841	0.9247
5.50	3.08	0.7867	0.0427	48.30	227.53	48.74	202.26	251.02	0.1903	0.9226
5.75	4.49	0.7897	0.0409	49.94	227.99	50.40	201.01	251.51	0.1962	0.9206
6.00	5.85	0.7927	0.0392	51.53	228.44	52.01	199.97	251.98	0.2019	0.9186
7.00	10.91	0.8041	0.0337	57.48	230.04	58.04	195.60	253.64	0.2231	0.9117
8.00	15.45	0.8149	0.0295	62.88	231.43	63.53	191.52	255.05	0.2419	0.9056
9.00	19.59	0.8252	0.0262	67.84	232.64	68.59	187.67	256.25	0.2591	0.9001
10.00	23.40	0.8352	0.0236	72.46	233.71	73.30	183.99	257.28	0.2748	0.8952
12.00	30.25	0.8546	0.0195	80.87	235.48	81.00	177.04	258.94	0.3029	0.8862
14.00	36.29	0.8734	0.0166	88.45	236.89	89.68	170.49	260.16	0.3277	0.8786
16.00	41.73	0.8919	0.0144	95.41	238.00	96.83	164.21	261.04	0.3500	0.8715
18.00	46.69	0.9104	0.0127	104.87	238.86	103.51	158.13	261.66	0.3705	0.8649
20.00	51.26	0.9294	0.0112	117.95	239.51	109.87	152.17	261.08	0.3805	0.8586
24.00	59.46	0.9677	0.0091	119.24	240.22	121.56	140.43	261.99	0.4221	0.8463

TABLE A-9

Properties of Superheated Refrigerant 22 Vapor

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 0.4 bar = 0.04 MPa (T _{sat} = -58.86°C)								
Sat.	0.50559	204.13	224.36	1.0512	0.34656	207.14	227.93	1.0294
-55	0.51532	205.92	226.53	1.0612	0.34850	208.80	228.74	1.0330
-50	0.52787	208.26	229.38	1.0741	0.34895	207.80	228.74	1.0330
-45	0.54037	210.63	232.24	1.0868	0.35747	210.20	231.65	1.0459
-40	0.55284	213.02	235.13	1.0993	0.36594	212.62	234.58	1.0586
-35	0.56526	215.43	238.05	1.1117	0.37437	215.06	237.52	1.0711
-30	0.57766	217.88	240.99	1.1239	0.38277	217.53	240.69	1.0835
-25	0.59002	220.35	243.95	1.1360	0.39114	220.02	243.49	1.0956
-20	0.60236	222.85	246.95	1.1479	0.39948	222.54	246.51	1.1077
-15	0.61468	225.38	249.97	1.1597	0.40779	225.08	249.55	1.1196
-10	0.62697	227.93	253.01	1.1714	0.41608	227.65	252.62	1.1314
-5	0.63925	230.52	256.09	1.1830	0.42436	230.25	255.71	1.1430
0	0.65151	233.13	259.19	1.1944	0.43261	232.88	258.83	1.1545
<i>p</i> = 0.8 bar = 0.08 MPa (T _{sat} = -45.73°C)								
Sat.	0.26503	209.41	230.61	1.10164	0.21518	211.25	232.77	1.0031
-45	0.26597	209.76	231.04	1.1063	0.21633	211.79	233.42	1.0059
-40	0.27245	212.21	234.01	1.10292	0.21933	211.90	233.42	1.0059
-35	0.27890	214.68	236.99	1.0418	0.22158	214.29	236.44	1.0187
-30	0.28530	217.17	239.99	1.0543	0.22679	216.80	239.48	1.0313
-25	0.29167	219.68	243.02	1.0666	0.23197	219.34	242.54	1.0438
-20	0.29801	222.22	246.06	1.0788	0.23712	221.90	245.01	1.0560
-15	0.30433	224.78	249.13	1.0908	0.24224	224.48	248.70	1.0681
-10	0.31062	227.37	252.22	1.1026	0.24734	227.08	251.82	1.0801
-5	0.31690	229.98	255.34	1.1143	0.25241	229.71	254.95	1.0919
0	0.32315	232.62	258.47	1.1259	0.25747	232.36	258.11	1.1035
5	0.32939	235.29	261.64	1.1374	0.26251	235.04	261.29	1.1151
10	0.33561	237.98	264.83	1.1488	0.26753	237.74	264.50	1.1265
<i>p</i> = 1.5 bar = 0.15 MPa (T _{sat} = -32.08°C)								
Sat.	0.14723	214.77	236.86	1.09830	0.11232	217.42	239.88	0.9691
-30	0.14872	216.85	238.16	1.09833	0.11232	217.51	240.00	0.9696
-25	0.15232	218.43	241.30	1.10011	0.11242	217.51	240.00	0.9696
-20	0.15588	221.07	244.45	1.0137	0.11520	220.19	243.23	0.9825
-15	0.15941	223.70	247.61	1.0260	0.11795	222.88	246.47	0.9952
-10	0.16292	226.35	250.78	1.0382	0.12067	225.58	249.72	1.0076
-5	0.16640	229.02	253.98	1.0502	0.12339	228.50	252.97	1.0199
0	0.16987	231.70	257.18	1.0621	0.12603	231.03	256.23	1.0310
5	0.17331	234.42	260.41	1.0738	0.12868	233.78	259.51	1.0438
10	0.17674	237.15	263.66	1.0854	0.13132	236.54	262.81	1.0555
15	0.18015	239.91	266.93	1.0968	0.13393	239.33	266.12	1.0671
20	0.18355	242.69	270.22	1.1081	0.13653	242.14	269.44	1.0786
25	0.18693	245.49	273.53	1.1193	0.13912	244.97	272.79	1.0899

Pressure Compressions
1 bar = 0.1 MPa
10 kPa

TABLE A-9

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 2.5 bar = 0.25 MPa (<i>T</i> _{sat} = -19.54°C)								
Sat.	0.09997	219.55	242.29	0.9586	0.07651	221.34	244.29	0.9502
-15	0.09303	222.03	245.29	0.9703				
-10	0.09528	224.79	248.61	0.9833	0.07833	223.96	247.46	0.9623
-5	0.09751	227.55	251.93	0.9956	0.08025	226.78	250.86	0.9751
0	0.09971	230.33	255.26	1.0078	0.08214	229.61	254.25	0.9876
5	0.10189	233.12	258.59	1.0199	0.08400	232.44	257.64	0.9999
10	0.10405	235.92	261.93	1.0318	0.08585	235.28	261.02	1.0120
15	0.10619	238.74	265.29	1.0436	0.08767	238.14	264.44	1.0239
20	0.10831	241.58	268.66	1.0552	0.08949	241.01	267.85	1.0357
25	0.11043	244.44	272.04	1.0666	0.09128	243.89	271.28	1.0472
30	0.11253	247.31	275.44	1.0779	0.09307	246.80	274.72	1.0587
35	0.11461	250.21	278.86	1.0891	0.09484	249.72	278.17	1.0700
40	0.11669	253.13	282.30	1.1002	0.09660	252.66	281.64	1.0811
<i>p</i> = 3.0 bar = 0.30 MPa (<i>T</i> _{sat} = -14.66°C)								
Sat.	0.06695	222.88	246.00	0.9431	0.05812	224.24	247.48	0.9370
-10	0.06610	223.40	246.27	0.9441				
-5	0.06789	225.99	249.75	0.9573	0.05860	225.16	248.60	0.9411
0	0.06956	228.86	253.21	0.9700	0.06011	228.09	252.14	0.9542
5	0.07121	231.74	256.67	0.9825	0.06160	231.02	225.66	0.9670
10	0.07284	234.63	260.12	0.9948	0.06306	233.95	259.18	0.9795
15	0.07444	237.52	263.57	1.0060	0.06456	236.86	262.60	0.9918
20	0.07603	240.42	267.03	1.0188	0.06592	239.83	266.19	1.0039
25	0.07760	243.34	270.50	1.0305	0.06733	242.77	269.73	1.0158
30	0.07916	246.27	273.97	1.0421	0.06872	245.73	273.22	1.0274
35	0.08070	249.22	227.46	1.0535	0.07010	248.71	276.75	1.0390
40	0.08224	252.18	280.97	1.0648	0.07146	251.70	280.28	1.0504
45	0.08376	255.17	284.48	1.0759	0.07282	254.70	283.83	1.0616
<i>p</i> = 3.5 bar = 0.35 MPa (<i>T</i> _{sat} = -10.39°C)								
Sat.	0.06695	222.88	246.00	0.9431	0.05812	224.24	247.48	0.9370
-10	0.06610	223.40	246.27	0.9441				
-5	0.06789	225.99	249.75	0.9573	0.05860	225.16	248.60	0.9411
0	0.06956	228.86	253.21	0.9700	0.06011	228.09	252.14	0.9542
5	0.07121	231.74	256.67	0.9825	0.06160	231.02	225.66	0.9670
10	0.07284	234.63	260.12	0.9948	0.06306	233.95	259.18	0.9795
15	0.07444	237.52	263.57	1.0060	0.06456	236.86	262.60	0.9918
20	0.07603	240.42	267.03	1.0188	0.06592	239.83	266.19	1.0039
25	0.07760	243.34	270.50	1.0305	0.06733	242.77	269.73	1.0158
30	0.07916	246.27	273.97	1.0421	0.06872	245.73	273.22	1.0274
35	0.08070	249.22	227.46	1.0535	0.07010	248.71	276.75	1.0390
40	0.08224	252.18	280.97	1.0648	0.07146	251.70	280.28	1.0504
45	0.08376	255.17	284.48	1.0759	0.07282	254.70	283.83	1.0616
<i>p</i> = 4.0 bar = 0.40 MPa (<i>T</i> _{sat} = -6.56°C)								
Sat.	0.06695	222.88	246.00	0.9431	0.05812	224.24	247.48	0.9370
-10	0.06610	223.40	246.27	0.9441				
-5	0.06789	225.99	249.75	0.9573	0.05860	225.16	248.60	0.9411
0	0.06956	228.86	253.21	0.9700	0.06011	228.09	252.14	0.9542
5	0.07121	231.74	256.67	0.9825	0.06160	231.02	225.66	0.9670
10	0.07284	234.63	260.12	0.9948	0.06306	233.95	259.18	0.9795
15	0.07444	237.52	263.57	1.0060	0.06456	236.86	262.60	0.9918
20	0.07603	240.42	267.03	1.0188	0.06592	239.83	266.19	1.0039
25	0.07760	243.34	270.50	1.0305	0.06733	242.77	269.73	1.0158
30	0.07916	246.27	273.97	1.0421	0.06872	245.73	273.22	1.0274
35	0.08070	249.22	227.46	1.0535	0.07010	248.71	276.75	1.0390
40	0.08224	252.18	280.97	1.0648	0.07146	251.70	280.28	1.0504
45	0.08376	255.17	284.48	1.0759	0.07282	254.70	283.83	1.0616
<i>p</i> = 4.5 bar = 0.45 MPa (<i>T</i> _{sat} = -3.08°C)								
Sat.	0.05189	225.45	248.80	1.0316	0.04686	226.51	249.97	0.9269
-10	0.05275	227.29	251.03	1.0399				
-5	0.05411	230.28	254.63	1.0529	0.04810	229.52	253.57	0.9399
0	0.05545	233.26	258.21	0.9657	0.04934	232.55	257.22	0.9530
5	0.05676	236.24	261.78	0.9782	0.05056	235.57	260.85	0.9657
10	0.05805	239.22	265.34	0.9904	0.05175	238.59	264.47	0.9781
15	0.05933	242.20	268.90	1.0026	0.05293	241.61	268.07	0.9903
20	0.06059	245.19	272.46	1.0143	0.05409	244.63	271.68	1.0023
25	0.06184	248.19	276.02	1.0259	0.05523	247.66	275.28	1.0141
30	0.06308	251.20	279.59	1.0374	0.05636	250.70	278.89	1.0257
35	0.06430	254.23	283.17	1.0488	0.05748	253.76	282.50	1.0371
40	0.06552	257.28	286.76	1.0600	0.05859	256.82	286.12	1.0484
45	0.06672	260.34	290.36	1.0710	0.05969	259.90	289.75	1.0595
<i>p</i> = 5.0 bar = 0.50 MPa (<i>T</i> _{sat} = 0.12°C)								
Sat.	0.05189	225.45	248.80	1.0316	0.04686	226.51	249.97	0.9269
-10	0.05275	227.29	251.03	1.0399				
-5	0.05411	230.28	254.63	1.0529	0.04810	229.52	253.57	0.9399
0	0.05545	233.26	258.21	0.9657	0.04934	232.55	257.22	0.9530
5	0.05676	236.24	261.78	0.9782	0.05056	235.57	260.85	0.9657
10	0.05805	239.22	265.34	0.9904	0.05175	238.59	264.47	0.9781
15	0.05933	242.20	268.90	1.0026	0.05293	241.61	268.07	0.9903
20	0.06059	245.19	272.46	1.0143	0.05409	244.63	271.68	1.0023
25	0.06184	248.19	276.02	1.0259	0.05523	247.66	275.28	1.0141
30	0.06308	251.20	279.59	1.0374	0.05636	250.70	278.89	1.0257
35	0.06430	254.23	283.17	1.0488	0.05748	253.76	282.50	1.0371
40	0.06552	257.28	286.76	1.0600	0.05859	256.82	286.12	1.0484
45	0.06672	260.34	290.36	1.0710	0.05969	259.90	289.75	1.0595

TABLE A-9

(Continued)

T °C	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
<i>p = 5.5 bar = 0.55 MPa</i> (T _{sat} = 3.08°C)								
<i>p = 6.0 bar = 0.60 MPa</i> (T _{sat} = 5.85°C)								
Sat	0.04271	227.53	251.02	0.9276	0.03923	228.44	251.98	0.9186
15	0.04317	228.72	252.46	0.9278				
30	0.04433	231.81	256.20	0.9411	0.04015	231.05	255.14	0.9299
45	0.04547	234.89	259.90	0.9540	0.04122	234.16	258.91	0.9431
20	0.04658	237.95	263.57	0.9667	0.04227	237.29	262.65	0.9560
25	0.04768	241.01	267.23	0.9790	0.04330	240.39	266.37	0.9685
30	0.04875	244.07	270.88	0.9912	0.04431	243.49	270.07	0.9808
35	0.04982	247.13	274.53	1.0031	0.04530	246.56	273.70	0.9929
40	0.05086	250.20	278.17	1.0148	0.04628	249.68	277.45	1.0048
45	0.05190	253.27	281.82	1.0264	0.04724	252.78	281.13	1.0164
50	0.05293	256.36	285.47	1.0378	0.04820	255.90	284.82	1.0279
55	0.05394	259.46	289.13	1.0490	0.04914	259.02	288.51	1.0393
60	0.05495	262.58	292.80	1.0601	0.05008	262.15	292.20	1.0504
<i>p = 7.0 bar = 0.70 MPa</i> (T _{sat} = 10.91°C)								
<i>p = 8.0 bar = 0.80 MPa</i> (T _{sat} = 15.45°C)								
Sat	0.03370	230.04	253.64	0.9117	0.02953	231.43	255.05	0.9056
15	0.03454	232.70	256.86	0.9229				
20	0.03547	235.92	260.75	0.9363	0.03032	236.47	258.74	0.9182
25	0.03639	239.12	264.59	0.9493	0.03118	237.76	262.70	0.9315
30	0.03730	242.29	268.40	0.9619	0.03202	241.04	266.66	0.9448
35	0.03819	245.46	272.19	0.9743	0.03283	244.28	270.54	0.9574
40	0.03906	248.62	275.96	0.9865	0.03363	247.52	274.42	0.9700
45	0.03992	251.78	279.72	0.9984	0.03440	250.74	278.26	0.9821
50	0.04076	254.94	283.48	1.0104	0.03527	255.95	283.10	0.9941
55	0.04160	258.11	287.23	1.0216	0.03592	257.18	285.92	1.0058
60	0.04242	261.29	290.99	1.0330	0.03667	260.40	289.74	1.0174
65	0.04324	264.48	294.75	1.0442	0.03741	263.64	293.56	1.0287
70	0.04405	267.68	298.51	1.0552	0.03814	266.87	297.38	1.0400
<i>p = 9.0 bar = 0.90 MPa</i> (T _{sat} = 19.59°C)								
<i>p = 10.0 bar = 1.00 MPa</i> (T _{sat} = 23.40°C)								
Sat	0.02623	232.64	258.25	0.9001	0.02353	233.71	257.28	0.8952
15	0.02630	232.92	258.59	0.9013				
20	0.02789	239.73	264.83	0.9289	0.02457	239.34	262.91	0.9139
30	0.03082	252.95	280.68	0.9795	0.02732	251.90	279.22	0.9660
40	0.03219	259.49	288.46	1.0033	0.02860	258.56	287.15	0.9902
50	0.03353	266.04	296.21	1.0262	0.02994	265.19	295.03	1.0135
60	0.03481	272.62	303.96	1.0484	0.03104	271.84	302.88	1.0361
70	0.03611	279.23	311.73	1.0701	0.03221	278.52	310.74	1.0580
80	0.03736	285.90	319.53	1.0913	0.03337	285.24	318.61	1.0794
90	0.03860	292.63	327.37	1.1120	0.03450	292.02	326.52	1.1003
100	0.03982	299.42	335.26	1.1323	0.03562	298.85	334.46	1.1207
110	0.04103	306.21	343.12	1.1523	0.03673	305.74	342.06	1.1408
120	0.04223	313.21	351.22	1.1719	0.03781	312.70	350.51	1.1605
130	0.04342	320.21	359.29	1.1912	0.03889	319.74	358.03	1.1790

TABLE A-9

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 12.0 bar = 1.20 MPa (T _{sat} = 30.25°C)								
<i>p</i> = 14.0 bar = 1.40 MPa (T _{sat} = 36.29°C)								
Sat.	0.01955	235.48	258.94	0.8864	0.01662	236.89	260.16	0.8786
40	0.02083	242.63	267.62	0.9146	0.01708	239.78	263.70	0.8900
50	0.02204	249.59	276.14	0.9413	0.01823	247.29	272.81	0.9186
60	0.02319	256.60	284.43	0.9666	0.01929	254.52	281.53	0.9452
70	0.02428	263.44	292.58	0.9907	0.02029	261.60	290.01	0.9703
80	0.02534	270.25	300.66	1.0139	0.02125	268.60	298.34	0.9942
90	0.02636	277.07	308.70	1.0363	0.02217	275.56	306.60	1.0172
100	0.02736	283.90	316.73	1.0582	0.02306	282.52	314.80	1.0395
110	0.02834	290.77	324.78	1.0794	0.02393	289.49	323.00	1.0612
120	0.02930	297.69	332.85	1.1002	0.02478	296.50	331.19	1.0823
130	0.03024	304.65	340.95	1.1205	0.02562	303.55	339.41	1.1029
140	0.03118	311.68	349.09	1.1405	0.02644	310.64	347.65	1.1231
150	0.03210	318.77	357.29	1.1604	0.02725	317.79	355.94	1.1429
160	0.03301	325.92	365.54	1.1793	0.02805	324.99	364.26	1.1624
170	0.03392	333.14	373.84	1.1983	0.02884	322.26	372.64	1.1815
<i>p</i> = 16.0 bar = 1.60 MPa (T _{sat} = 44.73°C)								
<i>p</i> = 18.0 bar = 1.80 MPa (T _{sat} = 46.69°C)								
Sat.	0.01440	238.00	261.04	0.8715	0.01268	238.86	261.64	0.8670
50	0.01533	244.66	269.18	0.8971	0.01301	241.72	265.14	0.8758
60	0.01634	252.29	278.43	0.9252	0.01401	249.86	275.09	0.9001
70	0.01728	259.65	287.30	0.9515	0.01492	257.57	284.43	0.9337
80	0.01817	266.86	295.93	0.9762	0.01576	265.04	293.40	0.9595
90	0.01901	274.00	304.42	0.9999	0.01655	272.37	302.16	0.9839
100	0.01983	281.09	312.82	1.0228	0.01731	279.62	310.77	1.0078
110	0.02062	288.18	321.17	1.0448	0.01804	286.83	319.30	1.0299
120	0.02139	295.28	329.51	1.0663	0.01874	294.04	327.78	1.0517
130	0.02214	302.41	337.84	1.0872	0.01943	301.26	336.24	1.0730
140	0.02288	309.58	346.19	1.1077	0.02011	308.50	344.70	1.0937
150	0.02361	316.79	354.56	1.1277	0.02077	315.78	353.17	1.1139
160	0.02432	324.05	362.97	1.1473	0.02142	323.10	361.66	1.1338
170	0.02503	331.37	371.42	1.1666	0.02207	330.47	370.19	1.1532
<i>p</i> = 20.0 bar = 2.00 MPa (T _{sat} = 51.26°C)								
<i>p</i> = 24.0 bar = 2.4 MPa (T _{sat} = 59.46°C)								
Sat.	0.01120	239.51	261.98	0.8686	0.00907	240.22	261.99	0.8463
60	0.01212	247.20	271.43	0.8873	0.00913	240.78	262.68	0.8484
70	0.01300	255.35	281.36	0.9167	0.01005	250.39	274.43	0.8831
80	0.01381	263.12	290.74	0.9436	0.01085	258.89	284.93	0.9133
90	0.01457	270.67	299.80	0.9689	0.01156	267.01	294.75	0.9407
100	0.01528	278.09	308.65	0.9929	0.01222	274.85	304.18	0.9663
110	0.01596	285.44	317.37	1.0160	0.01284	282.53	313.35	0.9906
120	0.01663	292.76	326.01	1.0383	0.01343	290.11	322.35	1.0137
130	0.01727	300.08	334.61	1.0598	0.01400	297.64	331.25	1.0361
140	0.01789	307.40	343.19	1.0808	0.01456	305.14	340.08	1.0577
150	0.01850	314.75	351.76	1.1013	0.01509	312.64	348.87	1.0787
160	0.01910	322.14	360.34	1.1214	0.01562	320.16	357.64	1.0992
170	0.01969	329.56	368.95	1.1410	0.01619	327.70	366.44	1.1192
180	0.02027	337.03	377.58	1.1603	0.01663	335.27	375.20	1.1388

TABLE A-10

Properties of Saturated Refrigerant 134a (Liquid-Vapor): Temperature Table

Temp. °C	Press. bar	Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K		Temp. °C
		Sat. Liquid $v_l \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_l	Sat. Vapor u_g	Sat. Liquid h_l	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_l	
-40	0.5164	0.7055	0.3369	10.04	204.45	10.00	222.88	222.88	0.0000	0.9560
-36	0.6332	0.7113	0.2947	4.68	206.73	4.73	220.67	225.40	0.0201	0.9506
-32	0.7704	0.7172	0.2451	9.47	209.01	9.52	218.37	227.90	0.0401	0.9456
-28	0.9305	0.7233	0.2052	14.31	211.29	14.37	216.01	230.38	0.0600	0.9411
-26	1.0199	0.7265	0.1882	16.75	212.43	16.82	214.80	231.62	0.0699	0.9390
-24	1.1160	0.7296	0.1728	19.21	213.57	19.29	213.57	232.85	0.0798	0.9370
-22	1.2192	0.7328	0.1590	21.68	214.70	21.77	212.32	234.08	0.0897	0.9351
-20	1.3299	0.7361	0.1464	24.17	215.84	24.26	211.05	235.31	0.0996	0.9332
-18	1.4483	0.7395	0.1350	26.67	216.97	26.77	209.76	236.53	0.1094	0.9315
-16	1.5748	0.7428	0.1247	29.18	218.10	29.30	208.45	237.74	0.1192	0.9298
-12	1.8540	0.7498	0.1068	34.25	220.36	34.39	205.77	240.15	0.1388	0.9267
-8	2.1704	0.7569	0.0919	39.38	222.60	39.54	203.00	242.54	0.1583	0.9239
-4	2.5274	0.7644	0.0794	44.56	224.84	44.75	200.15	244.90	0.1777	0.9213
10	2.9282	0.7721	0.0689	49.79	227.06	50.02	197.24	247.23	0.1970	0.9190
4	3.3795	0.7801	0.0600	55.08	229.27	55.35	194.19	249.53	0.2162	0.9169
8	3.8756	0.7884	0.0525	60.43	231.46	60.73	191.07	251.80	0.2354	0.9150
12	4.4294	0.7971	0.0460	65.83	233.63	66.18	187.85	254.03	0.2545	0.9132
16	5.0416	0.8062	0.0405	71.29	235.78	71.69	184.52	256.22	0.2735	0.9116
20	5.7160	0.8157	0.0358	76.80	237.91	77.26	181.09	258.36	0.2924	0.9102
24	6.4566	0.8257	0.0317	82.37	240.01	82.90	177.55	260.45	0.3113	0.9089
26	6.8530	0.8309	0.0298	85.18	241.05	85.75	175.73	261.48	0.3208	0.9082
28	7.2675	0.8362	0.0281	88.00	242.08	88.61	173.89	262.50	0.3302	0.9076
30	7.7006	0.8417	0.0265	90.84	243.10	91.49	172.00	263.50	0.3396	0.9070
32	8.1528	0.8473	0.0250	93.70	244.12	94.39	170.09	264.48	0.3490	0.9064
34	8.6247	0.8520	0.0236	95.58	245.12	97.31	168.14	265.45	0.3584	0.9058
36	9.1168	0.8590	0.0223	99.47	246.11	100.25	166.15	266.40	0.3678	0.9053
38	9.6298	0.8651	0.0210	102.38	247.09	103.21	164.12	267.33	0.3772	0.9047
40	10.164	0.8714	0.0199	105.30	248.06	106.19	162.05	268.24	0.3866	0.9041
42	10.720	0.8780	0.0188	108.25	249.02	109.19	159.94	269.14	0.3960	0.9035
44	11.299	0.8847	0.0177	111.22	249.96	112.22	157.79	270.01	0.4054	0.9030
48	12.526	0.8989	0.0159	117.22	251.79	118.35	153.33	271.68	0.4263	0.9017
52	13.851	0.9142	0.0142	123.31	253.55	124.58	148.66	273.24	0.4452	0.9004
56	15.278	0.9308	0.0127	129.53	255.33	130.93	145.75	274.68	0.4622	0.8990
60	16.813	0.9488	0.0114	135.82	256.81	137.42	143.57	275.99	0.4814	0.8973
70	21.162	1.0027	0.0086	152.22	260.15	154.34	124.08	278.43	0.5302	0.8918
80	26.324	1.0766	0.0064	169.88	262.14	172.71	106.41	279.12	0.5814	0.8827
90	32.435	1.1949	0.0046	189.82	261.34	193.69	82.63	276.32	0.6380	0.8655
100	39.742	1.5443	0.0027	218.60	248.49	224.74	34.40	259.13	0.7196	0.817

Source: Tables A-10 through A-12 are calculated based on equations from D. P. Wilson and R. S. Basu, "Thermodynamic Properties of a New Stratospherically Safe Working Fluid—Refrigerant 134a," ASHRAE Trans., Vol. 94, Pt. 2, 1988, pp. 2095–2118.

908 Tables in SI Units

TABLE A-11

		Properties of Saturated Refrigerant 134a (Liquid-Vapor): Pressure Table									
Press. bar	Temp. °C	Specific Volume m^3/kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy $kJ/kg \cdot K$		Press. bar	
		Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid h_f	Sat. Vapor h_g	Sat. Liquid h_l	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	Sat. Vapor s_g	
0.6	-37.07	0.7097	0.3100	3.41	206.12	3.46	221.27	224.72	0.0147	0.9520	0.6
0.8	-31.21	0.7184	0.2366	10.41	209.46	10.47	217.92	228.39	0.0440	0.9447	0.8
1.0	-26.43	0.7258	0.1917	16.27	212.18	16.29	215.06	231.35	0.0678	0.9395	1.0
1.2	-22.36	0.7323	0.1614	21.23	214.50	21.32	212.54	233.86	0.0879	0.9354	1.2
1.4	-18.80	0.7381	0.1395	25.66	216.52	25.77	210.27	236.04	0.1055	0.9322	1.4
1.6	-15.62	0.7435	0.1229	29.66	218.32	29.78	208.19	237.97	0.1211	0.9295	1.6
1.8	-12.73	0.7485	0.1098	33.31	219.94	33.45	206.26	239.71	0.1352	0.9273	1.8
2.0	-10.09	0.7532	0.0993	36.69	221.43	36.84	204.46	241.30	0.1481	0.9253	2.0
2.4	-5.37	0.7618	0.0834	42.77	224.07	42.95	201.14	244.09	0.1710	0.9222	2.4
2.8	-1.23	0.7697	0.0719	48.18	226.38	48.39	198.13	246.52	0.1911	0.9197	2.8
3.2	12.68	0.7770	0.0632	53.06	228.43	53.81	195.35	248.66	0.2089	0.9177	3.2
3.6	15.84	0.7839	0.0564	57.94	230.28	57.82	192.76	250.58	0.2251	0.9160	3.6
4.0	18.93	0.7904	0.0509	61.69	231.97	62.00	190.32	252.32	0.2399	0.9145	4.0
4.5	21.74	0.7955	0.0409	70.93	235.64	74.33	184.74	256.07	0.2723	0.9117	4.5
5.0	24.58	0.8196	0.0341	78.99	238.74	79.48	179.73	259.19	0.2999	0.9097	5.0
7.0	26.72	0.8328	0.0292	86.19	241.42	86.78	175.07	261.85	0.3242	0.9080	7.0
8.0	31.33	0.8454	0.0255	92.75	243.78	93.42	170.73	264.15	0.3459	0.9066	8.0
9.0	35.53	0.8576	0.0226	98.79	245.88	99.56	166.62	266.18	0.3656	0.9054	9.0
10.0	39.39	0.8695	0.0202	104.42	247.77	105.29	162.68	267.97	0.3838	0.9043	10.0
12.0	46.32	0.8928	0.0166	114.69	251.03	115.76	155.23	270.99	0.4164	0.9023	12.0
14.0	52.93	0.9159	0.0140	123.98	253.74	125.26	148.14	273.40	0.4453	0.9003	14.0
16.0	57.92	0.9392	0.0121	132.95	256.00	134.02	144.35	275.23	0.4714	0.8982	16.0
18.0	62.94	0.9631	0.0105	140.40	257.88	142.22	143.60	276.83	0.4954	0.8959	18.0
20.0	67.00	0.9873	0.0093	148.02	259.41	149.99	127.95	277.94	0.5178	0.8934	20.0
25.0	77.59	1.0562	0.0069	165.48	261.84	168.12	111.06	279.17	0.5687	0.8854	25.0
30.0	86.22	1.1416	0.0053	181.88	262.16	185.30	92.73	278.01	0.6156	0.8735	30.0

TABLE A-12

Properties of Superheated Refrigerant 134a Vapor

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>c</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 0.6 bar = 0.06 MPa (<i>T</i> _{sat} = -37.07°C)								
<i>p</i> = 1.0 bar = 0.10 MPa (<i>T</i> _{sat} = -26.43°C)								
Sat.	0.31003	206.12	224.72	0.9520	0.19170	212.18	231.35	0.9395
-20	0.33539	217.86	237.98	1.0062	0.19770	216.77	236.54	0.9602
-10	0.34992	224.97	245.96	1.0371	0.20686	224.01	244.70	0.9918
0	0.36433	232.24	254.10	1.0675	0.21587	231.41	252.99	1.0227
10	0.37861	239.69	262.41	1.0973	0.22473	238.96	261.43	1.0531
20	0.39279	247.32	270.89	1.1267	0.23349	246.67	270.02	1.0829
30	0.40688	255.12	279.53	1.1557	0.24216	254.54	278.76	1.1122
40	0.42091	263.10	288.36	1.1844	0.25076	262.58	287.66	1.1411
50	0.43487	271.25	297.34	1.2126	0.25930	270.79	296.72	1.1696
60	0.44879	279.58	306.51	1.2405	0.26779	279.16	305.94	1.1977
70	0.46266	288.08	315.84	1.2681	0.27623	287.70	315.32	1.2254
80	0.47650	296.75	325.34	1.2954	0.28464	296.40	324.87	1.2528
90	0.49031	305.58	335.00	1.3224	0.29302	305.27	334.57	1.2799
<i>p</i> = 1.4 bar = 0.14 MPa (<i>T</i> _{sat} = -18.80°C)								
<i>p</i> = 1.8 bar = 0.18 MPa (<i>T</i> _{sat} = -12.73°C)								
Sat.	0.13945	216.52	236.04	0.9322	0.10983	219.94	239.71	0.9273
-10	0.14549	231.03	243.40	0.9606	0.11135	222.02	242.06	0.9362
-20	0.15219	230.55	251.86	0.9922	0.11678	229.67	250.69	0.9684
10	0.15875	238.21	260.43	1.0230	0.12207	237.44	259.41	0.9998
20	0.16520	246.01	269.13	1.0532	0.12723	245.33	268.23	1.0304
30	0.17155	253.96	277.97	1.0828	0.13230	253.36	277.17	1.0604
40	0.17783	262.06	286.96	1.1120	0.13730	261.52	286.24	1.0868
50	0.18404	270.32	296.09	1.1407	0.14222	269.85	295.45	1.1187
60	0.19020	278.74	305.37	1.1690	0.14710	278.31	304.70	1.1472
70	0.19633	287.32	314.80	1.1969	0.15193	286.93	314.28	1.1753
80	0.20241	296.06	324.39	1.2244	0.15672	295.71	323.92	1.2030
90	0.20846	304.95	334.14	1.2516	0.16148	304.63	333.70	1.2303
100	0.21449	314.01	344.04	1.2785	0.16622	313.72	343.63	1.2573
<i>p</i> = 2.0 bar = 0.20 MPa (<i>T</i> _{sat} = -10.00°C)								
<i>p</i> = 2.4 bar = 0.24 MPa (<i>T</i> _{sat} = -5.37°C)								
Sat.	0.09933	221.43	241.30	0.9253	0.08343	224.07	244.09	0.9222
-10	0.09938	221.50	241.38	0.9256	0.08347	224.14	244.16	0.9226
-20	0.10438	229.23	250.10	0.9582	0.08574	228.31	248.89	0.9399
10	0.10922	237.05	258.89	0.9898	0.08993	236.26	257.84	0.9721
20	0.11394	244.99	267.78	1.0206	0.09399	244.30	266.85	1.0034
30	0.11856	253.06	276.77	1.0508	0.09794	252.45	275.95	1.0339
40	0.12311	261.26	285.88	1.0804	0.10183	260.72	285.16	1.0637
50	0.12758	269.61	295.12	1.1094	0.10562	269.12	294.47	1.0950
60	0.13201	278.10	304.50	1.1380	0.10937	277.57	303.91	1.1218
70	0.13639	286.74	314.02	1.1661	0.11307	286.35	313.49	1.1501
80	0.14073	295.53	323.68	1.1939	0.11674	295.18	323.19	1.1780
90	0.14504	304.47	333.48	1.2212	0.12037	304.15	333.04	1.2055
100	0.14932	313.57	343.43	1.2483	0.12398	313.27	343.03	1.2326

Pressure Conversions
1 bar = 0.1 MPa
101 kPa

TABLE A-12

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 2.8 bar = 0.28 MPa (T _{sat} = -1.23°C)								
<i>p</i> = 3.2 bar = 0.32 MPa (T _{sat} = 2.48°C)								
Sat.	0.07193	226.98	246.52	0.9197	0.03322	228.43	248.66	0.9177
0	0.07240	227.57	247.44	0.9238				
10	0.07613	235.44	256.76	0.9566	0.06576	234.61	255.65	0.9427
20	0.07972	243.59	265.91	0.9883	0.06901	242.87	264.95	0.9749
30	0.08320	251.83	275.12	1.0192	0.07214	251.19	274.28	1.0062
40	0.08660	260.17	284.42	1.0494	0.07518	259.61	283.67	1.0367
50	0.08992	268.64	293.81	1.0789	0.07815	268.14	293.15	1.0665
60	0.09319	277.23	303.32	1.1079	0.08106	276.79	302.72	1.0957
70	0.09641	285.96	312.95	1.1364	0.08392	285.56	312.41	1.1243
80	0.09960	294.82	322.71	1.1644	0.08674	294.46	322.22	1.1525
90	0.10275	303.83	332.60	1.1920	0.08953	303.50	332.15	1.1802
100	0.10587	312.98	342.62	1.2193	0.09229	312.68	342.21	1.2076
110	0.10897	322.27	352.78	1.2461	0.09503	322.00	352.60	1.2345
120	0.11205	331.71	363.08	1.2727	0.09774	331.45	362.73	1.2611
<i>p</i> = 4.0 bar = 0.40 MPa (T _{sat} = 8.93°C)								
<i>p</i> = 5.0 bar = 0.50 MPa (T _{sat} = 15.74°C)								
Sat.	0.05089	231.97	252.32	0.9149	0.04086	235.64	256.07	0.9117
10	0.05199	232.87	253.95	0.9182				
20	0.05397	241.37	262.96	0.9515	0.04186	239.40	260.34	0.9264
30	0.05662	249.89	272.54	0.9837	0.04416	248.20	270.28	0.9597
40	0.05917	258.47	282.14	1.0148	0.04633	256.99	280.16	0.9918
50	0.06164	267.13	291.79	1.0452	0.04842	265.83	290.04	1.0229
60	0.06409	275.89	301.51	1.0748	0.05043	274.73	299.95	1.0531
70	0.06641	284.75	311.32	1.1039	0.05240	283.72	309.92	1.0825
80	0.06873	293.73	321.23	1.1322	0.05432	292.80	319.96	1.1114
90	0.07102	302.84	331.25	1.1602	0.05620	302.00	330.10	1.1397
100	0.07327	312.07	341.38	1.1878	0.05805	311.31	340.33	1.1675
110	0.07550	321.44	351.64	1.2149	0.05988	320.74	350.68	1.1949
120	0.07771	330.94	362.03	1.2417	0.06168	330.30	361.14	1.2218
130	0.07991	340.58	372.54	1.2681	0.06347	339.98	371.72	1.2484
140	0.08208	350.35	383.18	1.2941	0.06524	349.79	382.42	1.2749
<i>p</i> = 6.0 bar = 0.60 MPa (T _{sat} = 21.58°C)								
<i>p</i> = 7.0 bar = 0.70 MPa (T _{sat} = 26.72°C)								
Sat.	0.03408	258.76	280.89	0.9097	0.02918	261.42	261.85	0.9080
30	0.03583	265.11	287.89	0.9388	0.03279	264.51	265.37	0.9197
40	0.03774	275.45	298.00	0.9719	0.03157	253.83	275.93	0.9539
50	0.03958	264.48	288.23	1.0037	0.03324	263.08	286.35	0.9867
60	0.04134	273.54	298.35	1.0346	0.03482	272.31	296.69	1.0182
70	0.04304	282.66	308.48	1.0645	0.03634	281.57	307.01	1.0487
80	0.04489	291.86	318.57	1.0938	0.03781	290.88	317.35	1.0784
90	0.04631	301.14	328.93	1.1225	0.03924	300.27	327.74	1.1074
100	0.04790	310.53	339.27	1.1505	0.04064	309.74	328.30	1.1358
110	0.04946	320.03	349.70	1.1781	0.04201	319.31	348.71	1.1637
120	0.05099	329.64	360.24	1.2053	0.04335	328.98	359.33	1.1910
130	0.05251	339.38	370.88	1.2320	0.04468	338.76	370.04	1.2179
140	0.05402	349.23	381.64	1.2584	0.04599	348.66	380.80	1.2444
150	0.05550	359.21	392.52	1.2844	0.04739	358.68	391.79	1.2706
160	0.05698	369.32	403.51	1.3100	0.04857	368.82	402.82	1.2963

TABLE A-12

(Continued)

T °C	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
$p = 8.0 \text{ bar} = 0.80 \text{ MPa}$ ($T_{\text{sat}} = 34.33^\circ\text{C}$)								
$p = 9.0 \text{ bar} = 0.90 \text{ MPa}$ ($T_{\text{sat}} = 35.53^\circ\text{C}$)								
Sat.	0.02547	243.78	264.15	0.9066	0.02255	245.88	266.18	0.9054
40	0.02691	252.13	273.66	0.9374	0.02325	250.32	271.25	0.9217
50	0.02846	261.62	284.39	0.9711	0.02472	260.09	282.34	0.9566
60	0.02992	271.04	294.98	1.0034	0.02609	269.72	293.21	0.9897
70	0.03131	280.45	305.50	1.0345	0.02738	279.30	303.94	1.0214
80	0.03264	289.89	316.00	1.0647	0.02861	288.87	314.62	1.0521
90	0.03393	299.37	326.52	1.0940	0.02980	298.46	325.28	1.0819
100	0.03519	308.93	337.08	1.1227	0.03095	308.11	335.96	1.1109
110	0.03642	318.57	347.64	1.1500	0.03207	317.82	346.68	1.1392
120	0.03762	328.31	358.40	1.1784	0.03316	327.62	357.47	1.1670
130	0.03881	338.14	369.19	1.2055	0.03423	337.52	368.33	1.1943
140	0.03997	348.09	380.07	1.2321	0.03529	347.51	379.27	1.2211
150	0.04113	358.15	391.05	1.2584	0.03633	357.61	390.31	1.2475
160	0.04227	368.32	402.14	1.2843	0.03736	367.82	401.44	1.2735
170	0.04340	378.61	413.33	1.3098	0.03838	378.14	412.68	1.2992
180	0.04452	389.02	424.63	1.3351	0.03939	388.57	424.02	1.3245
$p = 10.0 \text{ bar} = 1.00 \text{ MPa}$ ($T_{\text{sat}} = 39.39^\circ\text{C}$)								
$p = 12.0 \text{ bar} = 1.20 \text{ MPa}$ ($T_{\text{sat}} = 46.32^\circ\text{C}$)								
Sat.	0.02020	247.77	267.97	0.9043	0.01663	251.02	270.99	0.9023
40	0.02029	248.30	268.68	0.9060	0.01712	254.98	275.52	0.9164
50	0.02171	258.48	280.19	0.9428	0.02150	295.59	321.59	1.0503
60	0.02301	268.35	291.36	0.9768	0.02244	275.59	298.96	0.9868
70	0.02423	278.11	302.34	1.0093	0.02351	285.62	310.24	1.0192
80	0.02538	287.82	313.20	1.0405	0.02456	295.59	321.52	1.0966
90	0.02649	297.53	324.01	1.0707	0.02555	305.54	332.47	1.1084
100	0.02755	307.27	334.82	1.1000	0.02654	315.50	343.52	1.1096
110	0.02853	317.06	345.65	1.1286	0.02755	325.57	353.68	1.1220
120	0.02959	326.93	356.52	1.1567	0.02854	335.58	365.68	1.1660
130	0.03058	336.88	367.46	1.1841	0.02952	345.73	376.83	1.1933
140	0.03154	346.92	378.46	1.2111	0.03050	355.97	386.04	1.2201
150	0.03250	357.06	389.56	1.2376	0.03147	366.27	399.33	1.2465
160	0.03344	367.31	400.74	1.2638	0.03244	376.69	410.70	1.2724
170	0.03436	377.66	412.02	1.2895	0.03341	387.21	422.16	1.2980
180	0.03528	388.12	423.40	1.3149	0.03439	397.81	432.65	1.3232
$p = 14.0 \text{ bar} = 1.40 \text{ MPa}$ ($T_{\text{sat}} = 52.43^\circ\text{C}$)								
$p = 16.0 \text{ bar} = 1.60 \text{ MPa}$ ($T_{\text{sat}} = 57.92^\circ\text{C}$)								
Sat.	0.01405	253.74	273.40	0.9003	0.01208	256.00	275.33	0.8982
40	0.01495	262.77	283.10	0.9297	0.01293	258.48	278.20	0.9069
50	0.01603	272.37	295.31	0.9658	0.01340	260.89	291.33	0.9457
60	0.01701	283.29	307.10	0.9997	0.01435	280.78	303.74	0.9833
70	0.01792	293.55	318.63	1.0319	0.01521	291.39	315.72	1.0448
80	0.01878	303.73	330.02	1.0628	0.01601	301.84	327.46	1.0467
90	0.01960	313.68	341.83	1.0927	0.01677	312.20	339.04	1.0773
100	0.02059	324.05	352.59	1.1218	0.01750	322.53	350.53	1.1069
110	0.02155	334.25	363.86	1.1501	0.01820	332.87	361.99	1.1357
120	0.02219	344.50	375.15	1.1777	0.01887	343.24	373.44	1.1638
130	0.02262	354.82	386.49	1.2048	0.01953	353.66	384.91	1.1912
140	0.02333	365.22	397.89	1.2315	0.02017	364.15	396.43	1.2181
150	0.02403	375.71	409.36	1.2576	0.02080	376.71	407.99	1.2445
160	0.02472	386.29	420.90	1.2834	0.02142	386.35	419.62	1.2704
170	0.02541	396.96	432.53	1.3088	0.02203	396.08	431.33	1.2960
180	0.02608	407.73	444.24	1.3338	0.02263	406.00	443.11	1.3212

912 Tables in SI Units

TABLE A-15

Properties of Saturated Ammonia (Liquid-Vapor): Temperature Table

Temp. °C	Press. bar	Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K		Temp. °C
		Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_l	Sat. Vapor u_g	Sat. Liquid h_l	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	
-50	0.4086	14245	2.6265	-43.94	1264.99	-43.88	1416.20	1372.32	-0.1922	6.1543
-45	0.5453	14367	2.0060	-22.03	1271.19	-21.95	1402.52	1380.57	-0.0951	6.0523
-40	0.7174	14493	1.5524	-0.10	1277.20	0.00	1388.56	1388.56	0.0000	5.9557
-36	0.8850	14597	1.2757	17.47	1281.87	17.60	1377.17	1394.77	0.0747	5.8819
-32	1.0832	14703	1.0561	35.09	1286.41	35.25	1365.55	1400.81	0.1484	5.8111
-30	1.1950	1.4757	0.9634	43.93	1288.63	44.10	1359.65	1403.75	0.1849	5.7767
-28	1.3159	1.4812	0.8803	52.78	1290.82	52.97	1353.68	1406.66	0.2212	5.7430
-26	1.4465	1.4867	0.8056	61.65	1292.97	61.86	1347.65	1409.51	0.2572	5.7100
-22	1.7390	1.4980	0.6780	79.46	1297.18	79.72	1335.36	1415.08	0.3287	5.6457
-20	1.9019	1.5038	0.6233	88.40	1299.23	88.68	1329.10	1417.79	0.3642	5.6144
-18	2.0769	1.5096	0.5739	97.36	1301.25	97.68	1322.77	1420.45	0.3994	5.5837
-16	2.2644	1.5155	0.5291	106.36	1303.23	106.70	1316.35	1423.05	0.4349	5.5536
-14	2.4652	1.5215	0.4885	115.37	1305.17	115.75	1309.86	1425.61	0.4695	5.5239
-12	2.7098	1.5276	0.4516	124.42	1307.08	124.83	1303.28	1428.11	0.5043	5.4948
-10	2.9089	1.5338	0.4180	133.50	1308.95	133.94	1296.61	1430.55	0.5380	5.4662
-8	3.1532	1.5400	0.3874	142.60	1310.78	143.09	1289.86	1432.95	0.5734	5.4380
-6	3.4134	1.5464	0.3595	151.74	1312.57	152.26	1283.02	1435.28	0.6077	5.4103
-4	3.6901	1.5528	0.3340	160.88	1314.32	161.46	1276.10	1437.56	0.6418	5.3831
-2	3.9842	1.5594	0.3106	170.07	1316.04	170.69	1269.08	1439.78	0.6759	5.3562
0	4.2962	1.5660	0.2892	179.29	1317.71	179.96	1261.97	1441.94	0.7097	5.3298
2	4.6270	1.5727	0.2695	188.53	1319.34	189.26	1254.77	1444.03	0.7435	5.3038
4	4.9773	1.5796	0.2514	197.80	1320.92	198.59	1247.48	1446.07	0.7770	5.2783
6	5.3479	1.5860	0.2348	207.10	1322.47	207.95	1240.09	1448.04	0.8105	5.2520
8	5.7395	1.5930	0.2195	216.42	1323.96	217.34	1232.61	1449.94	0.8438	5.2270
10	6.1320	1.6008	0.2054	225.77	1325.42	226.75	1225.03	1451.78	0.8760	5.2033
12	6.5890	1.6081	0.1923	235.14	1326.82	236.20	1217.35	1453.55	0.9099	5.1791
16	7.5324	1.6231	0.1691	253.95	1329.48	255.18	1201.70	1456.87	0.9755	5.1314
20	8.5762	1.6386	0.1492	272.86	1331.94	274.26	1185.64	1459.90	1.0404	5.0849
24	9.7274	1.6547	0.1320	291.84	1334.19	293.45	1169.16	1462.61	1.1048	5.0394
28	10.993	1.6714	0.1172	310.92	1336.20	312.75	1152.24	1465.00	1.1686	4.9948
32	12.3801	1.6887	0.1043	330.07	1337.97	332.17	1134.87	1467.03	1.2319	4.9509
36	13.8961	1.7068	0.0930	349.32	1339.47	351.69	1117.00	1468.70	1.2940	4.9073
40	15.5491	1.7256	0.0831	368.67	1340.70	371.35	1098.62	1469.97	1.3560	4.8652
45	17.3914	1.7453	0.0725	393.01	1341.81	396.13	1074.84	1470.96	1.4244	4.8125
50	20.331	1.7765	0.0634	417.56	1342.42	421.17	1050.09	1471.26	1.5100	4.7604

Source: Tables A-13 through A-15 are calculated based on equations from L. Haar and J. S. Gallagher, "Thermodynamic Properties of Ammonia," *J. Phys. Chem. Reference Data*, Vol. 7, 1978, pp. 635-792.

TABLE A-14

Properties of Saturated Ammonia (Liquid-Vapor): Pressure Table

Pressure Conversions bar → MPa mm Hg → kPa		Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K			
Press. bar	Temp. °C	Sat. Liquid $v_1 \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_l	Sat. Vapor u_g	Sat. Liquid h_l	Evap. h_g	Sat. Vapor h_g	Sat. Liquid s_l	Sat. Vapor s_g	Press. bar
0.40	-50.36	14236	26795	-4552	126454	4546	1417.18	1371.72	-0.1992	6.1618	0.40
0.50	-46.53	14330	23752	-2873	1269.31	2866	1406.73	1378.07	-0.1245	6.0829	0.50
0.60	-43.28	14410	18345	-1453	1273.27	14.42	1397.76	1383.34	-0.0622	6.0186	0.60
0.70	-40.46	14482	15684	-2.11	1276.66	2.01	1389.85	1387.84	-0.0086	5.9643	0.70
0.80	-37.94	14546	14020	8.93	1279.61	9.04	1382.73	1391.78	0.0386	5.9174	0.80
0.90	-35.67	14605	12559	18.91	1282.24	19.04	1370.23	1395.27	0.0808	5.8760	0.90
1.00	-33.60	14660	1.1381	28.03	1284.61	28.18	1370.23	1398.41	0.1191	5.8391	1.00
1.25	-29.07	14782	0.9237	48.03	1289.65	48.22	1356.89	1405.11	0.2018	5.7610	1.25
1.50	-25.22	14889	0.7787	65.10	1293.80	65.32	1345.28	1410.61	0.2712	5.6973	1.50
1.75	-21.86	14984	0.6740	80.08	1297.33	80.35	1334.92	1415.27	0.3312	5.6435	1.75
2.00	-18.86	15071	0.5946	93.50	1300.39	93.80	1325.51	1419.31	0.3843	5.5969	2.00
2.25	-16.16	15151	0.5323	105.68	1303.08	106.02	1316.83	1422.86	0.4319	5.5558	2.25
2.50	-13.67	15225	0.4821	116.88	1305.49	117.26	1308.76	1426.03	0.4753	5.5190	2.50
2.75	-11.37	15295	0.4408	127.26	1307.67	127.68	1301.20	1428.88	0.5152	5.4858	2.75
3.00	-9.24	15361	0.4061	136.96	1309.65	137.42	1294.05	1431.47	0.5520	5.4554	3.00
3.25	-7.24	15424	0.3765	146.06	1311.46	146.57	1287.37	1433.84	0.5824	5.4275	3.25
3.50	-5.36	15484	0.3511	154.66	1313.14	155.20	1280.81	1436.01	0.6186	5.4016	3.50
3.75	-3.58	15542	0.3289	162.80	1314.68	163.38	1274.64	1438.03	0.6489	5.3774	3.75
4.00	-1.90	15597	0.3094	170.55	1316.12	171.18	1268.71	1439.89	0.6776	5.3548	4.00
4.25	-0.29	15650	0.2921	177.96	1317.47	178.62	1263.01	1441.63	0.7048	5.3336	4.25
4.50	1.25	15702	0.2767	185.04	1318.73	185.75	1257.50	1443.25	0.7308	5.3135	4.50
4.75	2.72	15752	0.2629	191.86	1320.03	192.52	1252.83	1447.77	0.7555	5.2946	4.75
5.00	4.13	15800	0.2503	198.39	1321.02	199.18	1247.02	1446.19	0.7791	5.2765	5.00
5.25	5.48	15847	0.2390	204.69	1322.07	205.52	1242.01	1447.53	0.8018	5.2594	5.25
5.50	6.79	15893	0.2286	210.78	1323.06	211.65	1237.35	1448.80	0.8236	5.2430	5.50
5.75	8.05	15938	0.2191	216.60	1324.00	217.58	1232.41	1449.99	0.8449	5.2273	5.75
6.00	9.27	15982	0.2104	222.37	1324.89	223.32	1227.79	1451.12	0.8649	5.2122	6.00
7.00	13.79	16148	0.1815	243.56	1328.04	244.69	1210.38	1455.07	0.9394	5.1576	7.00
8.00	17.84	16302	0.1596	262.64	1330.64	263.95	1194.36	1458.30	1.0054	5.1099	8.00
9.00	21.52	16446	0.1424	280.05	1332.82	281.53	1179.44	1460.97	1.0649	5.0675	9.00
10.00	24.89	16584	0.1285	296.10	1334.66	297.76	1165.42	1463.18	1.1191	5.0294	10.00
12.00	30.94	16841	0.1075	324.99	1337.52	327.01	1139.52	1466.53	1.2152	4.9625	12.00
14.00	36.26	17080	0.0923	350.58	1339.56	352.97	1115.82	1468.79	1.2987	4.9050	14.00
16.00	41.03	17306	0.0808	373.00	1340.97	376.46	1093.57	1470.23	1.3729	4.8542	16.00
18.00	45.38	17522	0.0717	394.85	1341.88	398.00	1073.01	1471.01	1.4399	4.8086	18.00
20.00	49.37	17731	0.0644	414.41	1342.57	417.99	1053.27	1474.26	1.5023	4.7570	20.00

Ammonia

TABLE A-15

Properties of Superheated Ammonia Vapor

Pressure Conversions:
 $p_{\text{bar}} = 0.1 \text{ MPa}$
 $p_{\text{kPa}} = 10^5 \text{ kPa}$

T °C	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
$p = 0.4 \text{ bar} = 0.04 \text{ MPa}$ ($T_{\text{sat}} = -50.36^\circ\text{C}$)								
$p = 0.6 \text{ bar} = 0.06 \text{ MPa}$ ($T_{\text{sat}} = -43.28^\circ\text{C}$)								
Sat.	2.6795	1264.54	1371.72	6.1618	183.65	1273.27	1383.34	6.0186
-50	2.6861	1265.11	1372.48	6.1652				
-45	2.7481	1273.05	1382.98	6.2118				
-40	2.8118	1281.01	1393.48	6.2573	1.8630	1278.62	1390.40	6.0490
-35	2.8753	1288.96	1403.98	6.3018	1.9061	1286.75	1401.12	6.0946
-30	2.9385	1296.93	1414.47	6.3455	1.9491	1294.88	1411.83	6.1390
-25	3.0015	1304.90	1424.06	6.3882	1.9918	1303.01	1422.52	6.1826
-20	3.0644	1312.88	1435.46	6.4300	2.0343	1311.13	1433.91	6.2251
-15	3.1371	1320.87	1445.95	6.4711	2.0766	1319.25	1443.85	6.2668
-10	3.1896	1328.87	1456.45	6.5114	2.1188	1327.37	1454.50	6.3077
-5	3.2520	1336.88	1466.95	6.5509	2.1609	1335.49	1465.14	6.3478
0	3.3142	1344.90	1477.47	6.5898	2.2028	1343.61	1475.78	6.3871
5	3.3764	1352.95	1488.00	6.6280	2.2446	1351.75	1486.43	6.4257
$p = 0.8 \text{ bar} = 0.08 \text{ MPa}$ ($T_{\text{sat}} = -37.94^\circ\text{C}$)								
$p = 1.0 \text{ bar} = 0.10 \text{ MPa}$ ($T_{\text{sat}} = -33.60^\circ\text{C}$)								
Sat.	1.4021	1279.61	1391.78	5.9174	1.1361	1284.61	1398.41	5.8391
-35	1.4258	1284.55	1398.23	5.9446				
-30	1.4523	1292.83	1409.15	5.9900	1.1573	1290.71	1406.40	5.8723
-25	1.4868	1301.09	1420.04	6.0343	1.1838	1299.15	1417.53	5.9175
-20	1.5192	1309.36	1430.90	6.0777	1.2101	1307.57	1428.58	5.9616
-15	1.5514	1317.61	1441.72	6.1200	1.2362	1315.96	1439.58	6.0046
-10	1.5834	1325.85	1452.53	6.1615	1.2621	1324.33	1450.54	6.0467
-5	1.6153	1334.09	1463.31	6.2021	1.2880	1332.67	1461.47	6.0878
0	1.6471	1342.31	1474.08	6.2419	1.3136	1341.00	1472.37	6.1281
5	1.6788	1350.54	1484.84	6.2809	1.3392	1349.33	1483.25	6.1676
10	1.7103	1358.77	1495.60	6.3192	1.3647	1357.64	1494.11	6.2063
15	1.7418	1367.01	1506.35	6.3568	1.3900	1365.95	1504.96	6.2442
20	1.7732	1375.25	1517.10	6.3939	1.4153	1374.27	1515.80	6.2816
$p = 1.5 \text{ bar} = 0.15 \text{ MPa}$ ($T_{\text{sat}} = -25.22^\circ\text{C}$)								
$p = 2.0 \text{ bar} = 0.20 \text{ MPa}$ ($T_{\text{sat}} = -18.86^\circ\text{C}$)								
Sat.	0.7787	1293.80	1410.61	5.6973	0.659460	1300.39	1419.81	5.5969
-25	0.7795	1294.20	1411.53	5.6994				
-20	0.7978	1302.00	1422.67	5.7454				
-15	0.8158	1311.75	1434.12	5.7902	0.60542	1307.43	1428.51	5.6328
-10	0.8336	1320.44	1445.49	5.8338	0.61926	1316.46	1440.31	5.6781
-5	0.8514	1329.08	1456.79	5.8764	0.63294	1325.41	1452.00	5.7221
0	0.8689	1337.68	1468.02	5.9179	0.64628	1334.29	1463.59	5.7649
5	0.8864	1346.25	1479.20	5.9585	0.65989	1343.11	1475.09	5.8066
10	0.9037	1354.76	1490.34	5.9981	0.67320	1351.87	1486.51	5.8473
15	0.9210	1363.29	1501.44	6.0370	0.68640	1360.59	1497.87	5.8871
20	0.9382	1371.79	1512.51	6.0751	0.69952	1369.28	1509.18	5.9260
25	0.9553	1380.28	1523.56	6.1125	0.71256	1377.93	1520.44	5.9641
30	0.9723	1388.76	1534.60	6.1492	0.72553	1386.56	1531.67	6.0014

TABLE A-15

(Continued)

T °C	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
<i>p = 2.5 bar = 0.25 MPa</i> (T _{sat} = -13.67°C)								
<i>p = 3.0 bar = 0.30 MPa</i> (T _{sat} = -9.24°C)								
Sat.	0.48213	1305.49	1426.03	5.5190	0.40607	1309.65	1431.47	5.4554
-10	0.49051	1312.37	1435.00	5.5534				
-5	0.50180	1321.65	1447.10	5.5989	0.41428	1317.80	1442.08	5.4953
0	0.51293	1330.83	1459.06	5.6431	0.42382	1327.28	1454.43	5.5409
5	0.52393	1339.91	1470.89	5.6860	0.43323	1336.64	1466.61	5.5851
10	0.53482	1348.91	1482.61	5.7278	0.44251	1345.89	1478.65	5.6280
15	0.54560	1357.84	1494.25	5.7685	0.45169	1355.05	1490.56	5.6697
20	0.55630	1366.72	1505.80	5.8083	0.46078	1364.13	1502.36	5.7103
25	0.56691	1375.55	1517.28	5.8471	0.46978	1373.14	1514.07	5.7499
30	0.57745	1384.34	1528.70	5.8851	0.47870	1382.09	1525.70	5.7886
35	0.58793	1393.10	1540.08	5.9223	0.48756	1391.00	1537.26	5.8264
40	0.59835	1401.84	1551.42	5.9589	0.49637	1399.86	1548.77	5.8635
45	0.60872	1410.56	1562.74	5.9947	0.50512	1408.70	1560.24	5.8998
<i>p = 3.5 bar = 0.35 MPa</i> (T _{sat} = -5.36°C)								
<i>p = 4.0 bar = 0.40 MPa</i> (T _{sat} = -1.90°C)								
Sat.	0.35108	1318.14	1436.01	5.4016	0.30942	1316.12	1439.89	5.3548
-10	0.36011	1323.69	1449.70	5.4522	0.31227	1310.95	1444.86	5.3731
-5	0.37054	1342.82	1474.61	5.5417	0.32701	1339.68	1479.49	5.4952
20	0.39251	1361.49	1498.87	5.6259	0.34129	1358.81	1495.33	5.5515
30	0.40814	1379.81	1522.66	5.7057	0.35520	1377.49	1519.57	5.6328
40	0.42350	1397.87	1546.09	5.7818	0.36884	1395.85	1543.38	5.7101
60	0.45363	1433.55	1592.82	5.9249	0.39550	1431.97	1590.77	5.8349
80	0.48320	1469.06	1638.18	6.0586	0.42160	1467.77	1636.11	5.9897
100	0.51240	1504.73	1684.07	6.1850	0.44733	1503.64	1682.58	6.1169
120	0.54136	1540.79	1730.26	6.3056	0.47280	1539.85	1728.97	6.2380
140	0.57013	1577.38	1776.92	6.4213	0.49808	1576.55	1775.79	6.3541
160	0.59876	1614.60	1824.16	6.5330	0.52323	1613.86	1823.16	6.4661
180	0.62728	1652.51	1872.06	6.6411	0.54827	1651.85	1871.86	6.5744
200	0.65571	1691.35	1920.65	6.7460	0.57322	1690.56	1919.85	6.6796
<i>p = 4.5 bar = 0.45 MPa</i> (T _{sat} = 1.25°C)								
<i>p = 5.0 bar = 0.50 MPa</i> (T _{sat} = 4.43°C)								
Sat.	0.27671	1318.73	1443.25	5.5135	0.25034	1321.02	1446.19	5.2765
-10	0.28840	1330.48	1466.29	5.5902	0.25757	1333.22	1462.00	5.3330
-5	0.30142	1356.99	1493.73	5.6845	0.26969	1353.32	1488.06	5.4234
30	0.31401	1375.15	1516.45	5.5674	0.28103	1372.76	1513.28	5.5080
40	0.32631	1393.80	1540.64	5.6460	0.29227	1391.74	1537.87	5.5878
60	0.35029	1430.37	1588.00	5.7926	0.31410	1428.76	1585.81	5.7362
80	0.37369	1466.47	1634.93	5.9285	0.33535	1465.16	1632.84	5.8733
100	0.39671	1502.55	1681.07	6.0564	0.35621	1501.46	1679.56	6.0020
120	0.41947	1538.91	1727.67	6.1781	0.37681	1537.97	1726.37	6.1242
140	0.44205	1575.73	1774.65	6.2946	0.39722	1574.90	1773.51	6.2412
160	0.46448	1613.13	1822.15	6.4069	0.41749	1612.40	1821.14	6.3537
180	0.48681	1651.20	1870.26	6.5155	0.43765	1650.54	1869.36	6.4626
200	0.50905	1689.97	1919.04	6.6208	0.45771	1689.38	1918.24	6.5681

Ammonia

916 Tables in SI Units

TABLE A-15

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 5.5 bar = 0.55 MPa (T _{sat} = 6.79°C)								
<i>p</i> = 6.0 bar = 0.60 MPa (T _{sat} = 9.27°C)								
5	0.22861	1323.06	1428.80	5.2430	0.21038	1324.89	1451.12	5.2122
10	0.23227	1329.88	1457.63	5.2743	0.22115	1326.47	1453.46	5.2195
20	0.24335	1359.50	1494.34	5.3971	0.23153	1347.62	1480.55	5.3145
30	0.25403	1370.35	1510.07	5.4534	0.23152	1367.90	1506.81	5.4026
40	0.26441	1389.64	1535.07	5.5345	0.24118	1387.52	1532.23	5.4851
50	0.27454	1408.53	1559.53	5.6114	0.25059	1406.67	1557.03	5.5631
60	0.28449	1427.13	1583.60	5.6848	0.25981	1425.49	1581.38	5.6373
80	0.30398	1461.85	1631.04	5.8230	0.27783	1462.52	1629.22	5.7768
100	0.32307	1500.36	1678.05	5.9525	0.29546	1499.25	1676.52	5.9971
120	0.34190	1537.02	1725.07	6.0753	0.31281	1536.07	1723.76	6.0304
140	0.36054	1574.07	1772.37	6.1926	0.32997	1573.24	1771.22	6.1481
160	0.37903	1611.66	1820.13	6.3055	0.34699	1610.92	1819.12	6.2613
180	0.39742	1649.88	1868.46	6.4146	0.36390	1649.22	1867.56	6.3707
200	0.41573	1688.79	1917.43	6.5303	0.38071	1688.20	1916.63	6.4766
<i>p</i> = 7.0 bar = 0.70 MPa (T _{sat} = 13.79°C)								
<i>p</i> = 8.0 bar = 0.80 MPa (T _{sat} = 17.84°C)								
5	0.28188	1328.04	1455.07	5.1576	0.15958	1330.66	1458.30	5.1099
10	0.18723	1341.72	1472.77	5.286	0.16138	1335.59	1466.70	5.1318
20	0.19610	1362.88	1500.45	5.3104	0.16948	1357.73	1493.29	5.2277
40	0.20464	1383.20	1526.45	5.3958	0.17720	1378.77	1520.53	5.3161
50	0.21293	1402.90	1551.95	5.4760	0.18465	1399.05	1546.77	5.3986
60	0.22101	1422.16	1576.87	5.5519	0.19189	1418.77	1572.28	5.4763
80	0.23674	1450.85	1625.56	5.6939	0.20590	1455.14	1623.86	5.6209
100	0.25205	1497.02	1673.46	5.8258	0.21949	1494.77	1670.97	5.7545
120	0.26709	1534.16	1722.12	5.9502	0.23280	1532.24	1718.48	5.8801
140	0.28193	1571.57	1768.92	6.0688	0.24590	1569.89	1766.61	5.9995
160	0.29663	1609.44	1817.08	6.1826	0.25886	1607.96	1815.04	6.1140
180	0.31121	1647.90	1865.75	6.2925	0.27170	1646.57	1863.94	6.2243
200	0.32571	1687.02	1915.01	6.3988	0.28445	1685.83	1913.39	6.3311
<i>p</i> = 9.0 bar = 0.90 MPa (T _{sat} = 21.52°C)								
<i>p</i> = 10.0 bar = 1.00 MPa (T _{sat} = 24.89°C)								
5	0.14239	1332.82	1460.97	5.0875	0.12852	1334.66	1469.18	5.0294
10	0.14872	1352.39	1486.40	5.1520	0.13206	1346.82	1478.88	5.0816
20	0.15582	1374.21	1512.45	5.2136	0.13868	1369.52	1508.20	5.1768
40	0.16263	1395.11	1541.47	5.3286	0.14499	1391.07	1536.06	5.2644
60	0.16922	1415.32	1567.61	5.4083	0.15106	1411.79	1562.86	5.3460
80	0.18191	1454.39	1618.11	5.5555	0.16270	1451.60	1614.31	5.4960
100	0.19416	1492.50	1667.24	5.6908	0.17389	1496.20	1664.10	5.6332
120	0.20612	1530.30	1715.61	5.8176	0.18478	1528.35	1713.43	5.7612
140	0.21788	1568.20	1764.49	5.9379	0.19545	1566.51	1761.96	5.8823
160	0.22948	1606.46	1813.00	6.0530	0.20598	1604.97	1810.94	5.9981
180	0.24097	1645.24	1862.12	6.1639	0.21638	1643.91	1860.29	6.1095
200	0.25237	1684.64	1911.77	6.2711	0.22670	1683.44	1910.14	6.2171

Ammonia

TABLE 3.15

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 12.0 bar = 1.20 MPa (<i>T_{sat}</i> = 30.92°C)								
<i>p</i> = 14.0 bar = 1.40 MPa (<i>T_{sat}</i> = 36.26°C)								
Sat.	0.10751	1337.52	1466.53	4.9625	0.09231	1339.56	1468.79	4.9050
40	0.11287	1359.73	1495.18	5.0553	0.09432	1369.29	1481.33	4.9453
60	0.12378	1404.54	1553.07	5.2347	0.10423	1396.97	1542.89	5.1360
80	0.13387	1445.91	1606.56	5.3906	0.11324	1440.06	1598.59	5.2984
100	0.14347	1485.55	1657.71	5.5315	0.12172	1480.79	1651.20	5.4433
120	0.15275	1524.41	1707.71	5.6620	0.12986	1520.41	1702.21	5.5765
140	0.16181	1563.09	1757.26	5.7850	0.13777	1559.63	1752.52	5.7013
160	0.17072	1601.95	1806.81	5.9021	0.14552	1598.92	1802.65	5.8198
180	0.17950	1641.23	1855.63	6.0145	0.15315	1638.53	1852.94	5.9333
200	0.18819	1681.05	1906.87	6.1230	0.16068	1678.64	1903.59	6.0427
220	0.19680	1721.50	1957.66	6.2282	0.16813	1719.35	1954.73	6.1485
240	0.20534	1762.63	2009.04	6.3303	0.17551	1760.72	2006.43	6.2513
260	0.21382	1804.48	2061.06	6.4297	0.18283	1802.78	2058.75	6.3513
280	0.22225	1847.04	2113.74	6.5267	0.19010	1845.55	2111.69	6.4488
<i>p</i> = 16.0 bar = 1.60 MPa (<i>T_{sat}</i> = 41.03°C)								
<i>p</i> = 18.0 bar = 1.80 MPa (<i>T_{sat}</i> = 45.38°C)								
Sat.	0.08079	1370.97	1470.23	4.8542	0.07174	1341.88	1471.01	4.8086
60	0.08951	1389.06	1532.28	5.0461	0.07801	1390.77	1521.19	4.9627
80	0.09774	1434.02	1590.40	5.2160	0.08565	1422.79	1531.97	5.1399
100	0.10539	1475.93	1644.56	5.3648	0.09267	1470.97	1637.78	5.2937
120	0.11268	1516.34	1696.64	5.5008	0.09931	1512.22	1690.98	5.4326
140	0.11974	1556.14	1747.72	5.6276	0.10570	1552.61	1742.88	5.5614
160	0.12663	1595.85	1798.45	5.7475	0.11192	1592.76	1794.23	5.6828
180	0.13339	1635.81	1849.23	5.8621	0.11801	1633.08	1845.50	5.7985
200	0.14005	1676.21	1900.29	5.9723	0.12400	1673.78	1896.98	5.9096
220	0.14663	1717.18	1951.79	6.0789	0.12991	1715.00	1948.83	6.0170
240	0.15314	1758.79	2003.81	6.1823	0.13574	1756.85	2001.18	6.1210
260	0.15959	1801.07	2056.42	6.2829	0.14152	1799.35	2054.08	6.2222
280	0.16599	1844.05	2109.64	6.3809	0.14724	1842.55	2107.58	6.3207
<i>p</i> = 20.0 bar = 2.00 MPa (<i>T_{sat}</i> = 49.37°C)								
Sat.	0.06445	1342.37	1424.26	4.7670				
60	0.06875	1372.05	1509.54	4.8838				
80	0.07596	1421.36	1573.27	5.0696				
100	0.08248	1465.89	1630.86	5.2283				
120	0.08861	1508.03	1685.24	5.3703				
140	0.09447	1549.03	1737.98	5.5012				
160	0.10016	1589.65	1789.97	5.6241				
180	0.10571	1630.32	1841.74	5.7409				
200	0.11116	1671.33	1893.64	5.8530				
220	0.11652	1712.82	1945.87	5.9611				
240	0.12182	1754.90	1998.54	6.0658				
260	0.12706	1797.63	2051.74	6.1675				
280	0.13224	1841.03	2105.50	6.2665				

918 Tables in SI Units

TABLE A-16

		Properties of Saturated Propane (Liquid-Vapor): Temperature Table									
		Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg		Entropy kJ/kg · K			
Temp. °C	Press. bar	Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_f	Sat. Vapor u_g	Sat. Liquid h_f	Evap. h_{fg}	Sat. Vapor h_g	Sat. Liquid s_f	Sat. Vapor s_g	Temp. °C
-100	0.02888	1.553	11.27	128.4	319.5	-128.4	480.4	352.0	0.674	2.140	-100
-90	0.06426	1.578	5.945	107.8	329.3	-107.8	471.4	363.6	0.519	2.055	-90
-80	0.1301	1.605	2.774	97.0	339.3	-87.0	462.4	375.4	0.408	1.986	-80
-70	0.2434	1.633	1.551	65.8	349.5	-65.8	453.1	387.3	0.301	1.929	-70
-60	0.4261	1.663	0.9234	44.4	359.9	-44.4	443.5	399.2	0.198	1.883	-60
-50	0.7046	1.694	0.5793	-22.5	370.4	-22.4	433.6	411.2	-0.098	1.845	-50
-40	1.110	1.728	0.3798	-0.2	381.0	0.0	423.2	423.2	0.000	1.815	-40
-30	1.677	1.763	0.2585	22.6	391.6	22.9	412.1	435.0	0.096	1.791	-30
-20	2.444	1.802	0.1815	45.9	402.4	46.3	400.5	446.8	0.190	1.772	-20
-10	3.451	1.844	0.1309	69.8	413.2	70.4	388.0	458.4	0.282	1.757	-10
0	4.743	1.890	0.09653	94.2	423.8	95.1	374.5	469.6	0.374	1.745	0
4	5.349	1.910	0.08591	104.2	428.1	105.3	368.8	474.1	0.410	1.741	4
8	6.011	1.931	0.07666	114.3	432.3	115.5	362.9	478.4	0.446	1.737	8
12	6.732	1.952	0.06858	124.6	436.5	125.9	356.8	482.7	0.482	1.734	12
16	7.515	1.975	0.06149	135.0	440.7	136.4	350.5	486.9	0.519	1.732	16
20	8.362	1.999	0.05525	145.4	444.8	147.1	343.9	491.0	0.555	1.728	20
24	9.278	2.024	0.04973	156.1	448.9	158.0	337.0	495.0	0.591	1.725	24
28	10.27	2.050	0.04483	166.9	452.9	169.0	329.9	498.9	0.627	1.722	28
32	11.33	2.078	0.04048	177.8	456.7	180.2	322.4	502.6	0.663	1.720	32
36	12.47	2.108	0.03659	188.9	460.6	191.6	314.6	506.2	0.699	1.717	36
40	13.69	2.130	0.03310	200.2	464.3	203.1	306.5	509.6	0.736	1.715	40
44	15.00	2.174	0.02997	211.7	467.9	214.9	298.0	512.9	0.772	1.712	44
48	16.40	2.221	0.02714	223.4	471.4	227.0	288.9	515.9	0.809	1.709	48
52	17.89	2.250	0.02459	235.3	474.6	239.3	279.3	518.6	0.846	1.705	52
56	19.47	2.293	0.02227	247.4	477.7	251.9	269.4	521.1	0.884	1.701	56
60	21.16	2.340	0.02015	259.8	480.6	264.8	258.4	523.2	0.921	1.697	60
65	23.42	2.406	0.01776	275.7	483.6	281.4	243.8	525.2	0.969	1.690	65
70	25.86	2.483	0.01560	292.3	486.1	298.7	227.7	526.4	1.018	1.682	70
75	28.49	2.573	0.01363	309.5	487.8	316.8	209.8	526.6	1.069	1.671	75
80	31.31	2.683	0.01182	327.6	488.2	336.0	189.2	525.2	1.122	1.657	80
85	34.56	2.827	0.01011	347.2	486.9	356.9	164.7	521.6	1.178	1.638	85
90	37.64	3.028	0.00845	369.4	482.2	380.8	133.1	513.9	1.242	1.608	90
95	41.19	3.488	0.006395	399.8	467.4	414.2	79.5	493.7	1.330	1.549	95
96.7	42.48	4.535	0.004535	434.9	434.9	454.2	0.0	457.2	1.437	1.537	96.7

Source: Tables A-16 through A-18 are calculated based on B. A. Younglove and J. F. Ely, "Thermophysical Properties of Fluids. II. Methane, Ethane, Propane, Isobutane and Normal Butane," *J. Phys. Chem. Ref. Data*, Vol. 16, No. 4, 1987, pp. 577-598.

TABLE A-17

Properties of Saturated Propane (Liquid-Vapor): Pressure Table

Pressure Conversions 1 bar = 1 MPa = 10 ⁵ kPa		Specific Volume m ³ /kg		Internal Energy kJ/kg		Enthalpy kJ/kg			Entropy kJ/kg · K		Press. bar
Press. bar	Temp. °C	Sat. Liquid $v_f \times 10^3$	Sat. Vapor v_g	Sat. Liquid u_l	Sat. Vapor u_g	Sat. Liquid h_l	Evap. h_g	Sat. Vapor h_g	Sat. Liquid s_l	Sat. Vapor s_g	
0.05	-93.28	1.570	6.752	-14.6	326.0	-114.6	474.4	359.8	-0.556	2.081	0.05
0.10	-83.87	1.594	3.542	-95.1	335.4	-95.1	465.9	370.8	-0.450	2.011	0.10
0.25	-69.55	1.634	1.513	-64.9	350.0	-64.9	452.7	387.8	-0.297	1.927	0.25
0.50	-56.93	1.671	0.7963	-37.7	363.1	-37.6	440.5	402.9	-0.167	1.871	0.50
0.75	-48.68	1.698	0.5467	-19.6	371.8	-19.5	432.3	412.8	-0.085	1.841	0.75
1.00	-42.38	1.719	0.4185	-5.6	378.5	-5.4	425.7	420.3	-0.023	1.822	1.00
2.00	-25.43	1.781	0.2192	33.1	396.6	33.5	406.9	440.4	0.139	1.782	2.00
3.00	-14.16	1.826	0.1496	59.8	408.7	60.3	393.3	453.6	0.244	1.762	3.00
4.00	-5.46	1.865	0.1137	80.8	418.0	81.5	382.0	463.5	0.324	1.751	4.00
5.00	1.74	1.899	0.09172	98.6	425.7	99.5	372.1	471.6	0.389	1.743	5.00
6.00	7.93	1.931	0.07680	114.2	432.2	115.3	363.0	478.3	0.446	1.737	6.00
7.00	13.41	1.960	0.06598	128.2	438.0	129.6	354.6	484.2	0.495	1.733	7.00
8.00	19.93	1.989	0.05776	141.0	443.1	142.6	346.7	489.3	0.540	1.729	8.00
9.00	26.82	2.016	0.05129	152.9	447.6	154.7	339.4	493.8	0.580	1.726	9.00
10.00	26.95	2.043	0.04666	164.0	451.8	166.1	331.8	497.9	0.618	1.723	10.00
11.00	30.80	2.070	0.04174	174.5	455.6	176.8	324.7	501.5	0.652	1.721	11.00
12.00	34.39	2.096	0.03810	184.4	459.1	187.0	317.8	504.8	0.685	1.718	12.00
13.00	37.77	2.122	0.03499	193.9	462.2	196.7	311.0	507.7	0.716	1.716	13.00
14.00	40.97	2.148	0.03231	203.0	465.2	206.0	304.4	510.4	0.745	1.714	14.00
15.00	44.01	2.174	0.02997	211.7	467.9	215.0	297.9	512.9	0.772	1.712	15.00
16.00	46.89	2.200	0.02790	220.1	470.4	223.6	291.7	515.0	0.799	1.710	16.00
17.00	49.65	2.227	0.02666	228.3	472.7	232.0	285.0	517.0	0.824	1.707	17.00
18.00	52.30	2.253	0.02541	236.2	474.9	240.2	278.6	518.8	0.849	1.705	18.00
19.00	54.85	2.2801	0.02292	243.8	476.9	248.2	272.2	520.4	0.873	1.703	19.00
20.00	57.37	2.308	0.02157	251.3	478.7	255.9	265.9	521.8	0.897	1.700	20.00
22.00	61.90	2.364	0.01921	265.8	481.7	271.0	253.0	524.0	0.939	1.695	22.00
24.00	66.21	2.424	0.01721	279.7	484.3	285.5	240.1	525.6	0.981	1.688	24.00
26.00	70.27	2.487	0.01549	293.1	486.2	299.6	226.9	526.5	1.021	1.681	26.00
28.00	74.10	2.555	0.01398	306.2	487.5	313.4	213.2	526.6	1.060	1.673	28.00
30.00	77.72	2.630	0.01263	319.2	488.1	327.1	198.9	526.0	1.097	1.664	30.00
35.00	86.01	2.862	0.009771	351.4	486.3	361.4	159.1	520.5	1.96	1.633	35.00
40.00	93.58	3.279	0.007551	387.9	474.7	401.0	102.3	503.3	2.295	1.574	40.00
42.48	96.70	4.53	0.004355	434.9	434.9	454.2	0.0	454.2	4.37	4.437	42.48

Pressure Conversions
1 bar = 0.1 MPa
100 kPa

TABLE A-18
Properties of Superheated Propane Vapor

T °C	v m³/kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m³/kg	u kJ/kg	h kJ/kg	s kJ/kg · K
$p = 0.05 \text{ bar} = 0.005 \text{ MPa}$ ($T_{\text{sat}} = -93.28^\circ\text{C}$)								
$p = 0.1 \text{ bar} = 0.01 \text{ MPa}$ ($T_{\text{sat}} = -83.8^\circ\text{C}$)								
Sat.	6.752	326.0	359.8	2.081	3.542	367.3	370.8	2.011
-90	6.877	329.4	363.8	2.103				
-85	7.258	339.8	376.1	2.169	3.617	339.5	375.7	2.037
-70	7.639	350.6	388.8	2.233	3.808	350.3	388.4	2.101
-60	8.018	361.8	401.9	2.296	3.999	361.5	401.5	2.164
-50	8.397	373.3	415.3	2.357	4.190	373.1	415.0	2.226
-40	8.776	385.1	429.0	2.418	4.380	385.0	428.8	2.286
-30	9.155	397.4	443.2	2.477	4.570	397.3	443.0	2.346
-20	9.533	410.1	457.8	2.536	4.760	410.0	457.6	2.405
-10	9.911	423.2	472.8	2.594	4.950	423.1	472.6	2.463
0	10.29	436.8	488.2	2.652	5.139	436.7	488.1	2.520
10	10.67	450.8	504.1	2.709	5.329	450.6	503.9	2.578
20	11.05	470.6	520.4	2.765	5.518	465.1	520.3	2.634
$p = 0.5 \text{ bar} = 0.05 \text{ MPa}$ ($T_{\text{sat}} = -56.93^\circ\text{C}$)								
$p = 1.0 \text{ bar} = 0.1 \text{ MPa}$ ($T_{\text{sat}} = -42.38^\circ\text{C}$)								
Sat.	0.796	363.4	402.9	1.874	0.74185	378.5	400.3	1.821
-50	0.822	374.1	412.5	1.914				
-40	0.863	385.4	426.6	1.976	0.82345	381.5	429.8	1.937
-30	0.903	396.0	441.1	2.037	0.8439	394.2	438.6	1.899
-20	0.942	408.8	455.9	2.096	0.8641	407.3	453.7	1.960
-10	0.981	422.1	471.1	2.155	0.8842	420.7	469.1	2.019
0	1.019	435.6	486.7	2.213	0.9040	434.4	484.8	2.078
10	1.058	449.8	502.7	2.271	0.9238	448.6	501.0	2.136
20	1.096	464.1	519.1	2.328	0.9434	463.3	517.6	2.194
30	1.135	479.2	535.9	2.384	0.9629	478.2	534.5	2.251
40	1.173	494.6	553.2	2.440	0.9824	493.7	551.9	2.307
50	1.211	510.4	570.9	2.496	0.1018	509.5	569.7	2.363
60	1.249	526.7	589.1	2.551	0.6211	525.8	587.9	2.419
$p = 2.0 \text{ bar} = 0.2 \text{ MPa}$ ($T_{\text{sat}} = -25.43^\circ\text{C}$)								
$p = 3.0 \text{ bar} = 0.3 \text{ MPa}$ ($T_{\text{sat}} = -14.16^\circ\text{C}$)								
Sat.	10.219	396.6	440.4	1.782	0.14961	408.7	451.6	1.762
-20	10.225	404.0	449.0	1.816				
-10	10.2358	417.7	464.9	1.877	0.1547	417.7	460.5	1.829
0	0.2463	431.8	481.1	1.938	0.1602	429.0	477.1	1.851
10	0.2566	446.3	497.6	1.997	0.1674	443.8	494.0	1.912
20	0.2669	461.1	514.5	2.056	0.1746	458.8	511.2	1.971
30	0.2770	476.3	531.7	2.113	0.1816	474.2	528.7	2.030
40	0.2871	491.9	549.3	2.170	0.1885	490.1	546.6	2.088
50	0.2970	507.9	567.3	2.227	0.1954	506.2	564.8	2.145
60	0.3070	524.3	585.7	2.283	0.2022	522.7	583.4	2.202
70	0.3169	541.1	604.5	2.339	0.2090	539.6	602.3	2.258
80	0.3267	558.4	623.7	2.394	0.2157	557.0	621.7	2.314
90	0.3365	576.1	643.4	2.449	0.2223	574.8	641.5	2.369

TABLE A-18

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 4.0 bar = 0.4 MPa (<i>T</i> _{sat} = -5.46°C)								
<i>p</i> = 5.0 bar = 0.5 MPa (<i>T</i> _{sat} = 1.74°C)								
Sat.	0.1137	418.0	463.5	1.751	0.09172	425.7	471.6	1.743
0	0.1169	426.1	472.9	1.786				
10	0.1227	441.2	490.3	1.848	0.09577	438.4	486.3	1.796
20	0.1283	456.6	507.9	1.909	0.1005	454.1	504.3	1.858
30	0.1338	472.2	525.7	1.969	0.1051	470.0	522.5	1.919
40	0.1392	488.1	543.8	2.027	0.1096	486.1	540.9	1.979
50	0.1445	504.4	562.2	2.085	0.1140	502.5	559.5	2.038
60	0.1498	521.3	581.0	2.143	0.1183	519.4	578.5	2.095
70	0.1550	538.1	600.1	2.199	0.1226	536.6	597.9	2.153
80	0.1601	555.7	619.7	2.255	0.1268	554.1	617.5	2.209
90	0.1652	573.5	639.6	2.311	0.1310	572.1	637.6	2.265
100	0.1703	591.8	659.9	2.366	0.1351	590.5	658.0	2.321
110	0.1754	610.4	680.6	2.421	0.1392	609.3	678.9	2.376
<i>p</i> = 6.0 bar = 0.6 MPa (<i>T</i> _{sat} = 7.93°C)								
<i>p</i> = 7.0 bar = 0.7 MPa (<i>T</i> _{sat} = 13.41°C)								
Sat.	0.07680	432.2	478.3	1.737	0.06598	438.0	484.2	1.733
10	0.07769	435.6	482.2	1.751				
20	0.08187	451.5	500.6	1.815	0.06847	448.8	496.7	1.776
30	0.08588	467.7	519.2	1.877	0.07210	465.2	515.7	1.840
40	0.08978	484.0	537.9	1.938	0.07558	481.9	534.8	1.901
50	0.09357	500.7	556.8	1.997	0.07896	498.7	554.0	1.962
60	0.09729	517.6	576.0	2.051	0.08225	515.9	573.5	2.021
70	0.10100	535.0	595.1	2.113	0.08547	533.4	593.2	2.079
80	0.1045	552.7	615.4	2.170	0.08863	551.2	613.2	2.137
90	0.1081	570.7	635.6	2.227	0.09175	569.4	633.6	2.194
100	0.1116	589.2	656.2	2.283	0.09482	587.9	654.3	2.250
110	0.1151	608.0	677.1	2.338	0.09786	606.8	675.3	2.306
120	0.1185	627.3	698.4	2.393	0.1009	626.2	696.8	2.361
<i>p</i> = 8.0 bar = 0.8 MPa (<i>T</i> _{sat} = 18.33°C)								
<i>p</i> = 9.0 bar = 0.9 MPa (<i>T</i> _{sat} = 22.82°C)								
Sat.	0.05776	443.1	489.3	1.729	0.05129	447.2	493.8	1.726
20	0.05834	445.9	492.6	1.740				
30	0.06170	462.7	512.1	1.805	0.05355	460.0	508.2	1.774
40	0.06489	479.6	531.5	1.869	0.05653	477.2	528.1	1.839
50	0.06796	496.7	551.1	1.930	0.05938	494.7	548.1	1.901
60	0.07094	514.0	570.8	1.990	0.06213	512.2	568.1	1.962
70	0.07385	531.0	590.7	2.049	0.06479	530.0	588.3	2.022
80	0.07669	549.6	611.0	2.107	0.06738	548.1	608.7	2.081
90	0.07948	567.0	631.5	2.165	0.06992	566.5	629.4	2.138
100	0.08222	586.5	652.3	2.221	0.07241	585.2	650.4	2.195
110	0.08493	605.6	673.5	2.277	0.07487	604.3	671.7	2.252
120	0.08761	625.0	695.1	2.333	0.07729	623.7	693.3	2.307
130	0.09026	644.8	717.0	2.388	0.07969	643.6	715.3	2.363
140	0.09289	665.0	739.3	2.442	0.08206	663.8	737.7	2.418

922 Tables in SI Units

TABLE A/C PROPS

(Continued)

T °C	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K	v m ³ /kg	u kJ/kg	h kJ/kg	s kJ/kg · K
<i>p = 10.0 bar = 1.0 MPa</i> (T _{sat} = 26.95°C)								
<i>p = 12.0 bar = 1.2 MPa</i> (T _{sat} = 34.39°C)								
50	0.05248	492.4	544.9	1.874	0.04204	487.8	538.2	1.824
60	0.05505	510.2	565.2	1.936	0.04436	506.1	559.3	1.889
70	0.05752	528.2	585.7	1.997	0.04657	524.4	580.3	1.951
80	0.05992	546.2	606.3	2.059	0.04869	543.1	601.5	2.012
90	0.06226	564.9	627.2	2.114	0.05075	561.8	622.7	2.071
100	0.06456	583.7	648.3	2.172	0.05275	580.9	644.2	2.129
110	0.06681	603.0	669.8	2.228	0.05470	600.4	666.0	2.187
120	0.06903	622.6	691.6	2.284	0.05662	620.1	688.0	2.244
130	0.07122	642.5	713.7	2.340	0.05851	640.1	710.3	2.300
140	0.07338	662.8	736.2	2.395	0.06037	660.6	733.0	2.355
<i>p = 14.0 bar = 1.4 MPa</i> (T _{sat} = 40.97°C)								
50	0.03231	465.2	510.7	1.714	0.02790	470.4	515.0	1.710
60	0.03446	482.6	520.8	1.778	0.02861	476.7	522.5	1.733
70	0.03664	501.0	552.9	1.845	0.03073	496.0	545.8	1.804
80	0.03869	520.4	574.6	1.909	0.03270	516.2	568.5	1.871
90	0.04063	539.4	596.3	1.972	0.03453	535.7	590.9	1.935
100	0.04249	558.6	618.1	2.033	0.03626	555.2	613.2	1.997
110	0.04429	577.9	639.9	2.092	0.03792	576.8	635.5	2.058
120	0.04604	597.5	662.0	2.150	0.03952	594.7	657.9	2.117
130	0.04774	617.5	684.3	2.208	0.04107	614.8	680.5	2.176
140	0.04942	637.7	706.9	2.265	0.04259	635.3	703.4	2.233
150	0.05106	658.3	729.8	2.321	0.04407	656.0	726.5	2.290
160	0.05268	679.2	753.0	2.376	0.04553	677.1	749.9	2.346
170	0.05428	700.5	776.5	2.431	0.04696	698.5	773.6	2.401
<i>p = 18.0 bar = 1.8 MPa</i> (T _{sat} = 52.30°C)								
50	0.02441	474.9	518.3	1.705	0.02157	478.7	521.8	1.700
60	0.02666	492.1	532.0	1.763	0.02216	484.8	529.1	1.722
70	0.02878	511.4	561.8	1.834	0.02412	506.3	554.5	1.797
80	0.02974	531.6	585.1	1.901	0.02585	527.1	578.8	1.867
90	0.03138	551.5	608.0	1.965	0.02744	547.6	602.5	1.933
100	0.03293	571.5	630.8	2.027	0.02892	568.1	625.9	1.997
110	0.03443	591.7	653.7	2.087	0.03033	588.5	649.2	2.059
120	0.03586	612.1	676.6	2.146	0.03159	609.2	672.6	2.119
130	0.03726	632.7	699.8	2.204	0.03299	630.0	696.0	2.178
140	0.03863	653.6	723.1	2.262	0.03426	651.2	719.7	2.236
150	0.03996	674.8	746.7	2.318	0.03550	672.5	743.5	2.293
160	0.04127	696.3	770.6	2.374	0.03671	694.2	767.6	2.349
170	0.04256	718.2	794.8	2.429	0.03790	716.2	792.0	2.404
180	0.04383	740.4	819.3	2.484	0.03907	738.5	816.6	2.459

Propane

TABLE A-18

(Continued)

<i>T</i> °C	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m ³ /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>p</i> = 22.0 bar = 2.2 MPa (T _{sat} = 61.90°C)								
Sat.	0.01921	481.8	524.0	1.695	0.01721	484.5	525.6	1.688
70	0.02086	500.5	545.4	1.761	0.01802	493.7	536.9	1.722
80	0.02261	522.6	572.1	1.834	0.01984	517.0	564.6	1.801
90	0.02417	543.5	596.7	1.903	0.02141	539.0	590.4	1.873
100	0.02561	564.5	620.8	1.969	0.02283	560.6	615.4	1.941
110	0.02697	585.3	644.6	2.032	0.02444	581.9	639.8	2.006
120	0.02826	606.2	668.4	2.093	0.02538	603.2	664.1	2.068
130	0.02949	627.3	692.2	2.153	0.02656	624.6	688.3	2.129
140	0.03069	648.6	716.1	2.211	0.02770	646.0	712.5	2.188
150	0.03185	670.1	740.2	2.269	0.02880	667.8	736.9	2.247
160	0.03298	691.9	764.5	2.326	0.02986	689.7	761.4	2.304
170	0.03409	714.1	789.1	2.382	0.03091	711.9	786.1	2.360
180	0.03517	736.5	813.9	2.437	0.03193	734.5	811.1	2.416
<i>p</i> = 26.0 bar = 2.6 MPa (T _{sat} = 70.27°C)								
Sat.	0.01549	486.2	526.5	1.681	0.01263	488.2	526.0	1.664
70	0.01741	524.0	556.9	1.757	0.01383	505.4	534.9	1.689
90	0.01903	534.2	583.7	1.844	0.01506	522.8	568.0	1.782
100	0.02045	556.4	609.6	1.914	0.01654	547.2	596.8	1.860
110	0.02174	578.3	634.8	1.981	0.01783	570.4	623.9	1.932
120	0.02294	600.0	659.6	2.045	0.01899	593.0	650.0	1.999
130	0.02408	621.6	682.2	2.106	0.02007	615.4	675.6	2.063
140	0.02516	643.4	708.8	2.167	0.02109	637.7	701.0	2.126
150	0.02623	665.3	733.4	2.226	0.02206	660.1	726.3	2.186
160	0.02723	687.4	758.2	2.283	0.02300	682.6	751.6	2.245
170	0.02821	709.9	783.2	2.340	0.02390	705.4	777.1	2.303
180	0.02918	732.5	808.4	2.397	0.02478	728.3	802.6	2.360
190	0.03012	755.5	833.8	2.452	0.02563	751.5	828.4	2.417
<i>p</i> = 35.0 bar = 3.5 MPa (T _{sat} = 86.01°C)								
Sat.	0.00977	486.3	520.5	1.633	0.00735	474.7	503.7	1.574
70	0.01082	524.1	560.3	1.708	0.00850	512.1	549.7	1.700
100	0.01270	532.9	577.2	1.788	0.00940	547.7	584.7	1.700
110	0.01408	558.9	608.2	1.870	0.01110	544.7	589.1	1.804
120	0.01526	583.4	636.8	1.944	0.01237	572.1	621.6	1.887
130	0.01631	607.0	664.1	2.012	0.01344	597.4	651.2	1.962
140	0.01728	630.2	690.7	2.077	0.01439	621.9	679.5	2.031
150	0.01819	653.3	717.0	2.140	0.01527	645.9	707.0	2.097
160	0.01906	676.4	743.1	2.201	0.01609	669.7	734.1	2.160
170	0.01989	699.6	769.2	2.261	0.01687	693.4	760.9	2.222
180	0.02068	722.9	795.3	2.319	0.01761	717.3	787.7	2.281
190	0.02146	746.5	821.6	2.376	0.01833	741.2	814.5	2.340
200	0.02221	770.3	848.0	2.433	0.01902	765.3	841.4	2.397

Prone

TABLE A-19**Properties of Selected Solids and Liquids: c_p , ρ , and κ**

Substance	Specific Heat, c_p (kJ/kg · K)	Density, ρ (kg/m ³)	Thermal Conductivity, κ (W/m · K)
Selected Solids, 300K			
Aluminum	0.903	2700	237
Coal, anthracite	1.260	1350	0.26
Copper	0.385	8930	401
Granite	0.775	2630	2.79
Iron	0.447	7870	80.2
Lead	0.129	11300	135.3
Sand	0.800	1520	0.27
Silver	0.235	10500	429
Soil	1.840	2050	0.52
Steel (AISI 302)	0.480	8050	15.1
Tin	0.227	7310	66.6
Building Materials, 300K			
Brick, common	0.835	1920	0.72
Concrete (stone mix)	0.880	2300	1.4
Glass, plate	0.750	2500	1.4
Hardboard, siding	1.170	640	0.094
Limestone	0.810	2320	2.15
Plywood	1.220	545	0.12
Softwoods (fir, pine)	1.380	510	0.12
Insulating Materials, 300K			
Blanket (glass fiber)	0.600	16	0.046
Cork	1.800	120	0.039
Duct liner (glass fiber, coated)	0.835	32	0.038
Polystyrene (extruded)	0.210	55	0.027
Vermiculite fill (flakes)	0.835	80	0.068
Saturated Liquids			
Ammonia, 300K	4.818	599.8	0.465
Mercury, 300K	0.139	13529	8.540
Refrigerant 22, 300K	1.267	1183.1	0.085
Refrigerant 134a, 300K	1.434	1199.7	0.081
Unused Engine Oil, 300K	1.909	884.1	0.145
Water, 275K	4.211	999.9	0.574
300K	4.179	996.5	0.613
325K	4.182	987.1	0.645
350K	4.195	973.5	0.668
375K	4.220	956.8	0.681
400K	4.256	937.4	0.688

Sources: Drawn from several sources, these data are only representative. Values can vary depending on temperature, purity, moisture content, and other factors.

TABLE A-20

Ideal Gas Specific Heats of Some Common Gases (kJ/kg · K)

Temp. K	c_p	c_v	k	c_p	c_v	k	c_p	c_v	k	Temp. K
	Air			Nitrogen, N ₂			Oxygen, O ₂			
250	1.003	0.716	1.401	1.039	0.742	1.400	0.913	0.653	1.398	250
300	1.005	0.718	1.400	1.039	0.743	1.400	0.918	0.658	1.395	300
350	1.008	0.721	1.398	1.041	0.744	1.399	0.928	0.668	1.389	350
400	1.013	0.726	1.395	1.044	0.747	1.397	0.941	0.681	1.382	400
450	1.020	0.733	1.391	1.049	0.752	1.395	0.956	0.696	1.373	450
500	1.029	0.742	1.387	1.056	0.759	1.391	0.972	0.712	1.365	500
550	1.040	0.753	1.381	1.065	0.768	1.387	0.988	0.728	1.358	550
600	1.051	0.764	1.376	1.075	0.778	1.382	1.003	0.743	1.350	600
650	1.063	0.776	1.370	1.086	0.789	1.376	1.017	0.758	1.343	650
700	1.075	0.788	1.364	1.098	0.801	1.371	1.031	0.771	1.337	700
750	1.087	0.800	1.359	1.110	0.813	1.365	1.043	0.783	1.332	750
800	1.099	0.812	1.354	1.121	0.825	1.360	1.054	0.794	1.327	800
900	1.121	0.834	1.344	1.145	0.849	1.349	1.076	0.814	1.319	900
1000	1.142	0.855	1.336	1.167	0.870	1.341	1.090	0.830	1.313	1000
Temp. K	Carbon Dioxide, CO ₂			Carbon Monoxide, CO			Hydrogen, H ₂			Temp. K
250	10.701	10.602	11.317	10.391	10.743	11.400	14.051	9.027	14.167	250
300	10.846	10.657	11.288	10.401	10.744	11.399	14.307	10.183	14.405	300
350	10.895	10.706	11.260	10.431	10.746	11.398	14.427	10.302	14.400	350
400	0.939	0.750	1.252	1.047	0.751	1.395	14.476	10.352	1.398	400
450	0.978	0.790	1.239	1.054	0.757	1.392	14.501	10.377	1.398	450
500	1.014	0.825	1.229	1.063	0.767	1.387	14.533	10.389	1.397	500
550	1.046	0.857	1.220	1.075	0.778	1.382	14.590	10.409	1.396	550
600	1.075	0.886	1.213	1.087	0.790	1.376	14.546	10.422	1.395	600
650	1.102	0.913	1.207	1.100	0.802	1.370	14.571	10.447	1.395	650
700	1.126	0.937	1.202	1.113	0.816	1.364	14.604	10.480	1.394	700
750	1.148	0.959	1.197	1.126	0.829	1.358	14.645	10.521	1.392	750
800	1.169	0.980	1.193	1.139	0.842	1.353	14.695	10.570	1.390	800
900	1.194	1.015	1.186	1.163	0.866	1.345	14.823	10.608	1.385	900
1000	1.234	1.045	1.181	1.185	0.888	1.335	14.983	10.859	1.380	1000

Source: Adapted from K. Wark, *Thermodynamics*, 4th ed., McGraw-Hill, New York, 1983, as based on "Tables of Thermal Properties of Gases," NBS Circular 564, 1955.

TABLE A-21

Variation of \bar{c}_p with Temperature for Selected Ideal Gases

Gas	α	$\beta \times 10^3$	$\gamma \times 10^6$	$\delta \times 10^9$	$\epsilon \times 10^{12}$
				T is in K, equations valid from 300 to 1000 K	
CO	3.710	-1.619	3.692	-2.032	0.240
CO ₂	2.401	8.735	6.007	-2.002	0
H ₂	3.057	2.677	5.810	5.521	-1.812
H ₂ O	4.070	-1.108	4.152	-2.964	0.807
O ₂	3.626	-1.878	7.055	-6.764	2.156
N ₂	3.675	-1.208	2.324	-0.632	-0.226
Air	3.653	-1.337	3.294	-1.913	0.2763
SO ₂	3.267	5.324	0.684	-5.281	2.559
CH ₄	3.826	-3.979	24.558	-22.733	6.963
C ₂ H ₆	4.110	19.057	24.501	-16.391	-4.135
C ₃ H ₈	4.426	11.383	7.989	-16.254	6.749
Monatomic gases ^a	2.5	0	0	0	0

^aFor monatomic gases, such as He, Ne, and Ar, \bar{c}_p is constant over a wide temperature range and is very nearly equal to $5/2 \bar{R}$.

Source: Adapted from K. Wark, *Thermodynamics*, 4th ed., McGraw-Hill, New York, 1983, as based on NASA SP-273, U.S. Government Printing Office, Washington, DC, 1971.

TABLE A-22

Ideal Gas Properties of Air

T(K), <i>h</i> and <i>u</i> (kJ/kg), <i>s</i> ^o (kJ/kg · K)					when $\Delta s = 0^{\circ}$					when $\Delta s = 0$				
<i>T</i>	<i>h</i>	<i>u</i>	<i>s</i> ^o	<i>p_f</i>	<i>v_f</i>	<i>T</i>	<i>h</i>	<i>u</i>	<i>s</i> ^o	<i>p_f</i>	<i>v_f</i>			
200	199.97	142156	1.29559	0.3363	1707	450	451.80	322.62	2.11161	5.775	223.6			
210	209.97	149.69	1.36444	0.3987	1512	460	462.02	329.97	2.13407	6.245	211.4			
220	219.97	156.82	1.43105	0.4600	1346	470	472.24	337.32	2.15604	6.742	200.1			
230	230.02	164.00	1.43557	0.5477	1205	480	482.49	344.70	2.17760	7.268	189.5			
240	240.02	171.13	1.47824	0.6355	1084	490	492.74	352.08	2.19876	7.824	179.7			
250	250.05	178.28	1.51917	0.7329	979.	500	503.02	359.49	2.21952	8.411	170.6			
260	260.09	185.45	1.55848	0.8405	887.8	510	513.32	366.92	2.23993	9.031	162.1			
270	270.11	192.60	1.59634	0.9590	808.0	520	523.63	374.36	2.25997	9.684	154.1			
280	280.13	199.75	1.63279	1.0889	738.0	530	533.98	381.84	2.27967	10.37	146.7			
285	285.14	203.33	1.65055	1.1584	706.1	540	544.35	389.34	2.29906	11.10	139.7			
290	290.16	206.91	1.66802	1.2311	676.1	550	554.74	396.86	2.31809	11.861	133.0			
295	295.17	210.49	1.68515	1.3068	647.9	560	565.17	404.42	2.33085	12.66	127.0			
300	300.19	214.07	1.70203	1.3860	621.2	570	575.59	411.97	2.35531	13.50	121.2			
305	305.22	217.67	1.71865	1.4686	596.0	580	586.04	419.55	2.37348	14.38	115.7			
310	310.24	221.25	1.73498	1.5546	572.3	590	599.52	427.15	2.39440	15.31	109.6			
315	315.27	224.85	1.75106	1.6442	549.8	600	607.02	434.78	2.40902	16.28	105.8			
320	320.29	228.42	1.76690	1.7375	528.6	610	617.53	442.42	2.42644	17.30	101.2			
325	325.31	232.02	1.78249	1.8345	508.4	620	628.07	450.09	2.44356	18.36	96.92			
330	330.34	235.61	1.79783	1.9352	489.4	630	638.63	457.78	2.46048	19.84	92.84			
340	340.42	242.82	1.82790	2.149	454.1	640	649.22	465.50	2.47716	20.64	88.99			
350	350.49	250.02	1.85708	2.379	422.2	650	659.84	473.25	2.49364	21.86	85.34			
360	360.58	257.24	1.88543	2.626	393.4	660	670.47	481.01	2.50985	23.13	81.89			
370	370.67	264.46	1.91313	2.802	367.2	670	681.14	488.81	2.52589	24.46	78.01			
380	380.77	271.69	1.94001	3.176	343.4	680	691.62	496.62	2.54175	25.85	75.50			
390	390.88	278.93	1.96633	3.481	321.5	690	702.52	504.45	2.55731	27.29	72.56			
400	400.98	286.16	1.99194	3.806	301.6	700	713.27	512.33	2.57277	28.80	69.76			
410	411.12	293.43	2.01699	4.153	283.3	710	724.04	520.23	2.58810	30.38	67.07			
420	421.26	300.69	2.04142	4.522	266.6	720	734.82	528.14	2.60319	32.02	64.53			
430	431.43	307.99	2.06533	4.915	251.1	730	745.62	536.07	2.61803	33.72	62.13			
440	441.61	315.30	2.08870	5.332	236.8	740	756.44	544.02	2.63280	35.50	59.82			

1. *p_f* and *v_f* data for use with Eqs. 6.41 and 6.42, respectively.

Table A-22

TABLE A-22

(Continued)

T(K), h and u (kJ/kg), s^o (kJ/kg · K)						when $\Delta s = 0$					
T	h	u	s^o	p_f	v_f	T	h	u	s^o	p_f	v_f
750	767.29	551.99	2.64737	37.35	57.63	1300	1395.97	1022.82	3.27345	330.9	31.275
760	778.18	566.01	2.66176	39.27	55.54	1320	1419.76	1040.88	3.29160	352.5	30.747
770	789.41	568.07	2.67595	41.31	53.39	1340	1443.60	1058.94	3.30959	375.3	30.247
780	800.03	576.12	2.69013	43.35	51.64	1360	1467.49	1077.10	3.32724	399.1	29.780
790	810.99	584.21	2.70400	45.35	49.86	1380	1491.44	1095.26	3.34474	424.2	29.337
800	821.95	592.30	2.71787	47.75	48.08	1400	1515.42	1113.52	3.36200	450.5	8.919
820	843.98	608.59	2.74504	52.59	44.84	1420	1539.44	1131.77	3.37901	478.0	8.526
840	866.08	624.95	2.77170	57.60	41.85	1440	1563.51	1150.13	3.39586	506.9	8.153
860	888.27	641.40	2.79783	63.09	39.12	1460	1587.63	1168.49	3.41247	537.1	7.801
880	910.56	657.95	2.82344	68.98	36.61	1480	1611.79	1186.95	3.42892	568.8	7.468
900	932.93	674.58	2.84839	75.29	34.31	1500	1635.97	1205.41	3.44516	601.9	7.152
920	955.38	691.28	2.87324	82.05	32.18	1520	1660.23	1223.87	3.46120	636.5	6.854
940	977.92	708.08	2.89748	89.28	30.22	1540	1684.51	1242.43	3.47712	672.8	6.559
960	1000.55	725.02	2.92128	97.00	28.40	1560	1708.82	1260.99	3.49276	710.5	6.301
980	1023.25	741.98	2.94466	105.2	26.73	1580	1733.17	1279.65	3.50829	750.0	6.046
1000	1046.04	758.94	2.96770	114.0	25.17	1600	1757.57	1298.30	3.52364	791.2	5.804
1020	1068.89	776.10	2.99034	123.4	23.72	1620	1782.00	1316.96	3.53879	834.1	5.574
1040	1091.85	793.36	3.01260	133.3	22.39	1640	1806.46	1335.72	3.55381	878.9	5.355
1060	1114.86	810.62	3.03449	143.9	21.14	1660	1830.96	1354.48	3.56867	925.6	5.147
1080	1137.89	827.88	3.05608	155.2	19.98	1680	1855.50	1373.24	3.58335	974.2	4.949
1100	1161.07	845.33	3.07732	167.1	18.86	1700	1880.15	1392.7	3.5979	1025	4.761
1120	1184.28	862.79	3.09828	179.7	17.86	1750	1944.16	1439.8	3.6336	1161	4.528
1140	1207.57	880.35	3.11883	193.1	16.96	1800	2003.3	1487.2	3.6684	1310	4.374
1160	1230.92	897.91	3.13916	207.2	16.06	1850	2005.3	1534.9	3.7023	1475	4.201
1180	1254.34	915.57	3.145916	222.1	15.24	1900	2127.6	1582.6	3.7354	1655	4.025
1200	1277.79	933.33	3.17888	238.0	14.470	1950	2189.7	1630.6	3.7677	1852	3.022
1220	1301.31	951.09	3.19834	254.7	13.747	2000	2252.1	1678.7	3.7994	2068	2.776
1240	1324.93	968.95	3.21751	272.3	13.069	2050	2314.6	1726.8	3.8303	2303	2.555
1260	1348.55	986.90	3.23638	290.8	12.435	2100	2377.4	1775.3	3.8605	2559	2.356
1280	1372.24	1004.76	3.25510	310.4	11.835	2150	2440.3	1823.8	3.8901	2837	2.175
1200	2200	2503.2	3.87244	3.9191	3.138	1220	2250.4	2506.4	3.92153	3.94747	3.464
1220	2250	2560.4	3.92153	3.94747	3.464	1240	2300.4	2560.4	3.97153	3.99747	3.525

Source: Table A-22 is based on J. H. Keenan and J. Kaye, *Gas Tables*, Wiley, New York, 1945.

TABLE A-23
Ideal Gas Properties of Selected Gases

T(K)	Carbon Dioxide, CO ₂ ($\bar{h}_f^o = -393,520 \text{ kJ/kmol}$)				Carbon Monoxide, CO ($\bar{h}_f^o = -340,530 \text{ kJ/kmol}$)				Water Vapor, H ₂ O ($\bar{h}_f^o = -244,820 \text{ kJ/kmol}$)				Oxygen, O ₂ ($\bar{h}_f^o = 0 \text{ kJ/kmol}$)				Nitrogen, N ₂ ($\bar{h}_f^o = 0 \text{ kJ/kmol}$)					
	\bar{h}				\bar{h}^o				\bar{h}				\bar{h}^o				\bar{h}					
	\bar{h}	\bar{u}	\bar{s}	\bar{g}	\bar{h}	\bar{u}	\bar{s}	\bar{g}	\bar{h}	\bar{u}	\bar{s}	\bar{g}	\bar{h}	\bar{u}	\bar{s}	\bar{g}	\bar{h}	\bar{u}	\bar{s}	\bar{g}		
0	0	-393,520	0	0	0	-393,520	0	0	0	-244,820	0	0	0	0	0	0	0	0	0	0	0	
20	6,601	-1,772	20,266	6,391	4,567	188,613	7,295	5,466	178,576	4,757	196,151	6,391	4,562	8,2638	220	0	0	0	0	0	0	
40	6,938	5,026	20,164	6,683	4,777	189,900	7,628	5,755	180,654	6,694	197,451	6,983	4,770	83,938	230	0	0	0	0	0	0	
60	7,280	5,295	20,590	6,975	4,970	191,211	7,961	5,965	181,711	6,984	198,693	6,975	4,979	85,180	240	0	0	0	0	0	0	
80	7,622	5,558	20,937	7,265	5,118	191,511	8,291	6,255	182,811	7,275	5,197	6,988	7,266	5,188	86,970	250	0	0	0	0	0	0
100	7,979	5,817	208,717	7,558	5,396	193,554	8,627	6,466	184,339	5,627	201,027	7,558	5,396	187,514	260	0	0	0	0	0	0	
120	8,335	6,091	210,062	7,849	5,604	194,654	8,961	6,716	185,359	7,858	5,613	202,128	7,849	5,604	188,614	270	0	0	0	0	0	0
140	8,697	6,369	211,376	8,140	5,812	195,173	9,296	6,968	186,616	8,150	203,191	8,141	8,133	189,673	280	0	0	0	0	0	0	
160	9,063	6,651	212,660	8,432	6,020	196,753	9,631	7,249	187,791	8,443	6,032	204,218	8,432	6,021	190,695	290	0	0	0	0	0	0
180	9,364	6,885	213,685	8,669	6,190	197,553	9,904	7,425	188,720	8,682	6,203	205,033	8,669	6,190	194,502	298	0	0	0	0	0	0
200	9,737	7,099	219,575	8,23	6,222	198,628	9,76	7,44	189,938	8,736	6,242	205,23	8,723	6,229	191,682	306	0	0	0	0	0	0
210	9,807	7,220	219,604	8,401	6,337	198,652	9,802	7,502	190,010	8,760	6,253	206,177	9,014	6,337	192,638	310	0	0	0	0	0	0
230	10,186	7,526	219,951	9,206	6,645	199,623	10,039	7,797	191,018	9,225	6,664	207,112	9,306	6,655	193,562	320	0	0	0	0	0	0
250	10,570	7,820	219,954	9,594	6,851	200,500	10,396	8,232	192,538	9,510	6,877	208,020	9,597	6,852	194,459	330	0	0	0	0	0	0
270	10,959	8,133	223,674	9,885	7,062	201,377	10,754	8,487	193,774	9,791	7,090	208,905	9,888	7,061	195,328	340	0	0	0	0	0	0
290	11,351	8,439	219,821	10,181	7,271	202,227	11,652	8,742	194,425	10,213	7,303	209,765	10,480	7,270	196,173	350	0	0	0	0	0	0
310	11,748	8,752	220,948	10,473	7,480	203,040	11,992	8,998	195,081	10,511	7,518	210,604	10,471	7,478	196,995	360	0	0	0	0	0	0
330	12,148	9,068	222,044	10,765	7,689	203,842	12,331	9,255	196,012	10,809	7,733	211,423	10,703	7,687	197,794	370	0	0	0	0	0	0
350	12,552	9,392	223,422	11,058	7,918	204,622	12,672	9,513	197,897	11,409	7,949	212,222	11,955	7,895	198,572	380	0	0	0	0	0	0
370	12,910	9,718	224,482	11,351	8,108	205,383	13,014	9,771	198,671	11,741	8,003	213,002	11,337	8,104	199,331	390	0	0	0	0	0	0
390	13,372	10,046	225,225	11,644	8,310	206,175	13,556	10,030	198,671	12,021	8,032	213,765	11,610	8,314	206,671	400	0	0	0	0	0	0
410	13,787	10,378	226,259	11,938	8,529	206,856	13,199	10,290	199,521	12,733	8,152	214,520	11,922	8,53	206,794	410	0	0	0	0	0	0
430	14,206	10,716	227,228	12,232	8,740	207,559	13,703	10,555	200,510	13,227	8,222	215,241	12,225	8,733	207,199	420	0	0	0	0	0	0
450	14,643	11,742	230,394	13,116	9,375	209,593	15,080	11,339	202,734	13,228	9,487	217,342	13,405	9,363	205,523	450	0	0	0	0	0	0
460	15,493	12,091	231,444	13,412	9,587	210,243	15,428	11,603	203,497	13,535	9,710	218,016	13,399	9,574	204,170	460	0	0	0	0	0	0
470	16,311	12,444	232,080	13,708	9,800	210,880	15,777	11,869	204,247	13,832	9,935	218,676	13,693	9,786	204,803	470	0	0	0	0	0	0
480	16,791	12,800	233,004	14,005	10,014	211,504	16,126	12,135	204,982	14,151	10,160	219,326	13,988	9,997	205,424	480	0	0	0	0	0	0
490	17,232	13,158	233,916	14,302	10,228	212,117	16,477	12,403	205,705	14,460	10,386	219,963	14,285	10,210	206,933	490	0	0	0	0	0	0
510	17,678	13,521	235,871	14,600	10,445	213,720	17,781	12,658	207,743	15,022	10,922	220,589	14,564	10,453	216,230	510	0	0	0	0	0	0
520	18,126	13,885	235,700	14,898	10,597	213,310	17,594	12,518	207,799	15,225	10,982	221,617	14,876	10,655	217,216	520	0	0	0	0	0	0
530	18,566	14,222	235,459	15,197	11,090	214,660	17,889	13,482	208,477	15,708	11,001	222,409	15,469	11,052	218,338	530	0	0	0	0	0	0
540	19,085	14,996	238,221	15,797	11,307	215,020	18,245	13,755	209,139	16,052	11,382	222,997	15,766	11,277	208,944	540	0	0	0	0	0	0
550	19,935	15,372	239,962	16,097	11,524	216,115	18,601	14,028	209,795	16,338	11,765	223,576	16,064	11,492	209,461	550	0	0	0	0	0	0
560	20,447	15,751	239,399	16,399	11,743	216,115	18,959	14,303	210,440	16,654	11,998	224,146	16,363	11,707	209,999	560	0	0	0	0	0	0
570	20,870	16,131	240,789	16,701	11,961	216,649	19,318	14,579	211,075	16,971	12,222	224,708	16,662	12,057	210,528	570	0	0	0	0	0	0
580	21,337	16,515	241,602	17,003	12,181	217,175	19,678	14,856	211,702	17,290	12,467	225,262	16,962	12,139	211,049	580	0	0	0	0	0	0
590	21,807	16,902	242,405	17,307	12,401	217,693	20,029	15,134	212,320	17,609	12,703	225,808	17,262	12,507	211,562	590	0	0	0	0	0	0

Table A-23

TABLE A-23
(Continued)

T(K)	Carbon Dioxide, CO ₂ ($\bar{H}^{\circ} = -393,520 \text{ kJ/kmol}$)			Carbon Monoxide, CO ($\bar{H}^{\circ} = -110,550 \text{ kJ/kmol}$)			Water Vapor, H ₂ O ($\bar{H}^{\circ} = -241,820 \text{ kJ/kmol}$)			Oxygen, O ₂ ($\bar{H}^{\circ} = 0 \text{ kJ/kmol}$)			Nitrogen, N ₂ ($\bar{H}^{\circ} = 0 \text{ kJ/kmol}$)		
	\bar{h}	\bar{u}	\bar{s}°	\bar{h}	\bar{u}	\bar{s}°	\bar{h}	\bar{u}	\bar{s}°	\bar{h}	\bar{u}	\bar{s}°	$T(K)$		
650	21,80	17,29	24,92	21,622	21,622	21,622	21,929	21,929	21,929	22,633	22,633	22,574	600		
660	21,54	17,68	24,33	21,628	21,628	21,628	21,935	21,935	21,935	22,644	22,644	22,564	610		
670	21,21	18,07	24,58	21,625	21,625	21,625	21,940	21,940	21,940	22,654	22,654	22,553	620		
680	20,99	18,47	24,82	21,622	21,622	21,622	21,945	21,945	21,945	22,664	22,664	22,541	630		
690	20,79	18,86	24,82	21,620	21,620	21,620	21,950	21,950	21,950	22,674	22,674	22,530	640		
700	20,61	19,27	24,73	21,618	21,618	21,618	21,955	21,955	21,955	22,684	22,684	22,518	650		
710	20,45	19,67	24,77	21,617	21,617	21,617	21,960	21,960	21,960	22,694	22,694	22,508	660		
720	20,30	19,67	24,77	21,617	21,617	21,617	21,965	21,965	21,965	22,704	22,704	22,497	670		
730	20,16	19,68	24,85	21,617	21,617	21,617	21,970	21,970	21,970	22,714	22,714	22,486	680		
740	20,04	20,48	24,85	21,616	21,616	21,616	21,975	21,975	21,975	22,724	22,724	22,475	690		
750	20,92	19,27	24,75	21,615	21,615	21,615	21,980	21,980	21,980	22,734	22,734	22,464	700		
760	20,82	22,12	25,02	21,615	21,615	21,615	21,985	21,985	21,985	22,744	22,744	22,453	710		
770	20,72	22,55	25,25	21,615	21,615	21,615	21,990	21,990	21,990	22,754	22,754	22,442	720		
780	20,62	22,97	25,27	21,615	21,615	21,615	21,995	21,995	21,995	22,764	22,764	22,431	730		
790	20,52	22,97	25,27	21,615	21,615	21,615	22,000	22,000	22,000	22,774	22,774	22,420	740		
800	20,42	23,39	25,43	21,615	21,615	21,615	22,005	22,005	22,005	22,784	22,784	22,409	750		
810	20,32	23,81	25,43	21,615	21,615	21,615	22,010	22,010	22,010	22,794	22,794	22,398	760		
820	20,22	24,24	25,43	21,615	21,615	21,615	22,015	22,015	22,015	22,804	22,804	22,387	770		
830	20,12	24,66	25,43	21,615	21,615	21,615	22,020	22,020	22,020	22,814	22,814	22,376	780		
840	20,02	25,09	25,43	21,615	21,615	21,615	22,025	22,025	22,025	22,824	22,824	22,365	790		
850	20,59	23,81	25,43	21,615	21,615	21,615	22,030	22,030	22,030	22,834	22,834	22,354	800		
860	20,49	23,81	25,43	21,615	21,615	21,615	22,035	22,035	22,035	22,844	22,844	22,343	810		
870	20,39	24,24	25,43	21,615	21,615	21,615	22,040	22,040	22,040	22,854	22,854	22,332	820		
880	20,29	24,66	25,43	21,615	21,615	21,615	22,045	22,045	22,045	22,864	22,864	22,321	830		
890	20,19	25,09	25,43	21,615	21,615	21,615	22,050	22,050	22,050	22,874	22,874	22,310	840		
900	20,09	27,70	26,51	21,615	21,615	21,615	22,055	22,055	22,055	22,884	22,884	22,299	850		
910	20,96	28,12	26,51	21,615	21,615	21,615	22,060	22,060	22,060	22,894	22,894	22,288	860		
920	20,86	28,58	26,51	21,615	21,615	21,615	22,065	22,065	22,065	22,904	22,904	22,277	870		
930	20,76	29,00	26,51	21,615	21,615	21,615	22,070	22,070	22,070	22,914	22,914	22,266	880		
940	20,66	29,42	26,51	21,615	21,615	21,615	22,075	22,075	22,075	22,924	22,924	22,255	890		
950	40,970	32,171	26,444	28,703	20,805	23,2,727	33,841	25,943	230,499	29,652	21,754	241,689	28,501	20,603	
960	40,567	32,625	26,707	29,033	21,051	23,3,072	34,247	26,265	230,924	29,999	22,017	242,052	28,836	20,844	
970	41,445	33,081	26,756	29,362	21,298	23,3,433	34,653	26,588	231,347	30,345	22,280	242,411	29,151	21,086	
980	41,665	33,537	26,819	26,419	21,693	23,3,752	35,061	26,913	231,767	30,992	22,544	242,768	29,476	21,328	
990	42,226	33,995	26,857	26,973	21,793	23,4,086	35,472	27,240	232,184	31,041	22,809	243,120	29,803	21,571	

TABLE A-23
(Continued)

$T(K)$	Carbon Dioxide, CO_2 ($\bar{H}_f = -393,520 \text{ kJ/kmol}$)				Carbon Monoxide, CO ($\bar{H}_f = -100,530 \text{ kJ/kmol}$)				Water Vapor, H_2O ($\bar{H}_f = -241,820 \text{ kJ/kmol}$)				Oxygen, O_2 ($\bar{H}_f = 0 \text{ kJ/kmol}$)				Nitrogen, N_2 ($\bar{H}_f = 0 \text{ kJ/kmol}$)			
	\bar{h}		\bar{u}		s°		\bar{h}		\bar{h}		s°		\bar{h}		\bar{h}		s°		\bar{h}	
	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}	\bar{h}	\bar{u}
3000	-427.69	344.55	261.15	303.55	210.01	247.21	135.88	127.58	131.380	123.05	241.07	11	201.20	218.15	28.05	28.05	100.0	100.0	100.0	100.0
3020	-428.59	353.58	210.93	350.6	255.10	255.15	136.70	128.28	132.088	123.607	240.16	14	201.784	22.204	228.706	228.706	100.0	100.0	100.0	100.0
3040	-419.53	363.06	211.55	316.88	201.1	255.28	135.55	128.15	132.253	123.607	240.16	14	201.84	24.142	229.344	229.344	104.0	104.0	104.0	104.0
3060	-460.05	372.88	212.00	323.57	212.54	255.62	138.38	128.05	132.490	124.553	241.67	13	221.01	23.288	229.973	229.973	106.0	106.0	106.0	106.0
3080	-471.53	380.94	212.49	324.29	212.09	255.92	139.22	128.23	132.806	124.67	241.97	13	221.57	23.277	230.521	230.521	108.0	108.0	108.0	108.0
3100	48.258	39.112	274.445	33.702	24.557	237.609	40.071	30.955	236.584	34.899	25.753	18	24.280	231.199	110.0	110.0	110.0	110.0	110.0	110.0
3120	49.369	40.057	275.444	34.377	25.005	238.217	40.923	31.611	237.352	35.606	26.294	14	34.092	24.780	231.799	231.799	112.0	112.0	112.0	112.0
3140	50.484	41.006	276.430	35.054	25.575	238.817	41.780	32.301	238.110	36.314	26.836	10	34.760	25.282	232.391	232.391	114.0	114.0	114.0	114.0
3160	51.602	41.937	277.493	35.723	26.058	239.407	42.642	32.987	238.859	37.023	27.379	14	24.838	25.786	232.973	232.973	116.0	116.0	116.0	116.0
3180	52.724	42.913	278.362	36.406	26.602	239.989	43.509	33.698	239.600	37.734	27.923	17	24.937	26.291	233.549	233.549	118.0	118.0	118.0	118.0
3200	53.848	43.874	279.307	37.075	27.018	240.665	44.380	34.403	240.256	35.112	28.97	13	24.968	26.799	234.673	234.673	120.0	120.0	120.0	120.0
3220	54.977	44.844	280.238	37.736	27.677	241.128	45.256	35.862	241.057	35.916	29.08	13	25.057	27.308	235.623	235.623	124.0	124.0	124.0	124.0
3240	56.106	45.799	281.159	38.396	28.366	241.666	46.136	36.524	241.773	35.956	29.179	13	25.149	27.819	235.223	235.223	126.0	126.0	126.0	126.0
3260	57.227	46.758	282.066	39.054	28.954	242.678	47.022	37.216	242.516	36.516	29.653	13	25.240	28.323	235.766	235.766	128.0	128.0	128.0	128.0
3280	58.348	47.729	282.952	39.889	29.203	242.801	47.912	37.210	243.183	36.620	29.629	13	25.352	28.845	236.303	236.303	130.0	130.0	130.0	130.0
3300	59.522	48.713	283.847	40.534	29.725	243.316	48.807	38.000	243.877	42.033	31.224	14	25.476	29.361	236.831	236.831	132.0	132.0	132.0	132.0
3320	60.666	49.694	284.722	41.266	30.251	243.844	49.707	38.732	244.564	42.753	31.778	14	25.535	29.878	237.353	237.353	134.0	134.0	134.0	134.0
3340	61.813	50.672	285.586	41.979	30.777	244.366	50.612	39.470	245.243	43.475	32.334	14	25.598	30.398	238.376	238.376	136.0	136.0	136.0	136.0
3360	62.963	51.656	286.439	42.613	31.306	244.880	51.524	40.213	245.915	44.198	32.891	14	25.644	30.919	238.878	238.878	138.0	138.0	138.0	138.0
3380	64.116	52.643	287.283	43.309	31.836	245.388	52.434	40.960	246.582	44.923	33.449	14	25.715	31.441	243.585	243.585	140.0	140.0	140.0	140.0
3400	65.271	53.631	288.106	44.007	32.367	245.889	53.355	41.711	247.241	45.648	34.003	14	25.786	31.971	244.028	244.028	142.0	142.0	142.0	142.0
3420	66.427	54.621	288.934	44.701	32.906	246.385	54.273	42.466	247.895	46.375	34.565	14	25.858	32.489	244.664	244.664	144.0	144.0	144.0	144.0
3440	67.586	55.614	289.771	45.405	33.541	246.876	55.198	43.276	248.473	48.084	35.133	14	25.928	32.986	245.324	245.324	146.0	146.0	146.0	146.0
3460	68.745	56.609	290.542	46.110	34.191	247.60	56.128	43.985	249.785	47.832	35.692	14	25.992	33.492	246.685	246.685	148.0	148.0	148.0	148.0
3480	69.904	57.600	291.322	46.833	34.508	248.339	57.062	44.758	250.920	48.551	36.256	14	25.954	34.001	247.301	247.301	150.0	150.0	150.0	150.0
3500	71.078	58.606	292.114	47.547	35.046	248.312	57.999	45.528	250.450	49.292	36.821	14	25.995	47.073	34.601	34.601	152.0	152.0	152.0	152.0
3520	72.246	59.609	292.888	48.222	35.584	248.778	58.942	46.304	251.074	50.024	37.387	14	25.956	47.771	34.228	34.228	154.0	154.0	154.0	154.0
3540	73.417	60.613	293.654	48.928	36.124	249.245	59.888	47.084	251.693	50.756	37.952	14	25.902	48.470	35.665	35.665	156.0	156.0	156.0	156.0
3560	74.590	61.620	294.411	49.635	36.665	249.695	60.838	47.868	252.305	51.490	38.520	14	25.850	49.168	36.197	36.197	158.0	158.0	158.0	158.0
3580	76.767	62.630	295.161	50.344	37.207	250.447	61.792	48.655	252.912	52.224	39.088	14	25.797	49.869	36.732	36.732	160.0	160.0	160.0	160.0
3600	76.924	63.731	295.901	51.051	37.750	250.592	62.745	49.405	253.513	52.961	39.658	14	25.743	50.571	37.268	37.268	162.0	162.0	162.0	162.0
3620	78.122	64.632	296.612	51.753	38.292	251.156	63.709	50.160	254.103	53.696	40.227	14	25.696	51.275	37.896	37.896	164.0	164.0	164.0	164.0
3640	79.303	65.668	297.317	52.472	38.833	251.710	64.675	50.834	254.813	54.434	40.799	14	25.643	51.980	38.444	38.444	166.0	166.0	166.0	166.0
3660	80.486	66.599	298.012	53.192	39.362	252.314	65.643	51.581	255.510	55.172	41.370	14	25.590	52.686	38.884	38.884	168.0	168.0	168.0	168.0
3680	81.670	67.702	298.781	53.805	39.823	252.912	66.611	52.365	256.212	55.972	41.944	14	25.539	53.392	39.124	39.124	170.0	170.0	170.0	170.0
3700	82.856	68.724	299.482	54.609	40.474	252.751	67.589	53.455	256.450	56.652	42.517	14	26.579	54.099	39.965	39.965	172.0	172.0	172.0	172.0
3720	84.043	69.742	300.177	55.323	41.023	253.582	68.567	54.267	257.022	57.394	43.093	14	26.539	54.807	40.507	40.507	174.0	174.0	174.0	174.0
3740	85.231	70.764	300.863	56.039	41.572	253.582	69.550	55.083	257.589	58.136	43.699	14	26.503	55.516	41.049	41.049	176.0	176.0	176.0	176.0

Table A-23

Table A-23

(Continued)

T(K)	Carbon Dioxide, CO ₂ ($\bar{H}^{\circ} = -393.520 \text{ kJ/kmol}$)			Carbon Monoxide, CO ($\bar{H}^{\circ} = -110.530 \text{ kJ/kmol}$)			Water Vapor, H ₂ O ($\bar{H}^{\circ} = -241.820 \text{ kJ/kmol}$)			Oxygen, O ₂ ($\bar{H}^{\circ} = 0 \text{ kJ/kmol}$)			Nitrogen, N ₂ ($\bar{H}^{\circ} = 0 \text{ kJ/kmol}$)			
	\bar{H}	\bar{U}	S°	\bar{H}	\bar{U}	S°	\bar{H}	\bar{U}	S°	\bar{H}	\bar{U}	S°	\bar{H}	\bar{U}	S°	
1760	386420	75787	201.52	155.756	122.3	25.95	281.517	258.805	44.247	129.261	116.227	41.594	247.336	247.336	170	
1780	387620	75812	202.52	155.773	123.3	24.95	281.523	259.623	44.825	129.283	116.938	42.139	247.738	247.738	1780	
1800	388820	75837	203.52	155.790	124.3	25.95	281.537	259.623	45.405	129.621	117.685	42.685	248.195	248.195	180	
1820	390020	75868	203.549	155.807	125.3	25.95	281.553	259.811	45.988	129.893	118.071	43.23	248.559	248.559	180	
1840	391320	75897	204.198	155.824	126.3	25.95	281.568	260.357	46.558	129.907	118.777	43.777	248.919	248.919	180	
1860	392394	76939	304.845	60.351	44.886	255.976	75.506	60.042	260.898	62.616	47.151	265.925	59.790	44.324	249.365	1860
1880	393593	77962	305.487	61.072	45.441	256.361	76.511	60.880	261.436	63.365	47.734	266.326	60.504	44.873	249.748	1880
1900	394793	78996	306.122	61.794	45.997	256.743	77.547	61.720	261.969	64.116	48.319	266.722	61.220	45.423	250.128	1900
1920	395195	80931	306.751	62.516	46.552	257.122	78.527	62.564	262.497	64.868	48.904	267.115	61.936	45.973	250.502	1920
1940	397197	81067	307.374	63.338	47.108	257.497	79.540	63.411	263.022	65.620	49.490	267.505	62.654	46.524	250.874	1940
1960	398405	82105	307.992	63.991	47.665	257.868	80.555	64.559	263.572	66.159	50.078	268.595	63.588	47.075	251.212	1960
1980	399604	83144	308.601	64.634	48.221	258.231	81.521	65.112	264.059	67.157	50.665	268.275	64.090	47.627	251.667	1980
2000	400801	84180	309.210	65.278	48.780	258.600	82.500	65.555	264.574	67.881	51.223	268.955	64.810	48.183	251.959	2000
2050	403838	85191	309.701	67.224	50.779	259.900	83.500	66.111	265.838	69.152	52.777	269.588	66.622	49.556	252.859	2050
2100	406864	87004	312.190	69.014	52.84	260.370	87.755	70.755	267.083	71.668	54.248	270.504	68.447	50.957	253.776	2100
2150	409898	92.023	313.589	70.854	52.988	261.226	90.339	72.454	268.304	73.573	55.697	271.399	70.226	52.351	254.578	2150
2200	412939	94.648	314.988	72.688	54.396	262.065	92.940	74.619	269.500	75.484	57.492	272.278	72.040	53.749	255.412	2200
2250	415984	97.277	316.356	74.516	55.809	262.887	95.562	76.855	270.679	77.397	58.690	273.136	73.856	55.149	256.227	2250
2300	419035	99.912	317.695	76.345	57.222	263.692	98.499	79.076	271.839	79.316	60.93	273.981	75.676	56.553	257.027	2300
2350	422091	102.552	319.011	78.178	58.640	264.480	100.846	81.308	272.978	81.243	61.704	274.809	77.496	57.958	257.810	2350
2400	425152	104.932	320.302	79.805	59.605	265.253	103.508	82.553	274.098	83.374	62.595	275.625	78.320	58.936	258.580	2400
2450	428216	107.269	321.562	81.456	60.862	266.020	104.852	83.520	275.202	85.152	63.724	276.244	79.159	60.779	259.332	2450
2500	431290	110.004	322.803	83.192	62.006	266.755	106.082	84.082	276.285	86.017	64.571	277.207	80.298	62.159	260.073	2500
2550	434368	113.666	324.026	84.937	63.235	267.485	107.304	85.364	277.354	87.002	65.802	277.979	84.841	63.633	260.779	2550
2600	437449	115.832	325.226	85.832	64.200	268.206	108.515	86.516	278.407	87.956	66.939	278.738	86.650	65.033	261.512	2600
2650	440533	118.500	326.396	86.230	65.197	268.905	116.991	94.958	279.441	92.916	70.883	279.485	88.488	66.455	262.213	2650
2700	443620	121.172	327.549	91.077	68.428	269.596	119.717	97.269	280.462	94.881	72.433	280.219	90.328	67.880	262.902	2700
2750	446713	123.849	329.804	92.330	70.066	270.285	122.433	99.588	281.464	96.852	73.987	280.942	92.171	69.306	263.577	2750
2800	449808	126.528	330.896	94.784	73.504	270.943	104.917	282.453	98.826	75.546	281.854	94.014	70.734	264.241	2800	
2850	452908	129.212	330.896	96.339	72.945	271.602	127.952	104.256	283.429	100.808	77.112	283.357	95.859	72.163	264.895	2850
2900	456007	131.898	331.971	98.055	74.782	272.270	129.777	106.705	284.395	102.730	78.632	284.478	97.705	73.593	265.58	2900
2950	459117	134.589	333.052	99.889	75.307	273.002	132.418	108.959	285.338	104.738	80.228	285.398	99.556	75.028	266.320	2950
3000	462206	137.283	334.131	101.734	76.901	273.505	133.521	110.932	286.273	106.766	81.87	286.060	101.407	76.464	267.733	3000
3050	465311	140.982	335.212	103.984	78.513	274.102	134.632	113.092	287.192	108.778	83.419	287.060	103.260	77.902	267.404	3050
3100	468406	144.646	336.292	105.229	80.162	274.701	135.712	114.866	288.102	110.732	85.009	288.713	105.215	79.341	268.007	3100
3150	471516	145.385	337.124	107.802	83.612	275.326	144.646	118.458	288.999	112.795	86.601	289.355	106.972	80.782	268.601	3150
3200	474605	148.089	338.109	109.667	83.061	275.914	147.457	120.851	289.884	114.809	88.203	286.989	108.830	82.224	269.186	3200
3250	477722	150.801	339.069	111.534	84.513	276.494	150.272	123.250	290.756	116.827	90.804	287.614	110.690	83.668	269.773	3250

Source: Table A-23 is based on the JANAF Thermochemical Tables, NSRDS-NBS-37, 1971.

TABLE A-24**Constants for the van der Waals, Redlich-Kwong, and Benedict-Webb-Rubin Equations of State**1. van der Waals and Redlich-Kwong: Constants for pressure in bar, specific volume in m³/kmol, and temperature in K

Substance	van der Waals		Redlich-Kwong	
	a bar $(\frac{m^3}{kmol})^2$	b $\frac{m^3}{kmol}$	a bar $(\frac{m^3}{kmol})^2$ K ^{1/2}	b $\frac{m^3}{kmol}$
Air	1.368	0.0367	15.989	0.02541
Butane (C ₄ H ₁₀)	13.86	0.1162	289.55	0.08060
Carbon dioxide (CO ₂)	3.647	0.0428	64.43	0.02903
Carbon monoxide (CO)	1.474	0.0395	17.22	0.02737
Methane (CH ₄)	2.293	0.0428	32.11	0.02965
Nitrogen (N ₂)	1.366	0.0386	15.53	0.02677
Oxygen (O ₂)	1.369	0.0317	17.22	0.02197
Propane (C ₃ H ₈)	9.349	0.0901	182.23	0.06242
Refrigerant 12	10.49	0.0973	208.59	0.06731
Sulfur dioxide (SO ₂)	6.883	0.0569	144.80	0.03945
Water (H ₂ O)	5.531	0.0305	142.59	0.02111

Source: Calculated from critical data.

2. Benedict-Webb-Rubin: Constants for pressure in bar, specific volume in m³/kmol, and temperature in K

Substance	a	A	b	B	c	C	α	γ
C ₂ H ₆	1.9073	-10.218	-0.039998	-0.12436	-3.2061 × 10 ⁻⁵	-1.006 × 10 ⁻⁶	-1.101 × 10 ⁻²	0.0340
CO ₂	0.1386	-2.7737	-0.007210	-0.04991	-1.512 × 10 ⁻⁵	-1.404 × 10 ⁻⁶	-8.47 × 10 ⁻³	0.00539
CO	0.0371	-1.3599	-0.002632	-0.05456	-1.054 × 10 ⁻⁵	-8.676 × 10 ⁻⁷	-4.350 × 10 ⁻⁴	0.00603
CH ₄	0.0501	-1.8796	0.003380	0.04260	2.579 × 10 ³	2.287 × 10 ⁴	1.244 × 10 ⁻⁴	0.0060
N ₂	0.0254	-1.0676	0.002328	0.04074	7.381 × 10 ²	8.166 × 10 ³	1.272 × 10 ⁻⁴	0.0053

Source: H. W. Cooper and J. C. Goldfrank, *Hydrocarbon Processing*, 46 (12): 141 (1967).

TABLE A-25

Thermochemical Properties of Selected Substances at 298K and 1 atm

Substance	Formula	Molar Mass, <i>M</i> (kg/kmol)	Enthalpy of Formation, \bar{H}_f° (kJ/kmol)	Gibbs Function of Formation, \bar{G}_f° (kJ/kmol)	Absolute Entropy, S° (kJ/kmol · K)	Heating Values	
						Higher, HHV (kJ/kg)	Lower, LHV (kJ/kg)
Carbon	C(s)	12.01	0	0	5.74	32770	32770
Hydrogen	H ₂ (g)	2.016	0	0	130.57	141780	119950
Nitrogen	N ₂ (g)	28.01	0	0	191.50	—	—
Oxygen	O ₂ (g)	32.00	0	0	205.03	—	—
Carbon monoxide	CO(g)	28.01	-110,530	-137,150	197.54	—	—
Carbon dioxide	CO ₂ (g)	44.01	-393,520	-394,380	213.69	—	—
Water	H ₂ O(g)	18.02	-241,820	-228,590	188.72	—	—
Water	H ₂ O(l)	18.02	-285,830	-237,180	69.95	—	—
Hydrogen peroxide	H ₂ O ₂ (g)	34.02	-136,310	-105,600	232.63	—	—
Ammonia	NH ₃ (g)	17.03	-46,190	-16,590	192.33	—	—
Oxygen	O ₂ (g)	32.00	-249,170	-234,700	169.95	—	—
Hydrogen	H(g)	1.008	-18,000	-203,290	114.61	—	—
Nitrogen	N(g)	14.01	472,680	455,510	153.19	—	—
Hydroxyl	OH(g)	17.01	39,460	34,280	183.75	—	—
Methane	CH ₄ (g)	16.04	-74,850	-50,790	186.16	55.510	50,020
Acetylene	C ₂ H ₂ (g)	26.04	226,730	209,170	200.85	49.910	48,220
Ethylene	C ₂ H ₄ (g)	28.05	-52,280	-68,120	219.83	50300	47160
Ethane	C ₂ H ₆ (g)	30.07	-84,680	-32,890	229.49	51870	47480
Propylene	C ₃ H ₆ (g)	42.08	-120,210	-62,720	200.94	46920	415780
Propane	C ₃ H ₈ (g)	44.09	-103,890	-23,490	269.91	50350	49360
Butane	C ₄ H ₁₀ (g)	58.12	-126,150	-15,710	310.03	49.500	45,720
Pentane	C ₅ H ₁₂ (g)	72.15	-146,440	-8,200	348.40	49,010	45,350
Octane	C ₈ H ₁₈ (g)	114.22	-208,450	17,320	463.67	48,260	44,790
Octane	C ₈ H ₁₈ (l)	114.22	-249,910	6,610	360.79	47,900	44,430
Benzene	C ₆ H ₆ (g)	78.11	82,930	129,660	269.20	42,270	40,580
Methanol	CH ₃ OH(g)	32.04	-200,890	-162,160	239.70	23850	23110
Methanol	CH ₃ OH(l)	32.04	-238,830	-166,290	126.80	221670	19920
Ethanol	C ₂ H ₅ OH(g)	46.07	-235,310	-168,570	282.59	330590	27720
Ethanol	C ₂ H ₅ OH(l)	46.07	-277,990	-174,890	160.70	291670	26800

Source: Based on JANAF Thermochemical Tables, NSRDS-NBS-37, 1971; Selected Values of Chemical Thermodynamic Properties, NBS Tech. Note 270-3, 1968; and API Research Project 44, Carnegie Press, 1953. Heating values calculated.

TABLE A-26

Standard Molar Chemical Exergy, \bar{e}^{ch} (kJ/kmol), of Selected Substances at 298 K and p_0

Substance	Formula	Model I ^a	Model II ^b
Nitrogen	N ₂ (g)	640	720
Oxygen	O ₂ (g)	3950	3970
Carbon dioxide	CO ₂ (g)	14,175	19,870
Water	H ₂ O(g)	8,635	9,500
Water	H ₂ O(l)	45	900
Carbon (graphite)	C(s)	404,590	410,260
Hydrogen	H ₂ (g)	235,250	236,100
Sulfur	S(s)	598,160	609,600
Carbon monoxide	CO(g)	269,410	275,100
Sulfur dioxide	SO ₂ (g)	301,940	313,400
Nitrogen monoxide	NO(g)	88,850	88,900
Nitrogen dioxide	NO ₂ (g)	55,565	55,600
Hydrogen sulfide	H ₂ S(g)	799,890	812,000
Ammonia	NH ₃ (g)	336,685	337,900
Methane	CH ₄ (g)	924,350	831,650
Acetylene	C ₂ H ₂ (g)	—	1,265,800
Ethylen	C ₂ H ₄ (g)	—	1,361,100
Ethane	C ₂ H ₆ (g)	1,482,035	1,495,840
Propylene	C ₃ H ₆ (g)	—	2,003,900
Propane	C ₃ H ₈ (g)	—	2,154,000
Butane	C ₄ H ₁₀ (g)	—	2,805,800
Pentane	C ₅ H ₁₂ (g)	—	3,463,300
Benzene	C ₆ H ₆ (g)	—	3,303,600
Octane	C ₈ H ₁₈ (l)	—	5,413,100
Methanol	CH ₃ OH(g)	715,070	722,300
Methanol	CH ₃ OH(l)	710,745	718,000
Ethanol	C ₂ H ₅ OH(g)	1,348,130	1,393,900
Ethanol	C ₂ H ₅ OH(l)	1,342,085	1,357,700

^aJ. Ahrendts, "Die Energie Chemisch Reaktionsfähiger Systeme," VDI-Forschungsheft, VDI-Verlag, Dusseldorf, 579, 1977. Also see "Reference States," *Energy—The International Journal*, 5: 667–677, 1980. In Model I, $p_0 = 1.019$ atm. This model attempts to impose a criterion that the reference environment be in equilibrium. The reference substances are determined assuming restricted chemical equilibrium for nitric acid and nitrates and unrestricted thermodynamic equilibrium for all other chemical components of the atmosphere, the oceans, and a portion of the Earth's crust. The chemical composition of the gas phase of this model approximates the composition of the natural atmosphere.

^bJ. Szargut, D. R. Morris, and F. R. Steward, *Exergy Analysis of Thermal, Chemical, and Metallurgical Processes*, Hemisphere, New York, 1988. In Model II, $p_0 = 1.0$ atm. In developing this model a reference substance is selected for each chemical element from among substances that contain the element being considered and that are abundantly present in the natural environment, even though the substances are not in completely mutual stable equilibrium. An underlying rationale for this approach is that substances found abundantly in nature have little economic value. On an overall basis, the chemical composition of the exergy reference environment of Model II is closer than Model I to the composition of the natural environment, but the equilibrium criterion is not always satisfied.

936 Tables in SI Units

TABLE A-27

Logarithms to the Base 10 of the Equilibrium Constant K

Temp. K	$\log_{10} K$								Temp. °R
	$H_2 \rightleftharpoons 2H$	$O_3 \rightleftharpoons 2O$	$N_3 \rightleftharpoons 2N$	$\frac{1}{2}O_2 + \frac{1}{2}N_2 \rightleftharpoons NO$	$H_2O \rightleftharpoons H_2 + \frac{1}{2}O_2$	$H_2O \rightleftharpoons OH + \frac{1}{2}H_2$	$CO_2 \rightleftharpoons CO + \frac{1}{2}O_2$	$CO_2 + H_2 \rightleftharpoons CO + H_2O$	
298	-71.224	-81.208	-159.600	-15.171	-40.048	-46.054	-45.066	-5.018	537
500	-40.316	-45.880	-92.672	-8.783	-22.886	-26.130	-25.025	-2.139	900
1000	-17.292	-19.614	-43.056	-4.062	-10.062	-11.280	-10.221	-0.159	1800
1200	-13.414	-15.208	-34.754	-3.775	-8.899	-8.811	-7.794	+0.135	2160
1400	-10.630	-12.054	-28.812	-3.712	-5.347	-7.021	-6.014	+0.333	2520
1600	-8.532	-9.684	-24.350	-2.290	-5.180	-5.677	-4.706	+0.474	2880
1700	-7.666	-8.706	-22.512	-2.116	-4.699	-5.124	-4.169	+0.530	3060
1800	-6.896	-7.836	-20.874	-1.962	-4.270	-4.613	-3.693	+0.577	3240
1900	-6.204	-7.058	-19.410	-1.823	-3.886	-4.190	-3.267	+0.619	3420
2000	-5.580	-6.356	-18.092	-1.699	-3.540	-3.776	-2.884	+0.656	3600
2100	-5.016	-5.720	-16.898	-1.586	-3.227	-3.434	-2.539	+0.688	3780
2200	-4.502	-5.142	-15.810	-1.484	-2.942	-3.091	-2.226	+0.716	3960
2300	-4.032	-4.634	-14.818	-1.391	-2.682	-2.809	-1.940	+0.742	4140
2400	-3.600	-4.130	-13.908	-1.305	-2.443	-2.520	-1.679	+0.764	4320
2500	-3.202	-3.684	-13.070	-1.227	-2.224	-2.270	-1.440	+0.784	4500
2600	-2.836	-3.272	-12.298	-1.154	-2.021	-2.038	-1.219	+0.802	4680
2700	-2.494	-2.892	-11.580	-1.087	-1.833	-1.823	-1.015	+0.818	4860
2800	-2.178	-2.536	-10.914	-1.025	-1.658	-1.624	-0.825	+0.833	5040
2900	-1.882	-2.206	-10.294	-0.967	-1.495	-1.438	-0.649	+0.846	5220
3000	-1.606	-1.898	-9.716	-0.913	-1.343	-1.265	-0.485	+0.858	5400
3100	-1.348	-1.610	-9.174	-0.863	-1.201	-1.103	-0.332	+0.869	5580
3200	-1.105	-1.340	-8.664	-0.815	-1.067	-0.951	-0.189	+0.878	5760
3300	-0.878	-1.086	-8.186	-0.771	-0.942	-0.809	-0.054	+0.888	5940
3400	-0.664	-0.866	-7.736	-0.720	-0.824	-0.675	-0.071	+0.895	6120
3500	-0.462	-0.620	-7.312	-0.690	-0.712	-0.547	-0.190	+0.902	6300

Source: Based on data from the JANAF Thermochemical Tables, NSRDS-NBS-37, 1971.

Table A-27